



Fujitsu : Scanner



FJS-fi-7140



FJS-fi-7240



FJS-fi-7160

รองรับกระดาษ	A8-A4, Legal	A8-A4, Legal	A8-A4, Legal
สแกนเนอร์สีแบบ	ADF	ADF + Flatbed	ADF
ความละเอียดสูงสุด	50-600dpi, 1200dpi	50-600dpi, 1200dpi	50-600dpi, 1200dpi
ความเร็ว	40 ppm/80 ipm	40ppm/ 80ipm	60ppm/120ipm
ถาดป้อนกระดาษ	80 sheets	80 sheets	80 sheets
การเชื่อมต่อ	USB2.0	USB 2.0	USB 3.0
SRP(inc.VAT)	28,890.-	43,870.-	33,170.-



FJS-fi-7260



FJS-fi-7180



FJS-fi-7460

รองรับกระดาษ	A8-A4, Legal	A8-A4, Legal	A8-A3, Legal
สแกนเนอร์สีแบบ	ADF + Flatbed	ADF	ADF
ความละเอียดสูงสุด	50-600dpi, 1200dpi	50-600dpi, 1200dpi	50-600dpi, 1200dpi
ความเร็ว	60ppm/120ipm	80 ppm/160 ipm	60 ppm/120 ipm
ถาดป้อนกระดาษ	80 sheets	80 sheets	100 sheets
การเชื่อมต่อ	USB 3.0	USB 3.0	USB3.0
SRP(inc.VAT)	50,290.-	56,710.-	123,050.-



FJS-fi-7480



FJS-fi-7600



FJS-fi-7700

รองรับกระดาษ	A8-A3, Legal	A8-A3, Legal	A8-A3, Legal
สแกนเนอร์สีแบบ	ADF	ADF	ADF + Flatbed
ความละเอียดสูงสุด	50-600dpi, 1200dpi	50-600dpi, 1200dpi	50-600dpi, 1200dpi
ความเร็ว	80 ppm/160 ipm	90 ppm/180 ipm	90 ppm/180 ipm
ถาดป้อนกระดาษ	100 sheets	200 sheets	200 sheets
การเชื่อมต่อ	USB3.0	Ultra SCSI, USB3.1Gen	Ultra SCSI, USB 3.1Gen
SRP(inc.VAT)	155,150.-	246,100.-	283,550.-

SCANNERS

210

Fujitsu : Scanner



FJS-fi-7700S



FJS-SP-1120N



FJS-SP-1125N

รองรับกระดาษ	A8-A3, Legal	A8-A4, Legal	A8-A4, Legal
สแกนเนอร์สไลด์แบบ	ADF + Flatbed	ADF	ADF
ความละเอียดสูงสุด	50-600dpi, 1200dpi	50-600dpi, 1200dpi	50-600dpi, 1200dpi
ความเร็ว	72 ppm	20 ppm/40 ipm	25 ppm/40 ipm
ถาดป้อนกระดาษ	200 sheets	50 sheets	50 sheets
การเชื่อมต่อ	USB3.1Gen	USB3.2	USB3.2
SRP(inc.VAT)	160,393.-	12,900.-	15,943.-



FJS-SP-1130N



FJS-iX1600

รองรับกระดาษ	A8-A4, Legal	A8-A4, Legal
สแกนเนอร์สไลด์แบบ	ADF	ADF
ความละเอียดสูงสุด	50-600dpi, 1200dpi	50-600dpi, 1200dpi
ความเร็ว	30 ppm/60 ipm	40 ppm/80 ipm
ถาดป้อนกระดาษ	50 sheets	50 sheets
การเชื่อมต่อ	USB3.2	USB3.2
SRP(inc.VAT)	18,725.-	17,800.-



FJS-fi-800R



FJS-SV600

รองรับกระดาษ	A8-A4, Legal	A8-A3, Legal
สแกนเนอร์สไลด์แบบ	ADF	Book Scanner
ความละเอียดสูงสุด	50-600dpi, 1200dpi	1,200dpi
ความเร็ว	40 ppm/80 ipm	3 seconds / page
ถาดป้อนกระดาษ	50 sheets	n/a
การเชื่อมต่อ	USB3.2	USB2.0
SRP(inc.VAT)	25,000.-	22,000.-

HP Photo Scanner

HP ScanJet all Model

1 Year Warranty



HP ScanJet Pro 2000 s1 Sheet-feed Scanner
L2759A



HP ScanJet Pro 3000 s3 Sheet-feed Scanner
L2753A

Scan Technology Scan type Scan speed ADF Scan Resolution Bit depth / Grayscale Level Memory / Processor Scan size Standard connectivity Scan file format Auto Document Feeder Media (ADF) Standard warranty	CMOS CIS (Contact Image Sensor) Sheet-feed Up to 24 ppm/48 ipm Up to 600 dpi (color and mono, Sheet-feed) 24-bits external 48-bits internal / 256 level 64 MB ADF: 216 x 863 mm Hi-Speed USB 2.0 PDF, JPEG, PNG, BMP, TIFF, Text (.txt), Rich Text (rtf) and Searchable PDF 50 sheets of 75 g/m ₂ paper 50 to 180 g/m ² 1 Yr return to HP	CMOS CIS (Contact Image Sensor) Sheet-feed Up to 35 ppm/70 ipm Up to 600 dpi (color and mono, Sheet-feed) 24-bits external 48-bits internal / 256 level 512 MB ADF : 216 x 3100 mm USB 2.0 port PDF, JPEG, PNG, BMP, TIFF, Text (.txt), Rich Text (rtf) and Searchable PDF 50 sheets of 75 g/m ₂ paper 40 to 413 g/m ² 1 Yr return to HP
SRP(inc.VAT)	12,100.-	17,080.-



HP ScanJet Enterprise Flow 5000 s4 Sheet-feed Scanner
L2755A



HP ScanJet Enterprise Flow 7000 s3 Sheet-feed Scanner
L2757A

Scan Technology Scan type Scan speed ADF Scan Resolution Bit depth / Grayscale Level Memory / Processor Scan size Standard connectivity Scan file format Auto Document Feeder Media (ADF) Standard warranty	CMOS CIS (Contact Image Sensor) Sheet-feed Up to 35 ppm/70 ipm Up to 600 dpi (color and mono, Sheet-feed) 24-bits external 48-bits internal / 256 level 512 MB ADF : 216 x 3100 mm USB 2.0 port PDF, JPEG, PNG, BMP, TIFF, Text (.txt), Rich Text (rtf) and Searchable PDF 50 sheets of 75 g/m ² paper 40 to 413 g/m ² 1 Yr return to HP	CMOS CIS (Contact Image Sensor) Sheet-feed Up to 75 ppm/150 ipm for (b&w, 300ppi) Up to 600 dpi (color and mono, Sheet-feed) 24-bits external 48-bits internal / 256 level 512 MB 2ADF : 16 x 3100 mm USB 2.0 and USB 3.0 (SuperSpeed) ePub 3.0, HTML 4.0, (*.xls, *.xlsx), (*.pptx), (*.docx), (*.wpd), PDF, JPEG, PNG, BMP, TIFF, Text (.txt), Rich Text (rtf), XML and XPS 80 sheets of 75 g/m ₂ paper 40 to 413 g/m ₂ 1 Yr return to HP
SRP(inc.VAT)	28,500.-	35,600.-

ICT ๒๐,๐๐๐



HP ScanJet Pro 2500 f1 Flatbed Scanner
HPI-L2747A



HP ScanJet Pro 3500 f1 Flatbed Scanner
HPI-L2741A



HP ScanJet Pro 4500 f1 Network Scanner
HPI-L2749A

Scan Technology Scan type Scan speed ADF Scan Resolution Bit depth / Grayscale Level Memory / Processor Scan size Standard connectivity Scan file format Auto Document Feeder Media weight (ADF) Standard warranty	CMOS CIS Flatbed, ADF up to 20 ppm / 40 ipm up to 600x600 dpi (ADF) 1200x1200 dpi (Flatbed) 24-bit / 256 level 64 MB ADF : 216 x 3100 mm. Flatbed : 216 x 297 mm. Hi-Speed 2.0 PDF; JPEG; PNG; BMP; TIFF; TXT; RTF; Searchable PDF 50 pages Media weight (ADF) : 60 to 105 g/m ² 1 Yr return to HP	CMOS CIS Flatbed, ADF up to 25 ppm / 50 ipm up to 600x600 dpi (ADF) / up to 1200x1200 dpi (Flatbed) 24-bit / 256 level 512 MB ADF : 216 x 3100 mm. (8.5 x 122 in) Flatbed : 216 x 297 mm. (8.5 x 11.69in) Hi-Speed 3.0 PDF; JPEG; PNG; BMP; TIFF; TXT; RTF; Searchable PDF 50 pages Media weight (ADF) : 45 to 120 g/m ² 1 Yr return to HP	CMOS CIS Flatbed, ADF up to 30 ppm / 60 ipm up to 600x600 dpi (ADF) / up to 1200x1200 dpi (Flatbed) 24-bit / 256 level 1 GB ADF : 105x148mm. - 216 x 3100 mm. Flat- bed : 25.4x25.4 mm - 216 x 356 mm. Hi-Speed 3.0. PDF; JPEG; PNG; BMP; TIFF; TXT; RTF; Searchable PDF 50 pages Media weight (ADF) : 45 to 120 g/m ² 1yr
SRP(inc.VAT)	19,990.-	27,000.-	35,390.-

SCANNERS

212

HP Scanner

HP ScanJet all Model 1 Year Warranty



HP ScanJet Enterprise Flow 5000 s3 Sheet-feed Scanner
HPI-L2751A



HP ScanJet Enterprise Flow 7500 Flatbed Scanner
HPQ-L2725B

Scan Technology Scan type Scan speed ADF Scan Resolution Bit depth / Grayscale Level Memory / Processor Scan size Standard connectivity Scan file format Auto Document Feeder Media weight (ADF) Standard warranty	CIS Sheet-feed up to 30 ppm / 60 ipm up to 600x600 dpi 24-bit / 256 level 256 MB Maximum 216 x 3,098 mm. Hi-Speed USB PDF; JPEG; PNG; BMP; TIFF; TXT; RTF; OPF; HTML; DOC; WPD; XLS; XML; Searchable PDF 50 pages Media weight : 41 to 209 g/m2 1yr	(CCD) Flatbed, ADF Up to 50 ppm/100 ipm Up to 600 x 600 dpi 24-bit / 256 level 768 MB ADF: 8.5 x 34 in; Flatbed: 8.5 x 14 in Hi-Speed USB 2.0 PDF, TIFF (single page, multi-page, compressed: G3, G4, LZW, JPEG), DOC, RTF, WPD, XLS, TXT, XML, XPS, HTML, OPF, JPG, BMP, PNG 100 pages 13 to 32 lb 1yr
SRP(inc.VAT)	28,750.-	52,800.-

FUJIFILM : A4



DocuMate 3125



DocuMate 3220



DocuMate 6440

	XRX-DM3125-S	XRX-DM3220-S	XRX-DM6440-S
รองรับกระดาษ สแกนเนอร์สีแบบ	รองรับ 49-120 แกรม CIS (Contact Image Sensor) 600 dpi	สูงสุด 105 แกรม CIS (Contact Image Sensor) 600 dpi	รองรับ 28-413 แกรม CCD (Charge Coupled Device) 600 dpi
ความละเอียดสูงสุด ความเร็ว - Duplex - Simplex ภาคป้อนกระดาษ รองรับการใช้งาน/วัน การเชื่อมต่อ	70 หน้าต่อนาที 40 หน้าต่อนาที ADF 50 Sheet 3,000 หน้า/ วัน Hi-speed USB2.0	46 หน้าต่อนาที 23 หน้าต่อนาที ADF 50 Sheet 1,500 หน้า/ วัน Hi-speed USB2.0	60 หน้าต่อนาที ADF 80 Sheet 6,000 หน้า/ วัน Hi-speed USB 2.0 (3.0 compatible)
SRP(inc.VAT)	19,795.-	15,515.-	31,993.-

FUJIFILM : A3



DocuMate 4830

	XRX-DM4830I-S
รองรับกระดาษ สแกนเนอร์สีแบบ	สูงสุด 105 แกรม CIS (Contact Image Sensor) 600 dpi
ความละเอียดสูงสุด ความเร็ว - Duplex - Simplex ภาคป้อนกระดาษ รองรับการใช้งาน/วัน การเชื่อมต่อ	100 หน้าต่อนาที 50 หน้าต่อนาที ADF 75 Sheet 3,000 หน้า/ วัน Hi-speed USB2.0
SRP(inc.VAT)	139,100 .-

SCANNERS

213

BROTHER SCANNER



	DS-640	DS-740D	ADS-1200
Scanner Type	Sheetfeed	Sheetfeed	Sheetfeed
Scanner Technology	CIS	CIS	Dual CIS
Scan Speed Simplex	7.5 ppm	7.5 ppm	25 ppm
Duplex Scan	No	Yes	Yes
Scan File Format	PDF/JPEG	PDF/JPEG	PDF/JPEG
Resolution	600x600 dpi	600x600 dpi	600x600 dpi
Paper Tray	1 Sheet	1 Sheet	20 Sheets
Paper Size	A4	A4	A4
Standard	USB	USB	USB
Wireless Network	N/A	N/A	N/A
Wired Network	N/A	N/A	N/A
SRP(inc.VAT)	4,590	5,990	9,990



	ADS-1700W	BTH-ADS-3100	BTH-ADS-3300W
Scanner Type	Sheetfeed	Sheetfeed	Sheetfeed
Scanner Technology	Dual CIS	Dual CIS	Dual CIS
Scan Speed Simplex	25 ppm	40 ppm	40 ppm
Duplex Scan	Yes	Yes	Yes
Scan File Format	PDF/JPEG		
Resolution	600x600 dpi	600 x 600 dpi	600 x 600 dpi
Paper Tray	20 Sheets	60 pages	60 pages
Paper Size	A4	A4	A4
Standard	USB	USB	USB
Wireless Network	Wifi	N/A	Wifi 2.4 GHZ
Wired Network	N/A	N/A	10Base-T/100Base-TX
SRP(inc.VAT)	11,990	19,890	22,890



	BTH-ADS-4300N	BTH-ADS-4700W	BTH-ADS-4900W
Scanner Type	Sheetfeed	Sheetfeed	Sheetfeed
Scanner Technology	Dual CIS	Dual CIS	Dual CIS
Scan Speed Simplex	40 ppm	40 ppm	60 ppm
Duplex Scan	Yes	Yes	Yes
Scan File Format			
Resolution	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi
Paper Tray	80 pages	80 pages	100 pages
Paper Size	A4	A4	A4
Standard	USB	USB	USB
Wireless Network	N/A	Wifi 2.4 GHZ	Wifi 2.4 , 5 GHZ
Wired Network	10Base-T/100Base-TX	10Base-T/100Base-TX	10Base-T/100Base-TX
SRP(inc.VAT)	28,890	30,890	35,890

SCANNERS

214

Barcode Scanner



มีสาย



Model	SC511
Type	Barcode Scanner
Scan Engine	1D/2D
Output Interface	USB-HID, USB COM, RS-232
Wireless Communication Supported	- 1D, 2D
Scan Rate	60 frames per second
Sensor	640 x 480 pixels
Drop Protection	1.5m
Cable Length	1.5m
Power Consumption	120mA (operation) , 50mA (standby)
Battery	-
Weight	120g
Sealing Standard	-
Regulatory Compliance	CE/ BSM
Warranty	2 years

SRP(inc.VAT) 2,515.-

มีสาย



Model	SC312
Type	Barcode Scanner
Scan Engine	1D/2D
Output Interface	RS232, USB
Wireless Communication Supported	- 1D, 2D, Postal Codes
Scan Rate	Up to 100 frames per second
Sensor	CMOS 640 x 480 pixels
Drop Protection	1.5m
Cable Length	2m
Power Consumption	Typical 400mAh
Battery	-
Weight	145g
Sealing Standard	IP42
Regulatory Compliance	CE/FCC/BSMI
Warranty	2 years

SRP(inc.VAT) 4,690.-

Barcode Scanner



<p>Seuic HS200 SUC-HS201GHD-0510</p>  <p>Image Sensor 1280*800 pixels Interfaces USB keyboard Scan 1D 2D Dimension 169(L)*69(W)*92(H) 146g Warranty 1-Year carry-in Highly resistant industrial palstic LED indicator, beeper (adjustable tone and volume), haptic/vibration Drop 50 rounds of 5.8 ft./1.8m Protection IP54 Tumble Specification 2,000 rounds of 0.5m tumble</p>	<p>Seuic HS200-STAND SUC-HS200-STAND</p>  <p>ขาตั้งตัวสแกน Stand Seuic HS200</p>
<p>SRP(inc.VAT) 3,500.-</p>	<p>SRP(inc.VAT) 390.-</p>
<p>Seuic HS200 KIT-HS201GHD-0510</p>  <p>Image Sensor 1280*800 pixels Interfaces USB keyboard Scan 1D 2D Dimension 169(L)*69(W)*92(H) 146g Warranty 1-Year carry-in Highly resistant industrial palstic LED indicator, beeper (adjustable tone and volume), haptic/vibration Drop 50 rounds of 5.8 ft./1.8m Protection IP54 Tumble Specification 2,000 rounds of 0.5m tumble</p>	<p>Seuic CRUISE 1-(P) SUC-CRUISE-1P-X3</p>  <p>Cortex™-A53 Octa-core 1.8GHz Display 5.2" 1920*1080 RAM 4GB ROM 64GB Scan 2D (Seuic Scan Engine) Camera 5M/13M Communication WIFI Bluetooth V4.2 IEEE 802.11a/b/g/n/ac (2.4G/5G dual-frequency WIFI) GPS, Beidou, GLONASS (Three in one) Long Battery Life 4500mAh 227g weight only, easy to carry. Android 9.0 Protection IP67 Warranty 1-Year carry-in Drop Specification 1.5 M</p>
<p>SRP(inc.VAT) 4,000.-</p>	<p>SRP(inc.VAT) 18,600.-</p>
<p>AUTOID-9N SUC-AUTOID-9N-X3</p>  <p>Cortex™-A53 Octa-core 1.8GHz Android 9.0 Display 4.0", 800*480(WVGA) RAM 3GB ROM 16GB Expansion Slot : Micro SD Card Scan 2D (Seuic Scan Engine) Camera (B) 13M Communication WIFI Bluetooth V4.2 IEEE 802.11a/b/g/n/ac (2.4G/5G dual-frequency WIFI) GPS, Beidou, GLONASS (Three in one) Battery Detachable 3.8V 4000mAh Weight 270g (including standard battery) Protection IP67 Drop Specification 1.5 M Warranty 1-Year carry-in</p> <p style="border: 1px solid black; padding: 2px; display: inline-block;">By order 30 Day</p>	<p>AUTOID6L-W SUC-AUTOID-6L-W</p>  <p>Ti ARM® Cortex™ -A8 AM3715/ DM3730 1GHz Microsoft® Windows® CE 6.0 3.5" industrial color LCD, resistive touch ,320*240 RAM 512 MB ROM 512 MB + 4 GB (Build-in storage) Expansion Slot : Micro SD Card Scan 2D (Seuic Scan Engine) Camera (B) 5M Communication WIFI (IEEE 802.11 b/g/n) Bluetooth 2.1 (EDR) Battery Detachable 3.7V 3800mAh Weight 313g (including standard battery) Protection IP65 Drop Specification 1.5 M Warranty 1-Year carry-in</p>
<p>SRP(inc.VAT) 18,300.-</p>	<p>SRP(inc.VAT) 17,600.-</p>
<p>AUTOIDPAD2.0 SUC-AUTOIDPAD2.0</p>  <p>MT6762 Octo core 1.2GHz Android 9.0 7" full-view LCD, capacitive, touch-with or without a thick glove/w 1280(H) - 800(W)WXGA 3GB, 4GB compatible Expansion Slot : Micro SD Card Scan 2D (Seuic Scan Engine) Camera F 5.0 mega B13.0 mega-pixel IEEE 802.11a/b/g/n/ac(2.4G/5G dual-frequency WIFI) Bluetooth 5.0 Battery 6000mAh, Weight 485g (including standard battery) Protection IP65 Drop Specification 1.5 M Warranty 1-Year carry-in</p> <p style="border: 1px solid black; padding: 2px; display: inline-block;">By order 30 Day</p>	<p>Pad Air (WIN) SUC-PADAIRWIN-M3</p>  <p>Intel 3.4i2 Core M3-8100Y Windows 10 Enterprise LTSC 10.1 in. color WUXGA (1920 x 1200); LED backlight; Corning Gorilla Glass 8GB RAM/128 GB Flash memory Expansion Slot : support MicroSD upto 128 GB SDXC Scan 2D (Seuic Scan Engine) Camera : Front: 2 MP fixed focus ; Rear: 8 MP autofocus, flash LED with flashlight mode IEEE 802.11 a/b/g/n/ac/ax, Bluetooth 5.0 BLE, Class 2 Support 4G LTE Support for GPS, Glonass, BeiDou and Galileo Rechargeable Li-Ion: 7.7 V, 5070 mAh, fast charging (up to 30 W) Weight 690g (including standard battery) Protection IP65 Drop Specification 1.2 M Warranty 1-Year carry-in</p> <p style="border: 1px solid black; padding: 2px; display: inline-block;">By order 30 Day</p>
<p>SRP(inc.VAT) 17,600.-</p>	<p>SRP(inc.VAT) 48,000.-</p>

SCANNERS

216

Barcode Scanner



Pad Air (WIN)
SUC-PADAIRWIN-CDC



Intel Celeron 3956Y, 1.5 GHz
Windows 10 Enterprise LTSC
10.1 in. color WUXGA (1920 x 1200);
LED backlight; Corning Gorilla Glass
4GB RAM/64 GB Flash memory
Expansion Slot : support MicroSD upto 128 GB SDXC
Scan 2D (Seuic Scan Engine)
Camera : Front: 2 MP fixed focus ; Rear: 8 MP autofocus, flash LED with flashlight mode
IEEE 802.11 a/b/g/n/ac/ax, Bluetooth 5.0 BLE, Class2
Support 4G LTE
Support for GPS, Glonass, BeiDou and Galileo
Rechargeable Li-Ion: 7.7 V, 5070 mAh, fast charging (up to 30 W)
Weight 690g (including standard battery)
Protection IP65
Drop Specification 1.2 M
Warranty 1-Year carry-in

Pad Air (Android)
SUC-PADAIRGMS



Qualcomm Snapdragon 660 8core,
2.2 GHz Android 9.0, GMS
10.1 in. color WUXGA (1920 x 1200);
LED backlight; Corning Gorilla Glass
4GB RAM/64 GB Flash memory
Expansion Slot : support MicroSD upto 128 GB SDXC
Scan 2D (Seuic Scan Engine)
Camera : Front: 8 MP fixed focus ; Rear: 13 MP autofocus, flash LED with flashlight mode
IEEE 802.11 a/b/g/n/ac , Bluetooth 5.0 BLE, Class2
Support 4G LTE
Support for GPS, Glonass, BeiDou and Galileo
Rechargeable Li-Ion: 3.7V, 10040 mAh, fast charging (up to 27 W)
Weight 650g (including standard battery)
Protection IP65
Drop Specification 1.2 M
Warranty 1-Year carry-in

SRP(inc.VAT) 30,000.-

SRP(inc.VAT) 27,000.-

Pad Air (Cradle)
SUC-8999000095



Multifunction charging
cradle for Pad Air
Support charging
Interface : USB2.0X3, RS232X1, RJ45X1, RS485X1,
Including power adapter

SRP(inc.VAT) 4,900.-

Pistol Grip for CRUISE 1
SUC-HWQDBH1A



Pistol Grip for CRUISE 1
Bar code reader equipment

SRP(inc.VAT) 2,500.-

Pistol Grip for AUTOID-9N
SUC-QDBH1A

Pistol Grip for AUTOID-9N
Bar code reader equipment



SRP(inc.VAT) 2,500.-