

**ACER : Tower Servers**



\* Service by Acer Care เฉพาะกรุงเทพฯ และปริมณฑล นอกพื้นที่โปรดติดต่อฝ่ายขาย



**Altos BrainSphere™ T350F4**  
US.RMKST.02C



**Altos BrainSphere™ T110 F5**  
US.RJYST.03S

<b>CPU</b>	1 x Intel® Xeon® Silver 4210R Processor 13.75M, 2.40 GHz (10-core)	Intel® Xeon® E-2224G Processor 8M Cache, 3.50 GHz
<b>Memory</b>	16GB (1x16GB) DDR4-2933 ECC RDIMM	16GB (1x16GB) DDR4-2666 ECC UDIMM
<b>Expansion Slots</b>	4 PCI-E 3.0 x16 2 PCI-E 3.0 x8 M.2 1 M.2 2260/2280/22110 slot (M-key, w/PCIe 3.0 x4)	1 PCI-E 3.0 x8 (in x16) 2 PCI-E 3.0 x4 (in x8) 1 M.2 2280/22110 slot (M-key, w/PCIe 3.0 x4)
<b>Harddisk</b>	2 x 2.5" 960GB SATA SSD	1 x 2TB 3.5" SATA 7200 RPM
<b>Chipset</b>	Intel® C621	
<b>RAID Controller</b>	Integrated SATA RAID supports RAID 0, 1, 5, 10 on Windows® OS only	Integrated SATA RAID supports RAID 0, 1, 5, 10 on Windows® OS only
<b>Max. # Internal Disks supports</b>	8 x 3.5" SAS/SATA hot-swappable bays for HDD/SSD	Up to 4 x 3.5 HDD bays
<b>Optical device</b>	Yes	-
<b>Onboard Gigabit Ethernet</b>	Dual 1GbE LAN with Intel® X722	2 x RJ45 Ethernet LAN ports
<b>Redundant Power Supply</b>	Yes (550W)	No
<b>Form Factor</b>	Tower or Rackmount (via rackmount kit)	Tower 500W
<b>OS Support (Not Provide OS)</b>	Window Server 2019 Red Hat® Enterprise Linux® 7.3	Microsoft® Windows Server® 2019 / 2016 Red Hat® Enterprise Linux®
<b>Mouse</b>	Altos USB Mouse	Altos USB Mouse
<b>Keyboard</b>	Altos USB Keyboard	Altos USB Keyboard
<b>Warranty</b>	3 Year warranty Part & Labor, 5x8, Onsite Service NBD Thailand	3 Year warranty Part & Labor, 5x8, Onsite Service NBD Thailand
<b>SRP (inc. VAT)</b>	121,065.-	47,465.-

**Remark**

- + By Order 45-60 days
- + Promotion(s) valid within July 1 - July 31, 2020 or Supplies Last!!!
- + VAT 7% is not included.
- + This promotion cannot be combined with any other promotions or special rates.
- + Acer reserves the right to add, modify, change, or discontinue this promotion and associated products without notice. All products are subject to availability, and all prices are subject to change without notice.
- + Above prices are landed in local currency ( THB ).
- \* กรุณาดำเนินการ upgrade สินค้า กรุณาติดต่อเอเซอร์ก่อนการสั่งซื้อทุกครั้ง เอเซอร์ขอสงวนสิทธิ์ในการรับผิดชอบกรณีลูกค้าสั่งซื้อสินค้าเอง หรือ ซื้อสินค้าภายนอกโดยมิได้ได้รับการยืนยัน

**HPE : Tower Servers**



Server HP มี Onsite Service ทั่วประเทศ สอบถามรายละเอียดโทร. 02-844-9622



\*สินค้ามีจำนวนจำกัด  
**ProLiant ML30 Gen10**  
HPE-P06781-375



**ProLiant ML30 Gen10**  
HPE-P06789-375

	801882-B21 HPE 1TB SATA 7.2K LFF RW HDD	861683-B21 HPE 4TB SATA 7.2K LFF LP DS HDD x 2 units
<b>CPU Types</b>	Intel® Xeon® E-2124 (3.3GHz/4-core/8MB/71W) Processor	Intel® Xeon® E-2134 (3.5GHz/4-core/8MB/71W) Processor
<b>CPU Min .,Max</b>	รองรับ One Processors	รองรับ One Processors
<b>CPU L3 Cache</b>	8 MB	8 MB
<b>ECC Memory</b>	8GB (1x8GB UDIMMs, 2666 MT/s)	16GB (1x16GB UDIMMs, 2666 MT/s)
<b>Graphic</b>	Integrated Video Standard	Integrated Video Standard
<b>PCI Slot</b>	4 PCIe: 2 x16 FH, 2 x8 LP	4 PCIe: 2 x16 FH, 2 x8 LP
<b>Hard Drives</b>	4LFF Chassis	4LFF Chassis
<b>Onboard Raid</b>	Embedded S100i SW RAID with 4 SATA ports ** The S100i only supports Windows.	Embedded S100i SW RAID with 4 SATA ports ** The S100i only supports Windows.
<b>Optical drive</b>	Not included (Optical Drive options available)	Not included (Optical Drive options available)
<b>Total Hotswap</b>	4 LFF HDD Bays (Non Hot Plug)	4 LFF HDD Bays
<b>Max,internal Disks</b>	4LFF Chassis	4LFF Chassis
<b>Interfaces</b>	1 Rear VGA Port - Standard	1 Rear VGA Port - Standard
<b>Onboard Gigabit Ethernet</b>	HPE 1Gb 2-Port 332i Ethernet Adapter	HPE 1Gb 2-Port 332i Ethernet Adapter
<b>Dimension (units)</b>	(Height 36.83 x Width 17.50 x Depth 47.50 cm)	(Height 36.83 x Width 17.50 x Depth 47.50 cm)
<b>Mechanical</b>	4U Tower	4U Tower
<b>Power Supply</b>	1) 350W ATX Power Supply	1) HPE 500W Flex Slot Platinum Power Supply
<b>OS Support</b>	Microsoft Windows Server Red Hat Enterprise Linux (RHEL)SUSE Linux Enterprise Server (SLES)	Microsoft Windows Server Red Hat Enterprise Linux (RHEL)SUSE Linux Enterprise Server (SLES)
<b>Warranty</b>	HPE 3y FC NBD ML30 Gen10 SVC	HPE 3y FC NBD ML30 Gen10 SVC
<b>SRP (inc. VAT)</b>	29,900.-	79,500.-

TOWER SERVER

159

**DELL : Tower Servers**



**Dell PowerEdge T30**

DEL-SNST30PRO



**Dell PowerEdge T140**

DEL-SnST1401



**Dell PowerEdge T140**

DEL-SnST1402

<b>Form Factor</b>	MiniTower Chassis with up to 4, 3.5" Cabled Hard Drives	3.5" Chassis up to 4 Cabled Hard Drives	3.5" Chassis up to 4 Cabled Hard Drives
<b>Processor</b>	Intel® Xeon® E3-1225v5	Intel® Xeon® E-2124	Intel® Xeon® E-2124
<b>Processor Speed / Core</b>	3.3GHz, 8MB Cache, 4Core/4T, Turbo, 80W	3.3GHz, 8M cache, 4C/4T, turbo (71W)	3.3GHz, 8M cache, 4C/4T, turbo (71W)
<b>Memory</b>	8GB DDR4 UDIMM, 2133 MT/s, ECC	8GB 2666MT/s DDR4 ECC UDIMM	8GB 2666MT/s DDR4 ECC UDIMM
<b>Network</b>	1 x Gigabit Ethernet	On-Board Broadcom 5720 Dual Port 1Gb LOM	On-Board Broadcom 5720 Dual Port 1Gb LOM
<b>Harddisk</b>	1 x 1TB 7.2k Entry SATA 3.5 inch Cable	1x BOSS controller card + with 1x M.2 Sticks 240G (No RAID),FH 2x 2TB 7.2K RPM NLSAS 12Gbps 512n 3.5in Cabled Hard Drive	2x 4TB 7.2K RPM NLSAS 12Gbps 512n 3.5in Cabled Hard Drive
<b>RAID Controller</b>	Intel Rapid Storage Controller 12.0	PERC H330 RAID Controller, Adapter, Full Height	PERC H330 RAID Controller, Adapter, Full Height
<b>Optical Drive</b>	DVD+/- RW, SATA	DVD+/-RW, SATA, Internal	DVD+/-RW, SATA, Internal
<b>Power Supply</b>	Single Cabled Power Supply, 290W	Single, Cabled Power Supply, 365W	Single, Cabled Power Supply, 365W
<b>System Management</b>	NA	iDRAC9 Enterprise with OME Server Configuration Management	iDRAC9 Enterprise with OME Server Configuration Management
<b>Warranty</b>	3Yr ProSupport: NBD Onsite Service	3Yr ProSupport & Mission Critical: (7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive	3Yr ProSupport & Mission Critical: (7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive
<b>SRP (inc. VAT)</b>	27,178.-	62,060.-	57,245.-



**Dell PowerEdge T140**

DEL-SnST1403



**Dell PowerEdge T340**

DEL-SnST3401



**Dell PowerEdge T340**

DEL-SnST3402

<b>Form Factor</b>	3.5" Chassis up to 4 Cabled Hard Drives	3.5" Chassis up to 8 Hot Plug Hard Drives	3.5" Chassis up to 8 Hot Plug Hard Drives
<b>Processor</b>	Intel® Xeon® E-2124	Intel® Xeon® E-2124	Intel® Xeon® E-2124
<b>Processor Speed / Core</b>	3.3GHz, 8M cache, 4C/4T, turbo (71W)	3.3GHz, 8M cache, 4C/4T, turbo (71W)	3.3GHz, 8M cache, 4C/4T, turbo (71W)
<b>Memory</b>	8GB 2666MT/s DDR4 ECC UDIMM	8GB 2666MT/s DDR4 ECC UDIMM	8GB 2666MT/s DDR4 ECC UDIMM
<b>Network</b>	On-Board Broadcom 5720 Dual Port 1Gb LOM	On-Board Broadcom 5720 Dual Port 1Gb LOM	On-Board Broadcom 5720 Dual Port 1Gb LOM
<b>Harddisk</b>	2x 1TB 7.2K RPM SATA 6Gbps 3.5in Cabled Hard Drive	1x 480GB SSD SATA Read Intensive 6Gbps 512 2.5in Hot-plug AG Drive, 3.5in HYB CARR AG 2x 8TB 7.2K RPM NLSAS 12Gbps 512e 3.5in Hot-plug Hard Drive	1x BOSS controller card + with 1x M.2 Sticks 240G (No RAID),FH 2x 4TB 7.2K RPM NLSAS 12Gbps 512n 3.5in Hot-plug Hard Drive
<b>RAID Controller</b>	PERC H330 RAID Controller, Adapter, Full Height	PERC H330 RAID Controller, Adapter, Full Height	PERC H330 RAID Controller, Adapter, Full Height
<b>Optical Drive</b>	DVD+/-RW, SATA, Internal	DVD+/-RW, SATA, Internal	DVD+/-RW, SATA, Internal
<b>Power Supply</b>	Single, Cabled Power Supply, 365W	Dual, Hot-plug, Redundant Power Supply 1+1, 495W	Dual, Hot-plug, Redundant Power Supply 1+1, 495W
<b>System Management</b>	iDRAC9 Enterprise with OME Server Configuration Management	iDRAC9 Enterprise with OME Server Configuration Management	iDRAC9 Enterprise with OME Server Configuration Management
<b>Warranty</b>	3Yr ProSupport & Mission Critical: (7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive	3Yr ProSupport & Mission Critical: (7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive	3Yr ProSupport & Mission Critical: (7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive
<b>SRP (inc. VAT)</b>	51,360.-	78,110.-	69,550.-

TOWER SERVER

**DELL : Tower Servers**



**Dell PowerEdge T340**

DEL-SnST3403



**PowerEdge T440**

DEL-SNST4404110



**PowerEdge T440**

DEL-SNST4403106

<b>Form Factor</b>	3.5" Chassis up to 8 Hot Plug Hard Drives	Chassis with up to 8, 3.5" Hot Plug Hard Drives, Tower Configuration, Casters for PowerEdge Tower Chassis + Bezel	Chassis with up to 16 x2.5" Hot Plug Hard Drives, Tower Configuration, Casters for PowerEdge Tower Chassis + Bezel
<b>Processor</b>	Intel® Xeon® E-2124	1 x Intel® Xeon® Silver 4110	1 x Intel® Xeon® Bronze 3106
<b>Processor Speed / Core</b>	3.3GHz, 8M cache, 4C/4T, turbo (71W)	2.1G, 8C/16T, 9.6GT/s 2UPI, 11M Cache, Turbo, HT (85W) DDR4-2400	1.7G, 8C/8T, 9.6GT/s 2UPI, 11M Cache, No Turbo, No HT (85W) DDR4-2133
<b>Memory</b>	8GB 2666MT/s DDR4 ECC UDIMM	16GB (1x16GB) RDIMM, 2666MT/s, Dual Rank	8GB (1x8GB) RDIMM, 2666MT/s, Dual Rank
<b>Network</b>	On-Board Broadcom 5720 Dual Port 1Gb LOM	Dual-Port 1GbE On-Board LOM	Dual-Port 1GbE On-Board LOM
<b>Harddisk</b>	2x 2.4TB 10K RPM SAS 12Gbps 512e 2.5in Hot-plug Hard Drive, 3.5in HYB CARR	2 x 2TB 7.2K RPM NLSAS 12Gbps 512n 3.5in Hot-Plug Hard Drive	2 x 1TB 7.2K RPM NLSAS 12Gbps 512n 2.5in Hot-plug Hard Drive
<b>RAID Controller</b>	PERC H330 RAID Controller, Adapter, Full Height	PERC H730P+ Adapter RAID Controller, 2Gb NV Cache	PERC H730P+ RAID Controller, 2GB NV Cache, Adapter, Full Height
<b>Optical Drive</b>	DVD+/-RW, SATA, Internal	DVD +/-RW, SATA, Internal	DVD +/-RW, SATA, Internal
<b>Power Supply</b>	Dual, Hot-plug, Redundant Power Supply 1+1, 495W	Dual, Hot-plug, Redundant Power Supply (1+1), 1100W	Dual, Hot-plug, Redundant Power Supply (1+1), 750W
<b>System Management</b>	iDRAC9 Enterprise with OME Server Configuration Management	iDRAC9 Enterprise with OME Server Configuration Management	iDRAC9 Enterprise with OME Server Configuration Management
<b>Warranty</b>	3Yr ProSupport & Mission Critical: (7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive	3Yr ProSupport & Mission Critical: (7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive	3Yr ProSupport & Mission Critical: (7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive
<b>SRP (inc. VAT)</b>	67,410.-	117,700.-	104,860.-



**PowerEdge T440**

DEL-SNST4404116



**PowerEdge T640**

DEL-SNST6404110

<b>Form Factor</b>	Chassis with up to 16 x2.5" Hot Plug Hard Drives, Tower Configuration, Casters for PowerEdge Tower Chassis + Bezel	Chassis with up to 18, 3.5" Hard Drives, Tower Configuration + Casters
<b>Processor</b>	2 x Intel® Xeon® Silver 4116	1 x Intel® Xeon® Silver 4110
<b>Processor Speed / Core</b>	2.1G, 12C/24T, 9.6GT/s 2UPI, 16.5M Cache, Turbo, HT (85W)	2.1G, 8C/16T, 9.6GT/s 2UPI, 11M Cache, Turbo, HT (85W) DDR4-2400
<b>Memory</b>	16GB (2x16GB) RDIMM, 2666MT/s, Dual Rank	16GB (1x16GB) RDIMM, 2666MT/s, Dual Rank
<b>Network</b>	Dual-Port 1GbE On-Board LOM	On-Board Dual-Port 10GbE LOM
<b>Harddisk</b>	4 x 1TB 7.2K RPM NLSAS 12Gbps 512n 2.5in Hot-plug Hard Drive	2 x 2TB 7.2K RPM NLSAS 12Gbps 512n 3.5in Hot-Plug Hard Drive
<b>RAID Controller</b>	PERC H730P+ RAID Controller, 2GB NV Cache, Adapter, Full Height	PERC H730P+ Adapter RAID Controller, 2Gb NV Cache
<b>Optical Drive</b>	DVD +/-RW, SATA, Internal	DVD +/-RW, SATA, Internal
<b>Power Supply</b>	Dual, Hot-plug, Redundant Power Supply (1+1), 750W	Dual, Hot-plug, Redundant Power Supply (1+1), 1100W
<b>System Management</b>	iDRAC9 Enterprise with OME Server Configuration Management	iDRAC9 Enterprise with OME Server Configuration Management
<b>Warranty</b>	3Yr ProSupport & Mission Critical: (7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive	3Yr ProSupport & Mission Critical: (7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive
<b>SRP (inc. VAT)</b>	203,300.-	148,730.-

TOWER SERVER

**LENOVO : Tower Servers**



เครื่องคอมพิวเตอร์แม่ข่าย แบบที่ 1 จบ 130,000.-



**ThinkSystem ST550**

LNV-7X10SF7P00



**ThinkSystem ST550**

LNV-7X10SEGX00

<b>Form Factor</b>	Tower	Tower
<b>CPU</b>	Intel Xeon Silver 4210 (10C/2.2GHz/Cache 13.75 MB) x 1 Unit	Intel Xeon Silver 4210 (10C/2.2GHz/Cache 13.75 MB) x 1 Unit
<b>Memory</b>	ThinkSystem 16GB TruDDR4 2933MHz (2Rx8 1.2V) RDIMM x 1 Unit	ThinkSystem 16GB TruDDR4 2933MHz (2Rx8 1.2V) RDIMM x 1 Unit
<b>RAID Controller</b>	ThinkSystem RAID 5350-8i PCIe (cacheless) supports RAID 0, 1, 10, 5	ThinkSystem RAID 5350-8i PCIe (cacheless) supports RAID 0, 1, 10, 5
<b>Harddisk</b>	ThinkSystem 2.5" 1.2TB 10K SAS 12Gb Hot Swap 512n HDD x 2 Units	ThinkSystem 2.5" PM893 480GB Read Intensive SATA 6Gb HS SSD x 2 Units
<b>Optical Drive</b>	External USB DVD-RW	External USB DVD-RW
<b>NIC</b>	Broadcom 5720 1GbE RJ45 - 2 Ports (10/100/1000 Base-T)	Broadcom 5720 1GbE RJ45 - 2 Ports (10/100/1000 Base-T)
<b>Power Supply</b>	750W Platinum Hot-Swap x 2 Units	750W Platinum Hot-Swap x 2 Units
<b>System Management</b>	XClarity Controller Enterprise	XClarity Controller Enterprise
<b>Warranty</b>	3Yr. 24x7 warranty	3Yr. 24x7 warranty
<b>SRP (inc. VAT)</b>	113,206.-	115,239.-

เครื่องคอมพิวเตอร์แม่ข่าย แบบที่ 2 จบ 350,000.-



**ThinkSystem ST550**

LNV-7X10SEGV00



**ThinkSystem ST550**

LNV-7X10SEGW00

<b>Form Factor</b>	Tower	Tower
<b>CPU</b>	Intel Xeon Gold 5218 (16C/2.3GHz/Cache 22MB) x 2 Units	Intel Xeon Gold 5218 (16C/2.3GHz/Cache 22MB) x 2 Units
<b>Memory</b>	ThinkSystem 16GB TruDDR4 2933MHz (2Rx8 1.2V) RDIMM x 2 Unit	ThinkSystem 16GB TruDDR4 2933MHz (2Rx8 1.2V) RDIMM x 2 Unit
<b>RAID Controller</b>	ThinkSystem RAID 5350-8i PCIe (cacheless) supports RAID 0, 1, 10, 5	ThinkSystem RAID 5350-8i PCIe (cacheless) supports RAID 0, 1, 10, 5
<b>Harddisk</b>	ThinkSystem 2.5" 1.2TB 10K SAS 12Gb Hot Swap 512n HDD x 4 Units	ThinkSystem 2.5" PM893 480GB Read Intensive SATA 6Gb HS SSD x 4 Units
<b>Optical Drive</b>	External USB DVD-RW	External USB DVD-RW
<b>NIC</b>	Broadcom 5720 1GbE RJ45 - 2 Ports (10/100/1000 Base-T)	Broadcom 5720 1GbE RJ45 - 2 Ports (10/100/1000 Base-T)
<b>Power Supply</b>	750W Platinum Hot-Swap x 2 Units	750W Platinum Hot-Swap x 2 Units
<b>System Management</b>	XClarity Controller Enterprise	XClarity Controller Enterprise
<b>Warranty</b>	3Yr. 24x7 warranty	3Yr. 24x7 warranty
<b>SRP (inc. VAT)</b>	256,372.-	257,442.-

TOWER SERVER