

**CyberPower : BU Series**



|                                |                     |                     |                     |                        |                      |                     |
|--------------------------------|---------------------|---------------------|---------------------|------------------------|----------------------|---------------------|
| <b>Part Number</b>             | <b>CBP-BU600E</b>   | <b>CBP-BU800E</b>   | <b>CBP-BU1000EA</b> | <b>CBP-BU800E-CCTV</b> | <b>CBP-BU800ELCD</b> | <b>BU1000ELCD</b>   |
| <b>Topology</b>                | Line Interactive    | Line Interactive    | Line Interactive    | Line Interactive       | Line Interactive     | Line Interactive    |
| <b>Capacity</b>                | 600VA/360W          | 800VA/480W          | 1000VA/630W         | 800VA/480W             | 800VA/480W           | 1000VA/630W         |
| <b>Input plug type</b>         | NEMA                | NEMA                | NEMA                | NEMA                   | NEMA                 | NEMA                |
| <b>Output Sockets (number)</b> | AS(3)               | AS(3)               | AS(4)               | Universal (3)          | AS(3)                | AS(4)               |
|                                | Overload protection | Overload protection | Overload protection | Overload protection    | Overload protection  | Overload protection |
|                                | EMI/RFI Filtration  | EMI/RFI filtration  | EMI/RFI filtration  | EMI/RFI filtration     | EMI/RFI filtration   | EMI/RFI filtration  |
| <b>Warranty</b>                | 2 yrs includ batt   | 2 yrs includ batt   | 2 yrs includ batt   | 2 yrs includ batt      | 2 yrs includ batt    | 2 yrs includ batt   |
| <b>Software</b>                | NO                  | No                  | No                  | No                     | No                   | No                  |
| <b>Energy saving</b>           |                     |                     |                     | YES                    | Yes                  | Yes                 |
| <b>After sales service</b>     | onsite swap-user    | onsite swap-user    | onsite swap-user    | onsite swap-user       | onsite swap-user     | onsite swap-user    |
| <b>SRP (inc. VAT)</b>          | 1,800               | 2,300               | 3,600               | 2,400                  | 2,600                | 3,900               |

**CyberPower : UT Series**

(\*ราคา SRP เป็นราคารวมภาษีมูลค่าเพิ่มแล้ว)



|                                |                     |                     |                     |                      |                      |
|--------------------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| <b>Part Number</b>             | <b>CBP-UT650EG</b>  | <b>CBP-UT800EG</b>  | <b>CBP-UT1050EG</b> | <b>UT1500E</b>       | <b>UT2200E</b>       |
| <b>Topology</b>                | Line Interactive    | Line Interactive    | Line Interactive    | Line Interactive     | Line Interactive     |
| <b>Capacity</b>                | 600VA/360W          | 800VA/480W          | 1050VA/630W         | 1500VA/900W          | 2200VA/1320W         |
| <b>Input plug type</b>         | NEMA                | NEMA                | NEMA                | NEMA                 | NEMA                 |
| <b>Output Sockets (number)</b> | Universal (3)       | AS (8)              | Universal (4)       | AS(4)                | AS(4)                |
|                                | Overload protection | Overload protection | Overload protection | Surge protection     | Surge protection     |
|                                | EMI/RFI filtration  | EMI/RFI filtration  | EMI/RFI filtration  | RJ11/RJ45            | RJ11/RJ45            |
| <b>Warranty</b>                | 2 yrs includ batt   | 2 yrs includ batt   | 2 yrs includ batt   | 2 yrs includ batt    | 2 yrs includ batt    |
| <b>Software</b>                | No                  | No                  | No                  | PowerPanel® Personal | PowerPanel® Personal |
| <b>Energy saving</b>           | YES                 | YES                 | YES                 |                      |                      |
| <b>After sales service</b>     | onsite swap-user    | onsite swap-user    | onsite swap-user    | onsite swap-user     | onsite swap-user     |
| <b>SRP (inc. VAT)</b>          | 1,700               | 2,100               | 3,200               | 4,700                | 5,400                |

**CyberPower : VALUE-PRO Series**

(\*ราคา SRP เป็นราคารวมภาษีมูลค่าเพิ่มแล้ว)



|                                |                      |                       |                       |                          |                       |                          |
|--------------------------------|----------------------|-----------------------|-----------------------|--------------------------|-----------------------|--------------------------|
| <b>Part Number</b>             | <b>CBP-VP700ELCD</b> | <b>CBP-VP1000ELCD</b> | <b>CBP-VP1200ELCD</b> | <b>CBP-VALUE1500ELCD</b> | <b>CBP-VP1600ELCD</b> | <b>CBP-VALUE2200ELCD</b> |
| <b>Topology</b>                | Line Interactive     | Line Interactive      | Line Interactive      | Line Interactive         | Line Interactive      | Line Interactive         |
| <b>Capacity</b>                | 700VA/390W           | 1000VA/550W           | 1200VA/720W           | 1500VA/900W              | 1600VA/960W           | 2200VA/1320W             |
| <b>Input plug type</b>         | IEC C14              | IEC C14               | IEC C14               | IEC C14                  | IEC C14               | IEC C14                  |
| <b>Output Sockets (number)</b> | AS (3)               | AS (3)                | AS (5)                | AS(4)                    | AS (5)                | AS (4)                   |
|                                | Surge protection     | Surge protection      | Surge protection      | Surge protection         | Surge protection      | Surge protection         |
|                                | RJ11/RJ45            | RJ11/RJ45             | RJ11/RJ45             | RJ11/RJ45                | RJ11/RJ45             | RJ11/RJ45                |
| <b>Warranty</b>                | 2 yrs includ batt    | 2 yrs includ batt     | 2 yrs includ batt     | 2 yrs includ batt        | 2 yrs includ batt     | 2 yrs includ batt        |
| <b>Software</b>                | PowerPanel           | PowerPanel            | PowerPanel            | PowerPanel® Personal     | PowerPanel            | PowerPanel               |
| <b>Energy saving</b>           | YES                  | YES                   | YES                   | YES                      | YES                   | YES                      |
| <b>After sales service</b>     | onsite swap-user     | onsite swap-user      | onsite swap-user      | onsite swap-user         | onsite swap-user      | onsite swap-user         |
| <b>SRP (inc. VAT)</b>          | 2,790                | 3,500                 | 5,200                 | 8,300                    | 7,200                 | 10,900                   |

(\*ราคา SRP เป็นราคารวมภาษีมูลค่าเพิ่มแล้ว)

**CyberPower : On-Line UPS**

(\*ราคา SRP เป็นราคารวมภาษีมูลค่าเพิ่มแล้ว)



มาพร้อม Battery !!!!!



|                                |                          |                          |                          |                                |
|--------------------------------|--------------------------|--------------------------|--------------------------|--------------------------------|
| <b>Part Number</b>             | <b>CBP-OLS1000EA</b>     | <b>CBP-OLS1000EC-AS</b>  | <b>CBP-OLS2000EC-AS</b>  | <b>CBP-OLS2000EA</b>           |
| <b>Topology</b>                | Online Double Conversion | Online Double Conversion | Online Double Conversion | Online Double Conversion       |
| <b>Capacity</b>                | 1000VA/900W              | 1000VA/800W              | 2000VA/1600W             | 2000VA/1800W                   |
| <b>Input plug type</b>         | IEC-C14                  | IEC-C14                  | IEC-C14                  | IEC-C14                        |
| <b>Output Sockets (number)</b> | AS (2), IEC C13 (1)      | AS (2), IEC C13 (1)      | AS (2), IEC C13 (2)      | AS (2), IEC C13 (2)            |
| <b>- Surge protection</b>      | Surge protection         | Surge protection         | Surge protection         | Yes                            |
| <b>Warranty</b>                | 2 yrs includ batt        | 2 yrs includ batt        | 2 yrs includ batt        | 2 years                        |
| <b>Software</b>                | PowerPanel               | PowerPanel               | PowerPanel               | Yes [USB/RS232/SNMP(optional)] |
| <b>After sales service</b>     | Onsite service           | Onsite service           | Onsite service           | Onsite service                 |
| <b>SRP (inc. VAT)</b>          | 15,600                   | 9,500                    | 12,600                   | 23,400                         |

เสาค ICT  
สูง 32,000 มม



|                                |                          |                                |                          |                          |
|--------------------------------|--------------------------|--------------------------------|--------------------------|--------------------------|
| <b>Part Number</b>             | <b>CBP-OLS3000EC-AS</b>  | <b>CBP-OLS3000EA</b>           | <b>CBP-OLS6000E</b>      | <b>CBP-OLS10000E</b>     |
| <b>Topology</b>                | Online Double Conversion | Online Double Conversion       | Online Double Conversion | Online Double Conversion |
| <b>Capacity</b>                | 3000VA/2400W             | 3000VA/2700W                   | 6000VA/5400W             | 10000VA/9000W            |
| <b>Input plug type</b>         | IEC-C20                  | IEC-C20                        | Terminal Block           | Terminal Block           |
| <b>Output Sockets (number)</b> | AS(4),IEC C13 (2), TB    | AS(4),IEC C13 (2),TB           | Terminal Block           | Terminal Block           |
| <b>- Surge protection</b>      | Surge protection         | Yes                            | Surge protection         | Surge protection         |
| <b>Warranty</b>                | 2 yrs includ batt        | 2 years                        | 2 yrs                    | 2 yrs                    |
| <b>Software</b>                | PowerPanel               | Yes [USB/RS232/SNMP(optional)] | PowerPanel               | PowerPanel               |
| <b>After sales service</b>     | Onsite service           | Onsite service                 | Onsite service           | Onsite service           |
| <b>SRP (inc. VAT)</b>          | 26,400                   | 31,100                         | 101,300                  | 121,500                  |

**CyberPower : On-Line UPS**

(\*ราคา SRP เป็นราคารวมภาษีมูลค่าเพิ่มแล้ว)



ไม่มาพร้อม Battery !!!!!



|                                |                          |                          |
|--------------------------------|--------------------------|--------------------------|
| <b>Part Number</b>             | <b>CBP-OLS6000EXL</b>    | <b>CBP-OLS10000EXL</b>   |
| <b>Topology</b>                | Online Double Conversion | Online Double Conversion |
| <b>Capacity</b>                | 6000VA/5400W             | 10000VA/9000W            |
| <b>Input plug type</b>         | Terminal Block           | Terminal Block           |
| <b>Output Sockets (number)</b> | Terminal Block           | Terminal Block           |
| <b>- Surge protection</b>      | Surge protection         | Surge protection         |
| <b>Warranty</b>                | 2 yrs                    | 2 yrs                    |
| <b>Software</b>                | PowerPanel               | PowerPanel               |
| <b>After sales service</b>     | Onsite service           | Onsite service           |
| <b>SRP (inc. VAT)</b>          | 93,200                   | 114,800                  |

**CyberPower : Battery Pack For Tower Model**



| Part Number       | Description                 | Rack/Tower | SRP (Inc.VAT) | Warranty         |
|-------------------|-----------------------------|------------|---------------|------------------|
| CBP-BPSE36V45A    | Battery Pack for 1/1.5KVA   | Tower      | 14,100        | 2-yrs on battery |
| CBP-BPSE72V45A    | Battery Pack for 2/3KVA     | Tower      | 23,500        | 2-yrs on battery |
| CBP-BPSE240V47A   | Battery Pack for 6KVA, 7Ah  | Tower      | 67,500        | 2-yrs on battery |
| CBP-BPSE240V47AOA | Battery Pack for 10KVA, 9Ah | Tower      | 77,700        | 2-yrs on battery |
| CBP-BPSE24V40A    | Battery Pack for OLS1000EA  | Tower      | 12,200        | 2-yrs on battery |
| CBP-BPSE48V40A    | Battery Pack for OLS2000EA  | Tower      | 16,900        | 2-yrs on battery |
| CBP-BPSE72V40A    | Battery Pack for OLS3000EA  | Tower      | 21,500        | 2-yrs on battery |

\*\*\* หมายเหตุ เชื้อเพลิงการติดตั้งเครื่องสำรองไฟ ขนาด 6KVA ขึ้นไป \*\*\*

**CyberPower : Remote Management Card**



| Part Number   | Description      | Rack/Tower | SRP (Inc.VAT) | Warranty     |
|---------------|------------------|------------|---------------|--------------|
| CBP-RMCARD205 | SNM Network Card | Card       | 6,800         | 2-yrs onsite |

**CyberPower : Online UPS Rack Series**

(\*ราคา SRP เป็นราคารวมภาษีมูลค่าเพิ่มแล้ว)



มาพร้อม Battery !!!!!



| Part Number             | CBP- OLS1000ERT2UA             | CBP-OLS2000ERT2UA              | OLS3000ERT2UA                  |
|-------------------------|--------------------------------|--------------------------------|--------------------------------|
| Topology                | Online Double Conversion       | Online Double Conversion       | Online Double Conversion       |
| Capacity                | 1000VA/900W                    | 2000VA/1800W                   | 3000VA/2700W                   |
| Input plug type         | IEC-C14 with NEMA male type    | IEC-C14 with NEMA male type    | IEC-C20 with NEMA male type    |
| Output Sockets (number) | IEC 13 (6)                     | IEC 13 (8)                     | IEC 19 (1), IEC 13 (8)         |
| - Surge protection      | Yes                            | Yes                            | Yes                            |
| Warranty                | 2 years                        | 2 years                        | 2 years                        |
| Software                | Yes [USB/RS232/SNMP(optional)] | Yes [USB/RS232/SNMP(optional)] | Yes [USB/RS232/SNMP(optional)] |
| After sales service     | Onsite service                 | Onsite service                 | Onsite service                 |
| SRP (inc. VAT)          | 20,300                         | 29,100                         | 33,800                         |



| Part Number             | CBP-OLS6000ERT6U         | CBP-OLS10000ERT6UA       |
|-------------------------|--------------------------|--------------------------|
| Topology                | Online Double Conversion | Online Double Conversion |
| Capacity                | 6000VA/5400W             | 10000VA/9000W            |
| Input plug type         | Terminal Block           | Terminal Block           |
| Output Sockets (number) | Terminal Block           | Terminal Block           |
| - Surge protection      | Surge protection         | Surge protection         |
| Warranty                | 2 yrs                    | 2 yrs                    |
| Software                | PowerPanel® Personal     | PowerPanel               |
| After sales service     | Onsite service           | Onsite service           |
| SRP (inc. VAT)          | 112,900                  | 117,200                  |

**CyberPower : Online UPS Rack Series**



ไม่มาพร้อม Battery !!!!!



|                                |                           |                            |
|--------------------------------|---------------------------|----------------------------|
| <b>Part Number</b>             | <b>CBP-OLS6000ERTXL3U</b> | <b>CBP-OLS10000ERTXL3U</b> |
| <b>Topology</b>                | Online Double Conversion  | Online Double Conversion   |
| <b>Capacity</b>                | 6000VA/5400W              | 10000VA/9000W              |
| <b>Input plug type</b>         | Terminal Block            | Terminal Block             |
| <b>Output Sockets (number)</b> | Terminal Block            | Terminal Block             |
| <b>- Surge protection</b>      | Surge protection          | Surge protection           |
| <b>Warranty</b>                | 2 yrs                     | 2 yrs                      |
| <b>Software</b>                | PowerPanel                | PowerPanel                 |
| <b>After sales service</b>     | Onsite service            | Onsite service             |
| <b>SRP (inc. VAT)</b>          | 76,300                    | 104,700                    |

(\*ราคา SRP เป็นราคารวมภาษีมูลค่าเพิ่มแล้ว)

**CyberPower : EPS**

(\*ราคา SRP เป็นราคารวมภาษีมูลค่าเพิ่มแล้ว)



|                                |                             |                             |                                         |
|--------------------------------|-----------------------------|-----------------------------|-----------------------------------------|
| <b>Part Number</b>             | <b>CBP-CPS600E-AS</b>       | <b>CBP-CPS1000E-AS</b>      | <b>CBP-CPS1500PIE-UK</b>                |
| <b>SIS P/N</b>                 |                             |                             |                                         |
| <b>Topology</b>                | Line Interactive            | Line Interactive            | Line Interactive                        |
| <b>Capacity</b>                | 600VA/420W                  | 1000VA/700W                 | 1500VA/1050W                            |
| <b>Input plug type</b>         | IEC-C14 with NEMA male type | IEC-C14 with NEMA male type | Hardwire terminal                       |
| <b>Output Sockets (number)</b> | AS (1)                      | AS (2)                      | Hardwire terminal (1)                   |
| <b>- Surge protection</b>      | Yes                         | Yes                         | Yes                                     |
| <b>Unit Warranty</b>           | 2years                      | 2years                      | 2years                                  |
| <b>Software</b>                | NO                          | NO                          | Only CPS1500PRO with optional SNMP card |
| <b>After sales service</b>     | Onsite                      | Onsite                      | Onsite                                  |
| <b>SRP (inc. VAT)</b>          | 7,700                       | 11,400                      | 18,900                                  |



|                                |                                    |                          |                          |
|--------------------------------|------------------------------------|--------------------------|--------------------------|
| <b>Part Number</b>             | <b>CBP-CPS3500PRO-UK</b>           | <b>CBP-CPS5000PRO-UK</b> | <b>CBP-CPS7500PRO-UK</b> |
| <b>SIS P/N</b>                 |                                    |                          |                          |
| <b>Topology</b>                | Line Interactive                   | Line Interactive         | Line Interactive         |
| <b>Capacity</b>                | 3500VA/2450W                       | 5000VA/3500W             | 7500VA/5250W             |
| <b>Input plug type</b>         | Hardwire terminal                  | Terminal Block           | Terminal Block           |
| <b>Output Sockets (number)</b> | Hardwire terminal (1)              | UK (2), Terminal Block   | UK (2), Terminal Block   |
| <b>- Surge protection</b>      | Yes                                | Surge protection         | Surge protection         |
| <b>Unit Warranty</b>           | 2 years                            | 2 yrs                    | 2 yrs                    |
| <b>Software</b>                | Only CPS1500PRO with optional SNMP | Yes with optional SNMP   | Yes with optional SNMP   |
| <b>After sales service</b>     | Onsite                             | Onsite service           | Onsite service           |
| <b>SRP (inc. VAT)</b>          | 36,800                             | 53,500                   | 70,900                   |



**CyberPower : Battery Pack For EPS**

| Part No.                                                                                        | Description                    | Qty | Rack / Tower | SRP (Inc.VAT) | Warranty      |
|-------------------------------------------------------------------------------------------------|--------------------------------|-----|--------------|---------------|---------------|
| <b>Battery For CBP-CPS600E-AS</b>                                                               |                                |     |              |               |               |
| GPW-GTAD12-40                                                                                   | Battery for EPS GTAD 12V/40AH  | 1   | Tower        | CALL          | 2 Year Onsite |
| GPW-GTAD12-55                                                                                   | Battery for EPS GTAD 12V/55AH  | 1   | Tower        | CALL          | 2 Year Onsite |
| GPW-GTAD12-100                                                                                  | Battery for EPS GTAD 12V/100AH | 1   | Tower        | CALL          | 2 Year Onsite |
| <b>Battery For CBP-CPS1000E-AS</b>                                                              |                                |     |              |               |               |
| GPW-GTAD12-40                                                                                   | Battery for EPS GTAD 12V/40AH  | 1   | Tower        | CALL          | 2 Year Onsite |
| GPW-GTAD12-55                                                                                   | Battery for EPS GTAD 12V/55AH  | 1   | Tower        | CALL          | 2 Year Onsite |
| GPW-GTAD12-100                                                                                  | Battery for EPS GTAD 12V/100AH | 1   | Tower        | CALL          | 2 Year Onsite |
| GPW-GTAD12-200                                                                                  | Battery for EPS GTAD 12V/200AH | 1   | Tower        | CALL          | 2 Year Onsite |
| <b>Battery For CBP-CPS1500PIE-UK / CBP-CPS3500PRO-U / CBP-CPS5000PRO-UK / CBP-CPS7500PRO-UK</b> |                                |     |              |               |               |
| GPW-GTAD12-100                                                                                  | Battery for EPS GTAD 12V/100AH | 1   | Tower        | 8,985         | 2 Year Onsite |
| GPW-GTAD12-200                                                                                  | Battery for EPS GTAD 12V/200AH | 1   | Tower        | 18,150        | 2 Year Onsite |

**CyberPower : Online UPS : 3 phase in /1 phase out : PF : 0.8**



| Model                                | Description                                               | Qty | SRP (Inc.VAT) | Stock / By order | Warranty       |
|--------------------------------------|-----------------------------------------------------------|-----|---------------|------------------|----------------|
| <b>KIT-CBP-OLS3S10KEC</b>            | <b>ชุด ICT งบ 270,000 บาท***</b>                          |     |               |                  |                |
| CBP-OLS3S10KEC                       | 10KVA/8KW 3in/1out with BATTERY                           | 1   | 126,000       | Stock            | 2 Years Onsite |
| CBP-BPSE192V60A                      | Battery Pack 9AH*16pcs                                    | 2   | 59,000        | Stock            | 2 Years Onsite |
| <b>Total/Set</b>                     |                                                           |     |               |                  |                |
| <b>3/1 UPS</b>                       |                                                           |     |               |                  |                |
| CBP-OLS3S15KE                        | 15KVA w/ 40pcs*9AH BAT                                    | 1   | 243,000       | By order         | 2 Years Onsite |
| CBP-OLS3S20KE                        | 20KVA w/ 40pcs*9AH BAT                                    | 1   | 259,000       | By order         | 2 Years Onsite |
| CBP-OLS3S15KEXL                      | 20KVA w/o BAT                                             | 1   | 172,000       | By order         | 2 Years Onsite |
| CBP-OLS3S20KEXL                      | 20KVA w/o BAT                                             | 1   | 180,000       | By order         | 2 Years Onsite |
| CBP-BPSE240V82A                      | Battery Pack 9AH*20pcs*2Sets                              | 1   | 114,000       | By order         | 2 Years Onsite |
| <b>Modular (20kVA)</b>               |                                                           |     |               |                  |                |
| CBP-SM20KPM                          | 20KVA Power Modular                                       | 1   | 168,000       | By order         | 2 Years Onsite |
| CBP-SM060KMF                         | 60KVA Enclosure                                           | 1   | 240,000       | By order         | 2 Years Onsite |
| CBP-SM120KMF                         | 120KVA Enclosure                                          | 1   | 335,000       | By order         | 2 Years Onsite |
| CBP-SM200KMF                         | 200KVA Enclosure                                          | 1   | 440,000       | By order         | 2 Years Onsite |
| <b>Moular (30kVA)</b>                |                                                           |     |               |                  |                |
| CBP-SM30KPMX                         | 30KVA Power Modular                                       | 1   | 203,000       | By order         | 2 Years Onsite |
| CBP-SM180KMF                         | 180KVA Enclosure                                          | 1   | 386,000       | By order         | 2 Years Onsite |
| CBP-SM300KMF                         | 300KVA Enclosure                                          | 1   | 567,000       | By order         | 2 Years Onsite |
| CBP-SM600KMF                         | 600KVA Enclosure                                          | 1   | 1,479,000     | By order         | 2 Years Onsite |
| <b>HSTP (KE)Standalone</b>           |                                                           |     |               |                  |                |
| CBP-HSTP3T10KE                       | 10KVA/9KW 400/230VAC 3PHASE w/o BAT                       | 1   | 140,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T15KE                       | 15KVA/13.5KW 400/230VAC 3PHASE w/o BAT                    | 1   | 156,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T20KE                       | 20KVA/18KW 400/230VAC 3PHASE w/o BAT                      | 1   | 201,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T30KE                       | 30KVA/27KW 400/230VAC 3PHASE w/o BAT                      | 1   | 252,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T40KE                       | 40KVA/36KW 400/230VAC 3PHASE w/o BAT                      | 1   | 317,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T60KE                       | 60KVA/54KW 400/230VAC 3PHASE w/o BAT                      | 1   | 467,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T80KE                       | 80KVA/72KW 400/230VAC 3PHASE                              | 1   | 681,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T90KE                       | 90KVA/81KW 400/230VAC 3PHASE w/o BAT                      | 1   | 704,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T100KE                      | 100KVA/90KW 400/230VAC 3PHASE                             | 1   | 822,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T120KE                      | 120KVA/108KW 400/230VAC 3PHASE w/o BAT                    | 1   | 854,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T150KE                      | 150KVA 135KW 400/230VAC 3PHASE w/o BAT                    | 1   | 895,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T200KE                      | 200KVA 180KW 400/230VAC 3PHASE w/o BAT                    | 1   | 1,096,000     | By order         | 2 Years Onsite |
| CBP-HSTP3T250KE                      | 250KVA 225KW 400/230VAC 3PHASE w/o BAT                    | 1   | 1,497,000     | By order         | 2 Years Onsite |
| CBP-HSTP3T300KE                      | 300KVA 270KW 400/230VAC 3PHASE w/o BAT                    | 1   | 1,661,000     | By order         | 2 Years Onsite |
| CBP-HSTP3T400KE                      | 400KVA 360KW 400/230VAC 3PHASE w/o BAT                    | 1   | 2,617,000     | By order         | 2 Years Onsite |
| CBP-HSTP3T500KE                      | 500KVA 450KW 400/230VAC 3PHASE w/o BAT                    | 1   | 2,981,000     | By order         | 2 Years Onsite |
| <b>HSTP (KEBC/KEBCWOB)Standalone</b> |                                                           |     |               |                  |                |
| CBP-HSTP3T10KEBC                     | 10KVA/9KW with 9AH x 40pcs BAT                            | 1   | 220,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T10KEBCWOB                  | 10KVA/9KW Bat space& cable w/o BAT                        | 1   | 167,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T15KEBC                     | 15KVA/13.5KW with 9AH x 40pcs BAT                         | 1   | 243,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T15KEBCWOB                  | 15KVA/13.5KW Bat space& cable w/o BAT                     | 1   | 184,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T20KEBC                     | 20KVA/18KW with 12AH x 40pcs BAT                          | 1   | 317,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T20KEBCWOB                  | 20KVA/18KW Bat space& cable w/o BAT                       | 1   | 234,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T30KEBC                     | 30KVA/27KW with 12AH x 40pcs BAT                          | 1   | 381,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T30KEBCWOB                  | 30KVA/27KW Bat space& cable w/o BAT                       | 1   | 295,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T40KEBC                     | 40KVA/36KW with 12AH x 80pcs BAT                          | 1   | 521,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T40KEBCWOB                  | 40KVA/36KW Bat space& cable w/o BAT                       | 1   | 372,000       | By order         | 2 Years Onsite |
| <b>RT33 Rack Tower</b>               |                                                           |     |               |                  |                |
| CBP-T33010KE                         | Rack Tower 10kVA/10kW UPS (MIC)                           | 1   | 180,000       | By order         | 2 Years Onsite |
| CBP-RT33015KE                        | Rack Tower 15kVA/15kW UPS (MIC)                           | 1   | 189,000       | By order         | 2 Years Onsite |
| CBP-RT33020KE                        | Rack Tower 20kVA/20kW UPS (MIC)                           | 1   | 217,000       | By order         | 2 Years Onsite |
| CBP-RT33025KE                        | Rack Tower 25kVA/25kW UPS (MIC)                           | 1   | 226,000       | By order         | 2 Years Onsite |
| CBP-RT33030KE                        | Rack Tower 30kVA/24kW UPS (MIC)                           | 1   | 231,000       | By order         | 2 Years Onsite |
| CBP-MBS63AHVHWW                      | Rack Mount maintenance bypass switch box                  | 1   | 58,000        | By order         | 2 Years Onsite |
| <b>Battery pack &amp; Breaker</b>    |                                                           |     |               |                  |                |
| CBP-SMBF17                           | 480VDC 17AH 12VDC BATTERIES 40PCS                         | 1   | 153,000       | By order         | 2 Years Onsite |
| CBP-SMBF20                           | 480VDC 20AH 12VDC BATTERIES 40PCS                         | 1   | 166,000       | By order         | 2 Years Onsite |
| CBP-SMBF26                           | 480VDC 26AH 12VDC BATTERIES 40PCS                         | 1   | 241,000       | By order         | 2 Years Onsite |
| CBP-SMBF33                           | 480VDC 33AH 12VDC BATTERIES 40PCS                         | 1   | 264,000       | By order         | 2 Years Onsite |
| CBP-SMBF40                           | 480VDC 40AH 12VDC BATTERIES 40PCS                         | 1   | 316,000       | By order         | 2 Years Onsite |
| CBP-SMBF65                           | 480VDC 65AH 12VDC BATTERIES 40PCS                         | 1   | 518,000       | By order         | 2 Years Onsite |
| CBP-SMBF20-17N                       | BAT Cabinet 20Ahx40pcs w/o BAT                            | 1   | 48,000        | By order         | 2 Years Onsite |
| CBP-SMBF40-26N                       | BAT Cabinet 40Ahx40pcs w/o BAT                            | 1   | 55,000        | By order         | 2 Years Onsite |
| CBP-SMBF65N                          | BAT Cabinet 65Ahx40pcs w/o BAT                            | 1   | 67,000        | By order         | 2 Years Onsite |
| CBP-SMBCB125                         | Circuit Breaker 125A for SM060KMF                         | 1   | 6,000         | By order         | 2 Years Onsite |
| CBP-SMBCB250                         | Circuit Breaker 250A for SM120KMF                         | 1   | 13,000        | By order         | 2 Years Onsite |
| CBP-SMBCB400                         | Circuit Breaker 400A for SM200KMF                         | 1   | 27,000        | By order         | 2 Years Onsite |
| CBP-SM125C20-17                      | Cable/Copper Bar for SM125C20_17                          | 1   | 13,000        | By order         | 2 Years Onsite |
| CBP-SM250C40-26                      | Cable/Copper Bar for SM250C40_26                          | 1   | 35,000        | By order         | 2 Years Onsite |
| CBP-SM400C65                         | Cable/Copper Bar for SM400C65                             | 1   | 76,000        | By order         | 2 Years Onsite |
| CBP-BCA12N63                         | DIY battery cabinet w/o battery (Space for 12AH * 40pcs)  | 1   | 15,000        | By order         | 2 Years Onsite |
| CBP-BCA20N125                        | DIY battery cabinet w/o battery (Space for 20AH * 40pcs)  | 1   | 31,000        | By order         | 2 Years Onsite |
| CBP-BCA40N125                        | DIY battery cabinet w/o battery (Space for 40AH * 40pcs)  | 1   | 40,000        | By order         | 2 Years Onsite |
| CBP-BCA100N125                       | DIY battery cabinet w/o battery (Space for 100AH * 40pcs) | 1   | 64,000        | By order         | 2 Years Onsite |
| CBP-BM240V63ART3U                    | BATTERY MODULE BM240V63ART3U                              | 1   | 55,000        | By order         | 2 Years Onsite |
| <b>Accessory</b>                     |                                                           |     |               |                  |                |
| CBP-SM060KDF                         | 60KVA Dust Filter                                         | 1   | 5,000         | By order         | 2 Years Onsite |
| CBP-SM120KDF                         | 120KVA Dust Filter                                        | 1   | 6,000         | By order         | 2 Years Onsite |
| CBP-SM200KDF                         | 200KVA Dust Filter                                        | 1   | 12,000        | By order         | 2 Years Onsite |
| CBP-SMNNPK                           | Parallel kit for SM UPS                                   | 1   | 22,000        | By order         | 2 Years Onsite |
| CBP-PARLCARD301                      | Parallel kit for HSTP3T10/15KE SERIES                     | 1   | 12,000        | By order         | 2 Years Onsite |
| CBP-PARLCARD302                      | Parallel kit for HSTP3T20/30KE SERIES                     | 1   | 12,000        | By order         | 2 Years Onsite |
| CBP-PARLCARD303                      | Parallel kit for HSTP3T40KE SERIES                        | 1   | 12,000        | By order         | 2 Years Onsite |
| CBP-PARLCARD304                      | Parallel kit for OVER HSTP3T60KE AND SMX SERIES           | 1   | 22,000        | By order         | 2 Years Onsite |
| CBP-SMTEMP                           | Temperature sensor                                        | 1   | 1,500         | By order         | 2 Years Onsite |

UPS PRODUCT & BATTERY

257





**APC Back UPS : Tower Model**



Exclusive for SIS

|                              |                                                                                   |                                                                                   |                                     |                                              |
|------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------|----------------------------------------------|
| <b>Part number</b>           | BK500EI                                                                           | BK650-AS                                                                          | BR500CI-AS                          | BV800I-MS                                    |
| <b>SIS P/N</b>               | APC-BK500EI                                                                       | APC-BK650AS                                                                       | APC-BR500CIAS                       | APC-BV800I-MST                               |
| <b>Topology</b>              | Offline (Standby)                                                                 | Offline (Standby)                                                                 | Line Interactive                    | Line Interactive                             |
| <b>Output power capacity</b> | 500VA / 300W                                                                      | 650V / 400W                                                                       | 500VA / 300W                        | 800VA / 480 watt                             |
| <b>Input Connection</b>      | IEC-320 C14                                                                       | IEC-320 C14                                                                       | IEC-320 C14                         | NEMA 5-15P                                   |
| <b>Output Connection</b>     | (3) IEC-320 C13<br>(Battery Backup)<br>(1) IEC-320 C13<br>(Surge protection only) | (3) IEC-320 C13<br>(Battery Backup)<br>(1) IEC-320 C13<br>(Surge protection only) | (3) IEC-320 C13<br>(Battery Backup) | (4) Universal Receptacle<br>(Battery Backup) |
| <b>Warranty</b>              | 2Y onsite swap                                                                    | 2Y onsite swap                                                                    | 2Y onsite swap                      | 2Y onsite swap                               |
| <b>Software</b>              | PowerChute Personal Edition                                                       | PowerChute Personal Edition                                                       | Not support software                | Not support software                         |
| <b>SRP (inc. VAT)</b>        | 3,716                                                                             | 4,600                                                                             | 2,842                               | 2,100                                        |



Exclusive for SIS



|                              |                                     |                          |                                             |                                             |
|------------------------------|-------------------------------------|--------------------------|---------------------------------------------|---------------------------------------------|
| <b>Part number</b>           | BVX700LUI-MS                        | BX625CI-MS               | BX750MI-MS                                  | BX950MI-MS                                  |
| <b>SIS P/N</b>               | APC-BVX700LUI-MS                    | APC-BX625CI-MS           | APC-BX750MI-MS                              | APC-BX950MI-MS                              |
| <b>Topology</b>              | Line Interactive                    | Line Interactive         | Line Interactive                            | Line Interactive                            |
| <b>Output power capacity</b> | 700VA / 360W                        | 625VA / 325W             | 750VA / 410W                                | 950VA / 520W                                |
| <b>Input Connection</b>      | IEC-320 C14                         | IEC-320 C14              | IEC-320 C14                                 | IEC-320 C14                                 |
| <b>Output Connection</b>     | (2) Universal Receptacle<br>(1) USB | (3) Universal Receptacle | (2) Universal Receptacle<br>(1) IEC-320 C13 | (2) Universal Receptacle<br>(2) IEC-320 C13 |
| <b>Warranty</b>              | 2Y onsite swap                      | 2Y onsite swap           | 2Y onsite swap                              | 2Y onsite swap                              |
| <b>Software</b>              | Not support software                | Not support software     | PowerChute Personal Edition                 | PowerChute Personal Edition                 |
| <b>SRP (inc. VAT)</b>        | 1,744                               | 2,290                    | 4,530                                       | 5,350                                       |



|                              |                                             |                             |                             |                                                                                |
|------------------------------|---------------------------------------------|-----------------------------|-----------------------------|--------------------------------------------------------------------------------|
| <b>Part number</b>           | BX1200MI-MS                                 | BX1600MI-MS                 | BX2200MI-MS                 | BR1300MI                                                                       |
| <b>SIS P/N</b>               | APC-BX1200MI-MS                             | APC-BX1600MI-MS             | APC-BX2200MI-MS             | KIT-BR1300MI                                                                   |
| <b>Topology</b>              | Line Interactive                            | Line Interactive            | Line Interactive            | Line Interactive                                                               |
| <b>Output power capacity</b> | 1200VA / 650W                               | 1600VA / 900W               | 2200VA / 1200W              | 1300VA / 780W                                                                  |
| <b>Input Connection</b>      | IEC-320 C14                                 | IEC-320 C14                 | IEC-320 C14                 | IEC-320 C14                                                                    |
| <b>Output Connection</b>     | (4) Universal Receptacle<br>(1) IEC-320 C13 | (4) Universal Receptacle    | (4) Universal Receptacle    | (6) IEC-320 C13 (Battery Backup)<br>(2) IEC-320 C13<br>(Surge protection only) |
| <b>Warranty</b>              | 2Y onsite swap                              | 2Y onsite swap              | 2Y onsite swap              | 2+1Y onsite swap                                                               |
| <b>Software</b>              | PowerChute Personal Edition                 | PowerChute Personal Edition | PowerChute Personal Edition | PowerChute Personal Edition                                                    |
| <b>SRP (inc. VAT)</b>        | 6,230                                       | 7,870                       | 9,990                       | 13,585                                                                         |



|                              |                                                                                |                                                                                |                                                                                |                                                                                |
|------------------------------|--------------------------------------------------------------------------------|--------------------------------------------------------------------------------|--------------------------------------------------------------------------------|--------------------------------------------------------------------------------|
| <b>Part number</b>           | BR1600MI                                                                       | BR1500GI                                                                       | BR1200SI                                                                       | BR1600SI                                                                       |
| <b>SIS P/N</b>               | KIT-BR1600MI                                                                   | KIT-BR1500GI                                                                   | KIT-BR1200SI                                                                   | KIT-BR1600SI                                                                   |
| <b>Topology</b>              | Line Interactive                                                               | Line Interactive                                                               | Line Interactive/Sine Wave                                                     | Line Interactive/Sine Wave                                                     |
| <b>Output power capacity</b> | 1600VA / 960W                                                                  | 1500VA / 865W                                                                  | 1200VA / 720W                                                                  | 1600VA / 960W                                                                  |
| <b>Input Connection</b>      | IEC-320 C14                                                                    | IEC-320 C14                                                                    | IEC-320 C14                                                                    | IEC-320 C14                                                                    |
| <b>Output Connection</b>     | (6) IEC-320 C13 (Battery Backup)<br>(2) IEC-320 C13<br>(Surge protection only) | (5) IEC-320 C13 (Battery Backup)<br>(5) IEC-320 C13<br>(Surge protection only) | (6) IEC-320 C13 (Battery Backup)<br>(2) IEC-320 C13<br>(Surge protection only) | (6) IEC-320 C13 (Battery Backup)<br>(2) IEC-320 C13<br>(Surge protection only) |
| <b>Warranty</b>              | 2+1Y onsite swap                                                               | 2+1Y onsite swap                                                               | 2+1Y onsite swap                                                               | 2+1Y onsite swap                                                               |
| <b>Software</b>              | PowerChute Personal Edition                                                    | PowerChute Personal Edition                                                    | PowerChute Personal Edition                                                    | PowerChute Personal Edition                                                    |
| <b>SRP (inc. VAT)</b>        | 14,557                                                                         | 16,120                                                                         | 14,360                                                                         | 15,984                                                                         |

UPS PRODUCT & BATTERY

**APC Smart UPS : SMV Series**

□ Outlet 110V Universal □ Output 110V Pure Sine Wave



|                              |                             |                             |                             |
|------------------------------|-----------------------------|-----------------------------|-----------------------------|
| <b>Part number</b>           | SMV1000I-MS                 | SMV2000AI-MS                | SMV3000AI-MS                |
| <b>SIS P/N</b>               | APC-SMV1000I-MS             | APC-SMV2000AI-MS            | APC-SMV3000AI-MS            |
| <b>Topology</b>              | Line Interactive            | Line Interactive            | Line Interactive            |
| <b>Output power capacity</b> | 1000VA/ 700W                | 2000VA/1400W                | 3000VA / 2100W              |
| <b>Input voltage</b>         | 165 - 290VAC                | 165 - 295VAC                | 165 - 295VAC                |
| <b>Output voltage</b>        | 220, 230, 240VAC            | 220, 230, 240VAC            | 220, 230, 240VAC            |
| <b>Warranty</b>              | 2Y onsite swap              | 2Y onsite swap              | 2Y onsite swap              |
| <b>Software</b>              | UPSCAPO Monitoring Software | UPSCAPO Monitoring Software | UPSCAPO Monitoring Software |
| <b>SRP (inc. VAT)</b>        | 9,200                       | 16,700                      | 25,000                      |

**APC Smart UPS : SMC with LCD Display**



|                              |                             |                             |                             |
|------------------------------|-----------------------------|-----------------------------|-----------------------------|
| <b>Part number</b>           | SMC1000I                    | SMC1500I                    | SMC2000I                    |
| <b>SIS P/N</b>               | KIT-SMC1000I                | KIT-SMC1500I                | KIT-SMC2000I                |
| <b>Topology</b>              | Line Interactive            | Line Interactive            | Line Interactive            |
| <b>Output power capacity</b> | 1000VA/ 600W                | 1500VA / 900W               | 2000VA / 1300W              |
| <b>Input voltage</b>         | 180 - 287VAC                | 180 - 287VAC                | 180 - 287VAC                |
| <b>Output voltage</b>        | 220, 230, 240VAC            | 220, 230, 240VAC            | 220, 230, 240VAC            |
| <b>Warranty</b>              | 2+1Y onsite 5x8 NBD         | 2+1Y onsite 5x8 NBD         | 2+1Y onsite 5x8 NBD         |
| <b>Software</b>              | PowerChute Business Edition | PowerChute Business Edition | PowerChute Business Edition |
| <b>SRP (inc. VAT)</b>        | 14,889                      | 21,743                      | 28,900                      |



|                              |                             |                             |                             |
|------------------------------|-----------------------------|-----------------------------|-----------------------------|
| <b>Part number</b>           | SMC3000I                    | SMC1000I-2UC                | SMC1500I-2UC                |
| <b>SIS P/N</b>               | KIT-SMC3000I                | KIT-SMC1000I-2UC            | KIT-SMC1500I-2UC            |
| <b>Topology</b>              | Line Interactive            | Line Interactive            | Line Interactive            |
| <b>Output power capacity</b> | 3000VA / 2100W              | 1000VA / 600W               | 1500VA / 900W               |
| <b>Input voltage</b>         | 180 - 287VAC                | 180 - 287VAC                | 180 - 287VAC                |
| <b>Output voltage</b>        | 220, 230, 240VAC            | 220, 230, 240VAC            | 220, 230, 240VAC            |
| <b>Warranty</b>              | 2+1Y onsite 5x8 NBD         | 2+1Y onsite 5x8 NBD         | 2+1Y onsite 5x8 NBD         |
| <b>Software</b>              | PowerChute Business Edition | PowerChute Business Edition | PowerChute Business Edition |
| <b>SRP (inc. VAT)</b>        | 35,810                      | 17,953                      | 22,900                      |

**APC Smart UPS : SMT Rack Model**



|                              |                             |                             |
|------------------------------|-----------------------------|-----------------------------|
| <b>Part number</b>           | SMC2000I-2U                 | SMC3000RMI2U                |
| <b>SIS P/N</b>               | KIT-SMC2000I-2U             | KIT-SMC3000I2U              |
| <b>Topology</b>              | Line Interactive            | Line Interactive            |
| <b>Output power capacity</b> | 2000VA / 1300W              | 3000VA / 2100W              |
| <b>Input voltage</b>         | 180 - 287VAC                | 180 - 287VAC                |
| <b>Output voltage</b>        | 220, 230, 240VAC            | 220, 230, 240VAC            |
| <b>Warranty</b>              | 2+1Y onsite 5x8 NBD         | 2+1Y onsite 5x8 NBD         |
| <b>Software</b>              | PowerChute Business Edition | PowerChute Business Edition |
| <b>SRP (inc. VAT)</b>        | 35,172                      | 45,800                      |

UPS PRODUCT & BATTERY

259

**APC Smart UPS : SMT Smart Connect Tower Model**



|                              |                                     |                                     |                                     |
|------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| <b>Part number</b>           | SMT750IC                            | SMT1000IC                           | SMT1500IC                           |
| <b>SIS P/N</b>               | KIT-SMT750IC                        | KIT-SMT1000IC                       | KIT-SMT1500IC                       |
| <b>Topology</b>              | Line Interactive                    | Line Interactive                    | Line Interactive                    |
| <b>Output power capacity</b> | 750VA / 500W                        | 1000VA / 700W                       | 1500VA / 1000W                      |
| <b>Input voltage</b>         | 160 - 286VAC                        | 160 - 286VAC                        | 160 - 286VAC                        |
| <b>Output voltage</b>        | 220, 230, 240VAC                    | 220, 230, 240VAC                    | 220, 230, 240VAC                    |
| <b>Warranty</b>              | 2+1Y onsite 5x8 NBD                 | 2+1Y onsite 5x8 NBD                 | 2+1Y onsite 5x8 NBD                 |
| <b>Option</b>                | AP9640<br>(Network Management Card) | AP9640<br>(Network Management Card) | AP9640<br>(Network Management Card) |
| <b>SRP (inc. VAT)</b>        | 14,680                              | 23,400                              | 28,000                              |



|                              |                                  |                                  |
|------------------------------|----------------------------------|----------------------------------|
| <b>Part number</b>           | SMT2200IC                        | SMT3000IC                        |
| <b>SIS P/N</b>               | KIT-SMT2200IC                    | KIT-SMT3000IC                    |
| <b>Topology</b>              | Line Interactive                 | Line Interactive                 |
| <b>Output power capacity</b> | 2200VA / 1980W                   | 3000VA / 2700W                   |
| <b>Input voltage</b>         | 160 - 286VAC                     | 160 - 286VAC                     |
| <b>Output voltage</b>        | 220, 230, 240VAC                 | 220, 230, 240VAC                 |
| <b>Warranty</b>              | 2+1Y onsite 5x8 NBD              | 2+1Y onsite 5x8 NBD              |
| <b>Option</b>                | AP9640 (Network Management Card) | AP9640 (Network Management Card) |
| <b>SRP (inc. VAT)</b>        | 43,700                           | 57,900                           |

**APC Smart UPS : SMT Smart Connect Rack Model**



|                              |                                     |                                     |                                     |
|------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| <b>Part number</b>           | SMT750RMI2UC                        | SMT1000RMI2UC                       | SMT1500RMI2UC                       |
| <b>SIS P/N</b>               | KIT-SMT750RMI2UC                    | KIT-SMT1000RMI2UC                   | KIT-SMT1500RMI2UC                   |
| <b>Topology</b>              | Line Interactive                    | Line Interactive                    | Line Interactive                    |
| <b>Output power capacity</b> | 750VA / 500W                        | 1000VA / 700W                       | 1500VA / 1000W                      |
| <b>Input voltage</b>         | 160 - 286VAC                        | 160 - 286VAC                        | 160 - 286VAC                        |
| <b>Output voltage</b>        | 220, 230, 240VAC                    | 220, 230, 240VAC                    | 220, 230, 240VAC                    |
| <b>Warranty</b>              | 2+1Y onsite 5x8 NBD                 | 2+1Y onsite 5x8 NBD                 | 2+1Y onsite 5x8 NBD                 |
| <b>Option</b>                | AP9640<br>(Network Management Card) | AP9640<br>(Network Management Card) | AP9640<br>(Network Management Card) |
| <b>SRP (inc. VAT)</b>        | 20,600                              | 27,700                              | 39,100                              |



**APC Smart UPS : SMT Smart Connect Tower Model**



|                       |                                  |                                  |
|-----------------------|----------------------------------|----------------------------------|
| Part number           | SMT2200RMI2UC                    | SMT3000RMI2UC                    |
| SIS P/N               | KIT-SMT2200RMI2UC                | KIT-SMT3000RMI2UC                |
| Topology              | Line Interactive                 | Line Interactive                 |
| Output power capacity | 2200VA / 1980W                   | 3000VA / 2700W                   |
| Input voltage         | 160 - 286VAC                     | 160 - 286VAC                     |
| Output voltage        | 220, 230, 240VAC                 | 220, 230, 240VAC                 |
| Warranty              | 2+1Y onsite 5x8 NBD              | 2+1Y onsite 5x8 NBD              |
| Option                | AP9640 (Network Management Card) | AP9640 (Network Management Card) |
| SRP (inc. VAT)        | 52,600                           | 65,500                           |

**APC Smart UPS : SMX Series**



|                       |                     |                     |                     |
|-----------------------|---------------------|---------------------|---------------------|
| Part number           | SMX750I             | SMX1000I            | SMX1500RMI2U        |
| SIS P/N               | KIT-SMX750I         | KIT-SMX1000I        | KIT-SMX1500RMI2U    |
| Topology              | Line Interactive    | Line Interactive    | Line Interactive    |
| Output power capacity | 750VA / 600W        | 1000VA / 800W       | 1500VA / 1200W      |
| Input voltage         | 160 - 286VAC        | 160 - 286VAC        | 160 - 286VAC        |
| Output voltage        | 220, 230, 240VAC    | 220, 230, 240VAC    | 220, 230, 240VAC    |
| Warranty              | 2+1Y onsite 5x8 NBD | 2+1Y onsite 5x8 NBD | 2+1Y onsite 5x8 NBD |
| Option                | AP9640, SMX48RMBP2U | AP9640, SMX48RMBP2U | AP9640, SMX48RMBP2U |
| SRP (inc. VAT)        | 24,450              | 29,400              | 41,800              |



|                       |                      |                     |                     |
|-----------------------|----------------------|---------------------|---------------------|
| Part number           | SMX2200RMHV2U        | SMX3000HV           | SMX3000HVNC         |
| SIS P/N               | KIT-SMX2200RMHV2U    | KIT-SMX3000HV       | KIT-SMX3000HVNC     |
| Topology              | Line Interactive     | Line Interactive    | Line Interactive    |
| Output power capacity | 2200VA / 1980W       | 3000VA / 2700W      | 3000VA / 2700W      |
| Input voltage         | 140 - 280VAC         | 140 - 280VAC        | 140 - 280VAC        |
| Output voltage        | 220, 230, 240VAC     | 220, 230, 240VAC    | 220, 230, 240VAC    |
| Warranty              | 2+1Y onsite 5x8 NBD  | 2+1Y onsite 5x8 NBD | 2+1Y onsite 5x8 NBD |
| Option                | AP9640, SMX120RMBP2U | AP9640, SMX120BP    | SMX120BP            |
| SRP (inc. VAT)        | 59,100               | 74,400              | 93,400              |



**APC Smart UPS On-Line**



|                              |                          |                          |                          |
|------------------------------|--------------------------|--------------------------|--------------------------|
| <b>Part number</b>           | SRT1500XLI               | SRT2200XLI               | SRT3000XLI               |
| <b>Topology</b>              | Double Conversion Online | Double Conversion Online | Double Conversion Online |
| <b>Output power capacity</b> | 1500VA / 1500W           | 2200VA / 1980W           | 3000VA / 2700W           |
| <b>Input voltage</b>         | 100 - 275VAC             | 160 - 275VAC             | 160 - 275VAC             |
| <b>Output voltage</b>        | 220, 230, 240VAC         | 220, 230, 240VAC         | 220, 230, 240VAC         |
| <b>Warranty</b>              | 2+1Y onsite 5x8 NBD      | 2+1Y onsite 5x8 NBD      | 2+1Y onsite 5x8 NBD      |
| <b>Option</b>                | SRT48BP                  | SRTRK4, SRT72BP          | SRTRK4, SRT96BP          |
| <b>SRP (inc. VAT)</b>        | 48,200                   | 52,600                   | 68,700                   |



|                              |                                 |                                 |                                    |
|------------------------------|---------------------------------|---------------------------------|------------------------------------|
| <b>Part number</b>           | SRT5KXLI                        | SRT6KXLI                        | SRT8KXLI                           |
| <b>Topology</b>              | Double Conversion Online        | Double Conversion Online        | Double Conversion Online           |
| <b>Output power capacity</b> | 5,000VA / 4,500W                | 6,000VA / 6,000W                | 8,000VA / 8,000W                   |
| <b>Input voltage</b>         | 160 - 275VAC                    | 160 - 275VAC                    | Single phase 230VAC or Three phase |
| <b>Output voltage</b>        | 220, 230, 240VAC                | 220, 230, 240VAC                | 220, 230, 240VAC                   |
| <b>Warranty</b>              | 2Y onsite 5x8 NBD with 2PM/year | 2Y onsite 5x8 NBD with 2PM/year | 2Y onsite 5x8 NBD with 2PM/year    |
| <b>Option</b>                | SRTRK2, SRT192BP                | SRTRK2, SRT192BP                | SRTRK2, SRT192BP2                  |
| <b>SRP (inc. VAT)</b>        | 152,000                         | 165,700                         | 212,500                            |



|                              |                                    |                                    |                                    |
|------------------------------|------------------------------------|------------------------------------|------------------------------------|
| <b>Part number</b>           | SRT10KXLI                          | SURT15KRMXLI                       | SURT20KRMXLI                       |
| <b>Topology</b>              | Double Conversion Online           | Double Conversion Online           | Double Conversion Online           |
| <b>Output power capacity</b> | 10,000VA / 10,000 W                | 15,000VA / 12,000W                 | 20,000VA / 16,000W                 |
| <b>Input voltage</b>         | Single phase 230VAC or Three phase | Single phase 230VAC or Three phase | Single phase 230VAC or Three phase |
| <b>Output voltage</b>        | 220, 230, 240VAC                   | Single phase 230VAC or Three phase | Single phase 230VAC or Three phase |
| <b>Warranty</b>              | 2Y onsite 5x8 NBD with 2PM/year    | 2Y onsite 5x8 NBD with 2PM/year    | 2Y onsite 5x8 NBD with 2PM/year    |
| <b>Option</b>                | SRTRK2, SRT192BP2                  | SURT192RMXLBP2                     | SURT192RMXLBP2                     |
| <b>SRP (inc. VAT)</b>        | 221,400                            | call                               | call                               |

UPS PRODUCT & BATTERY

**Line Interactive UPS : PSA itON series**



|                       |                                                                                            |                                                                                            |                                                                                            |
|-----------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| Model                 | PSA650-SOHO                                                                                | PSA850-SOHO                                                                                | PSA1000-SOHO                                                                               |
| Part No.              | VTV-PSA650-SOHO                                                                            | VTV-PSA850-SOHO                                                                            | VTV-PSA1000-SOHO                                                                           |
| กำลังไฟฟ้า (VA/Watt)  | 650VA/390W                                                                                 | 850VA/510W                                                                                 | 1000VA/600W                                                                                |
| แรงดัน Input (VAC)    | 162 – 290VAC                                                                               | 162 – 290VAC, Single phase                                                                 | 162 – 290VAC, Single phase                                                                 |
| แรงดัน Output (VAC)   | 230V+10%, -20%                                                                             | 230VAC ±10%                                                                                | 230VAC ±10%                                                                                |
| Power Factor          | 0.6                                                                                        | 0.6                                                                                        | 0.6                                                                                        |
| Software              | None                                                                                       | None                                                                                       | None                                                                                       |
| Backup time           | 10 minutes -120WLoad                                                                       | 16m at load 25%                                                                            | 18m at load 25%                                                                            |
| Warranty              | 3 Yrs On Site Replacement Warranty, not include rural area and Pattani, Ya-La, Narathiwass | 3 Yrs On Site Replacement Warranty, not include rural area and Pattani, Ya-La, Narathiwass | 3 Yrs On Site Replacement Warranty, not include rural area and Pattani, Ya-La, Narathiwass |
| <b>SRP (inc. VAT)</b> | <b>1,750</b>                                                                               | <b>2,525</b>                                                                               | <b>4,034</b>                                                                               |

**Line Interactive UPS : PSA series**



|                          |                                                                                            |                                                                                            |
|--------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| Model                    | PSA1000MT3230U                                                                             | PSA1500MT3230U                                                                             |
| Part No.                 | VTV-PSA1000MT3230U                                                                         | VTV-PSA1500MT3230U                                                                         |
| กำลังไฟฟ้า(VA/Watt)      | 1000/600                                                                                   | 1500/900                                                                                   |
| แรงดัน Input             | 160-287VAC                                                                                 | 160-287VAC                                                                                 |
| แรงดัน Output            | 230VAC ±5%                                                                                 | 230VAC ±5%                                                                                 |
| Power factor             | 0.6                                                                                        | 0.6                                                                                        |
| Software                 | Multilink® Software                                                                        | Multilink® Software                                                                        |
| เข้าสียบ Input           |                                                                                            |                                                                                            |
| เข้าสียบ Output          |                                                                                            |                                                                                            |
| Back up time (Full Load) | 10-13 minutes – Half Load                                                                  | 10-13 minutes – Half Load                                                                  |
| Warranty                 | 3 Yrs On Site Replacement Warranty, not include rural area and Pattani, Ya-La, Narathiwass | 3 Yrs On Site Replacement Warranty, not include rural area and Pattani, Ya-La, Narathiwass |
| <b>SRP (inc. VAT)</b>    | <b>7,704</b>                                                                               | <b>9,298</b>                                                                               |

**Line Interactive UPS : EDGE UPS series**



|                       |                                                                                            |                                                                                            |
|-----------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| Model                 | EDGE-1000IRM1U                                                                             | EDGE-3000IRT3UXL                                                                           |
| Part Number           | VTV-01202569                                                                               | VTV-01202574                                                                               |
| กำลังไฟฟ้า (VA/Watt)  | 1000VA/900W                                                                                | 3000VA/2700W                                                                               |
| แรงดัน Input (VAC)    | 166 to 278 (230V default)                                                                  | 166 to 278 (230V default)                                                                  |
| แรงดัน Output (VAC)   | 200/208/220/230/240                                                                        | 200/208/220/230/240                                                                        |
| Power Factor          | 0.9                                                                                        | 0.9                                                                                        |
| Backup time           | 15 Min @Half load                                                                          | 16.2 Min @Half load                                                                        |
| Warranty              | 3 Yrs On Site Replacement Warranty, not include rural area and Pattani, Ya-La, Narathiwass | 3 Yrs On Site Replacement Warranty, not include rural area and Pattani, Ya-La, Narathiwass |
| <b>SRP (inc. VAT)</b> | <b>23,668</b>                                                                              | <b>51,146</b>                                                                              |

**Online double conversion UPS : GXT-MT plus series**



|                       |                                                                                            |                                                                                            |                                                                                            |
|-----------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| Model                 | GXT1000MTPLUS CX                                                                           | GXT2000MTPLUS CX                                                                           | GXT3000MTPLUS CX                                                                           |
| Part Number           | VTV-GXT1000MTPLUSCX                                                                        | VTV-GXT2000MTPLUSCX                                                                        | VTV-GXT3000MTPLUSCX                                                                        |
| กำลังไฟฟ้า (VA/Watt)  | 1000 VA / 900 W                                                                            | 2000 VA / 1800 W                                                                           | 3000 VA / 2700 W                                                                           |
| แรงดัน Input (VAC)    | 110-270                                                                                    | 110-270                                                                                    | 110-270                                                                                    |
| แรงดัน Output (VAC)   | 208/220/230/240VAC                                                                         | 208/220/230/240VAC                                                                         | 208/220/230/240VAC                                                                         |
| Power Factor          | 0.9                                                                                        | 0.9                                                                                        | 0.9                                                                                        |
| Software              | ViewPower Pro                                                                              | ViewPower Pro                                                                              | ViewPower Pro                                                                              |
| Backup time           | 11 minutes – Half Load                                                                     | 12 minutes – Half Load                                                                     | 13 minutes – Half Load                                                                     |
| Warranty              | 3 Yrs On Site Replacement Warranty, not include rural area and Pattani, Ya-La, Narathiwass | 3 Yrs On Site Replacement Warranty, not include rural area and Pattani, Ya-La, Narathiwass | 3 Yrs On Site Replacement Warranty, not include rural area and Pattani, Ya-La, Narathiwass |
| <b>SRP (inc. VAT)</b> | <b>11,289</b>                                                                              | <b>21,614</b>                                                                              | <b>29,382</b>                                                                              |



**Online double conversion : GXT5 series**

**GXT5 Series Double conversion on-line technology (Tower&Rack)**



|                       |                                                                                            |                                                                                            |                                                                                            |
|-----------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| Model                 | Liebert GXT5: On-Line 1000VA/1000W                                                         | Liebert GXT5: On-Line 1500VA/1500W                                                         | Liebert GXT5: On-Line 2000VA/2000W                                                         |
| Part Number           | VTV-01202008                                                                               | VTV-01202009                                                                               | VTV-01202010                                                                               |
| กำลังไฟฟ้า (VA/Watt)  | 1000VA/1000W                                                                               | 1500VA/1500W                                                                               | 2000VA/2000W                                                                               |
| แรงดัน Input (VAC)    | 230 VAC                                                                                    | 230 VAC                                                                                    | 230 VAC                                                                                    |
| แรงดัน Output (VAC)   | 200/208/220/230/240 VAC                                                                    | 200/208/220/230/240 VAC                                                                    | 200/208/220/230/240 VAC                                                                    |
| Power Factor          | 1                                                                                          | 1                                                                                          | 1                                                                                          |
| Warranty              | 3 Yrs On Site Replacement Warranty, not include rural area and Pattani, Ya-La, Narathiwass | 3 Yrs On Site Replacement Warranty, not include rural area and Pattani, Ya-La, Narathiwass | 3 Yrs On Site Replacement Warranty, not include rural area and Pattani, Ya-La, Narathiwass |
| <b>SRP (inc. VAT)</b> | <b>33,791</b>                                                                              | <b>41,698</b>                                                                              | <b>50,547</b>                                                                              |



|                       |                                                                                            |                                                                                            |                                                                                            |
|-----------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| Model                 | Liebert GXT5: On-Line 3000VA/3000W                                                         | Liebert GXT5: On-Line 5000VA/5000W                                                         | Liebert GXT5: On-Line 10000VA/10000W                                                       |
| Part Number           | VTV-01202005                                                                               | VTV-01201973                                                                               | VTV-01201982                                                                               |
| กำลังไฟฟ้า (VA/Watt)  | 3000VA/3000W                                                                               | 5000VA/5000W                                                                               | 10000VA/10000W                                                                             |
| แรงดัน Input (VAC)    | 230 VAC                                                                                    | 176-288 VAC                                                                                | 176-288 VAC                                                                                |
| แรงดัน Output (VAC)   | 200/208/220/230/240 VAC                                                                    | 200/208/220/230/240 VAC                                                                    | 200/208/220/230/240 VAC                                                                    |
| Power Factor          | 1                                                                                          | 1                                                                                          | 1                                                                                          |
| Warranty              | 3 Yrs On Site Replacement Warranty, not include rural area and Pattani, Ya-La, Narathiwass | 3 Yrs On Site Replacement Warranty, not include rural area and Pattani, Ya-La, Narathiwass | 3 Yrs On Site Replacement Warranty, not include rural area and Pattani, Ya-La, Narathiwass |
| <b>SRP (inc. VAT)</b> | <b>63,430</b>                                                                              | <b>111,205</b>                                                                             | <b>166,952</b>                                                                             |

**Online double conversion : RT+ Series**

**LiebertGXT RT+ Series Double conversion on-line technology (Tower&Rack)**



|                       |                                                                                            |                                                                                            |                                                                                            |
|-----------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| Model                 | Liebert GXT-RT+: On-Line 1000VA/900W                                                       | Liebert GXT-RT+: On-Line 2000VA/1800W                                                      | Liebert GXT-RT+: On-Line 3000VA/2700W                                                      |
| Part Number           | VTV-01202557                                                                               | VTV-01202559                                                                               | VTV-01202560                                                                               |
| กำลังไฟฟ้า (VA/Watt)  | 1000VA/900W                                                                                | 2000VA/1800W                                                                               | 3000VA/2700W                                                                               |
| แรงดัน Input (VAC)    | 120-300 VAC                                                                                | 120-300 VAC                                                                                | 120-300 VAC                                                                                |
| แรงดัน Output (VAC)   | 220/230/240 VAC ±1%                                                                        | 220/230/240 VAC ±1%                                                                        | 220/230/240 VAC ±1%                                                                        |
| Power Factor          | 1                                                                                          | 1                                                                                          | 1                                                                                          |
| Warranty              | 3 Yrs On Site Replacement Warranty, not include rural area and Pattani, Ya-La, Narathiwass | 3 Yrs On Site Replacement Warranty, not include rural area and Pattani, Ya-La, Narathiwass | 3 Yrs On Site Replacement Warranty, not include rural area and Pattani, Ya-La, Narathiwass |
| <b>SRP (inc. VAT)</b> | <b>15,932</b>                                                                              | <b>26,900</b>                                                                              | <b>36,701</b>                                                                              |

**Global Power : Battery**



**Series**  
ประเภทของแบตเตอรี่  
อุปกรณ์ที่แนะนำไปใช้  
ลักษณะการใช้งาน  
รอบการใช้งาน

**6V, 12V AGM Series**  
แบตเตอรี่แห้ง  
เครื่องสำรองไฟ, ระบบไฟฉุกเฉิน  
Standby use  
ประมาณ 300-500 รอบ

| SIS SKU               | Description | SRP<br>(Inc.VAT) | SRP<br>(Exc.VAT) | Warranty    | Dimensions<br>(mm) (LxWxH) | Weight<br>(KG) |
|-----------------------|-------------|------------------|------------------|-------------|----------------------------|----------------|
| <b>6V AGM Series</b>  |             |                  |                  |             |                            |                |
| GPW-GTAG-6-4-5        | 6V4.5AH     | 300              | 280              | 1Y carry in | 70x47x106                  | 0.7            |
| GPW-GTAG-6-12         | 6V12AH      | 620              | 579              | 1Y carry in | 151x50x100                 | 1.6            |
| <b>12V AGM Series</b> |             |                  |                  |             |                            |                |
| GPW-GTAG12-1-3        | 12V1.3AH    | 280              | 262              | 1Y carry in | 97x45x57                   | 0.57           |
| GPW-GTAG12-5-5        | 12V5.5AH    | 580              | 542              | 1Y carry in | 90x70x105                  | 1.6            |
| GPW-GTAG12-7-2        | 12V7.2AH    | 600              | 561              | 1Y carry in | 151x64.5x99                | 2.1            |
| GPW-GTAG12-7-5        | 12V7.5AH    | 700              | 654              | 1Y carry in | 151x65x98                  | 2.35           |
| GPW-GTAG12-9          | 12V9AH      | 820              | 766              | 1Y carry in | 151x64.5x99                | 2.45           |
| GPW-GTAG12-10         | 12V10AH     | 990              | 925              | 1Y carry in | 152x99x99.5                | 3.05           |
| GPW-GTAG12-12         | 12V12AH     | 1,080            | 1,009            | 1Y carry in | 152x99x99.5                | 3.3            |
| GPW-GTAG12-15         | 12V15AH     | 1,280            | 1,196            | 1Y carry in | 181x77x167                 | 4.8            |
| GPW-GTAG12-18         | 12V18AH     | 1,420            | 1,327            | 1Y carry in | 181x77x167                 | 5.15           |
| GPW-GTAG12-20         | 12V20AH     | 1,560            | 1,458            | 1Y carry in | 181x77x167                 | 5.3            |
| GPW-GTAG12-26         | 12V26AH     | 2,400            | 2,243            | 1Y carry in | 165x126x182                | 7.4            |
| GPW-GTAG12-33         | 12V33AH     | 2,900            | 2,710            | 1Y carry in | 195x130x179                | 9.1            |
| GPW-GTAG12-40         | 12V40AH     | 3,600            | 3,364            | 1Y carry in | 196x165x173                | 11.6           |
| GPW-GTAG12-55         | 12V55AH     | 5,200            | 4,860            | 1Y carry in | 231x139x217                | 15.1           |
| GPW-GTAG12-65         | 12V65AH     | 6,000            | 5,607            | 1Y carry in | 247x167x176                | 18.5           |
| GPW-GTAG12-75         | 12V75AH     | 7,400            | 6,916            | 1Y carry in | 260x169x214                | 21             |
| GPW-GTAG12-100        | 12V100AH    | 9,400            | 8,785            | 1Y carry in | 329x172x243                | 30.8           |
| GPW-GTAG12-120        | 12V120AH    | 11,500           | 10,748           | 1Y carry in | 406x174x233                | 33.2           |
| GPW-GTAG12-150        | 12V150AH    | 14,200           | 13,271           | 1Y carry in | 483x170x240                | 41             |
| GPW-GTAG12-200        | 12V200AH    | 18,700           | 17,477           | 1Y carry in | 522x240x244                | 54.8           |
| GPW-GTAG12-250        | 12V250AH    | 24,400           | 22,804           | 1Y carry in | 522x268x226                | 66.5           |



**Series**  
ประเภทของแบตเตอรี่  
อุปกรณ์ที่แนะนำไปใช้  
ลักษณะการใช้งาน  
รอบการใช้งาน

**12V AGM Deep Cycle Series**  
แบตเตอรี่แห้ง  
ระบบโซล่าเซลล์, ระบบเครื่องสำรองไฟขนาดใหญ่  
Cycle Use  
ประมาณ 900 รอบ

| SIS SKU                      | Description       | SRP<br>(Inc.VAT) | SRP<br>(Exc.VAT) | Warranty    | Dimensions<br>(mm) (LxWxH) | Weight<br>(KG) |
|------------------------------|-------------------|------------------|------------------|-------------|----------------------------|----------------|
| <b>12V Deep Cycle Series</b> |                   |                  |                  |             |                            |                |
| GPW-GTAD12-8                 | DC12V8AH          | 760              | 710              | 2Y carry in | 151x65x94                  | 2.35           |
| GPW-GTAD12-10                | DC12V10AH         | 1,120            | 1,047            | 2Y carry in | 152x99x94                  | 3.3            |
| GPW-GTAD12-12                | DC12V12AH         | 1,150            | 1,075            | 2Y carry in | 152x99x94                  | 3.65           |
| GPW-GTAD12-15                | DC12V15AH         | 1,420            | 1,327            | 2Y carry in | 181x77x167                 | 4.95           |
| GPW-GTAD12-18                | DC12V18AH         | 1,620            | 1,514            | 2Y carry in | 181x77x167                 | 5.3            |
| GPW-GTAD12-20                | DC12V20AH         | 1,890            | 1,766            | 2Y carry in | 118x77x167                 | 5.45           |
| GPW-GTAD12-40                | DC12V40AH         | 4,500            | 4,206            | 2Y carry in | 196x165x173                | 11.6           |
| GPW-GTAD12-55                | DC12V55AH         | 6,500            | 6,075            | 2Y carry in | 231x139x225                | 15.1           |
| GPW-GTAD12-65                | DC12V65AH         | 6,800            | 6,355            | 2Y carry in | 347x168x176                | 19.1           |
| GPW-GTAD12-70                | DC12V70AH         | 7,100            | 6,636            | 2Y carry in | 260x169x214                | 21             |
| GPW-GTAD12-75                | DC12V75AH         | 7,400            | 6,916            | 2Y carry in | 260x169x214                | 21             |
| GPW-GTAD12-90                | DC12V90AH         | 8,300            | 7,757            | 2Y carry in | 329x172x243                | 23.5           |
| GPW-GTAD12-100               | DC12V100AH(Short) | 9,000            | 8,411            | 2Y carry in | 329x172x225                | 28.6           |
| GPW-GTAD12-120               | DC12V120AH        | 10,800           | 10,093           | 2Y carry in | 406x174x233                | 32.2           |
| GPW-GTAD12-150               | DC12V150AH        | 13,500           | 12,617           | 2Y carry in | 483x170x240                | 43.3           |
| GPW-GTAD12-200               | DC12V200AH        | 18,150           | 16,963           | 2Y carry in | 522x240x244                | 57             |





**Global Power : Battery**



**Series**  
ประเภทของแบตเตอรี่  
อุปกรณ์ที่แนะนำให้ใช้  
ลักษณะการใช้งาน  
รอบการใช้งาน

**12V Gel Deep Cycle Series**  
แบตเตอรี่แห้ง  
ระบบโซล่าเซลล์, ระบบเครื่องสำรองไฟ (Long Backup Time)  
Cycle Use  
ประมาณ 900 รอบ

| SiS SKU                          | Description | SRP<br>(Inc.VAT) | SRP<br>(Exc.VAT) | Warranty    | Dimensions<br>(mm) (LxWxH) | Weight<br>(KG) |
|----------------------------------|-------------|------------------|------------------|-------------|----------------------------|----------------|
| <b>12V GEL Deep Cycle Series</b> |             |                  |                  |             |                            |                |
| GPW-GTGD12-65                    | DC12V65AH   | 8,000            | 7,477            | 2Y carry in | 348x168x178                | 18.5           |
| GPW-GTGD12-100                   | DC12V100AH  | 11,500           | 10,748           | 2Y carry in | 329x172x225                | 28.6           |
| GPW-GTGD12-120                   | DC12V120AH  | 13,000           | 12,150           | 2Y carry in | 406x174x233                | 33.2           |

**CSB Battery : Battery**



**Series**  
ประเภทของแบตเตอรี่  
อุปกรณ์ที่แนะนำให้ใช้  
ลักษณะการใช้งาน  
รอบการใช้งาน

**12V GP Series**  
แบตเตอรี่แห้ง  
เครื่องสำรองไฟ, ระบบไฟฉุกเฉิน  
Standby use  
ประมาณ 300-500 รอบ

| SiS SKU     | Description | SRP<br>(Inc.VAT) | SRP<br>(Exc.VAT) | Warranty    | Dimensions<br>(mm) (LxWxH) | Weight<br>(KG) |
|-------------|-------------|------------------|------------------|-------------|----------------------------|----------------|
| CSB-GP1272  | 12V7.2AH    | 1,090            | 1,019            | 2Y carry in | 150x54x99                  | 2.40           |
| CSB-GP12120 | 12V12AH     | 2,540            | 2,374            | 2Y carry in | 151x98x100                 | 3.67           |
| CSB-GP12170 | 12V17AH     | 3,380            | 3,159            | 2Y carry in | 181x77x167                 | 5.50           |



**Series**  
ประเภทของแบตเตอรี่  
อุปกรณ์ที่แนะนำให้ใช้  
ลักษณะการใช้งาน  
รอบการใช้งาน

**12V UPS Series**  
แบตเตอรี่แห้ง  
เครื่องสำรองไฟ, ระบบไฟฉุกเฉิน  
Standby use  
ประมาณ 300-500 รอบ

| SiS SKU       | Description | SRP<br>(Inc.VAT) | SRP<br>(Exc.VAT) | Warranty    | Dimensions<br>(mm) (LxWxH) | Weight<br>(KG) |
|---------------|-------------|------------------|------------------|-------------|----------------------------|----------------|
| CSB-UPS123606 | 12V7.5AH    | 1,730            | 1,617            | 2Y carry in | 150x51x99                  | 1.97           |



**Series**  
ประเภทของแบตเตอรี่  
อุปกรณ์ที่แนะนำให้ใช้  
ลักษณะการใช้งาน  
รอบการใช้งาน

**12V HR Series**  
แบตเตอรี่แห้ง  
เครื่องสำรองไฟ, ระบบไฟฉุกเฉิน  
Standby use  
ประมาณ 300-500 รอบ

| SiS SKU     | Description | SRP<br>(Inc.VAT) | SRP<br>(Exc.VAT) | Warranty    | Dimensions<br>(mm) (LxWxH) | Weight<br>(KG) |
|-------------|-------------|------------------|------------------|-------------|----------------------------|----------------|
| CSB-HR1221W | 12V5AH      | 1,290            | 1,206            | 2Y carry in | 90x70x106                  | 1.80           |
| CSB-HR1234W | 12V9AH      | 1,870            | 1,748            | 2Y carry in | 150x65x99                  | 2.50           |