

HPI : Office PC



HP Pro SFF 280 G9
HPI-732X3PA#AKL



HP Pro Tower 280 G9
HPI-70F82PA#AKL



HP Pro Tower 280 G9
HPI-735C3PA#AKL

Processor	Intel Core i5-12500 3.00G 18MB 6 cores 65W	Intel Core i3-12100 3.30G 12MB 4 cores 60W	Intel Core i3-12100 3.30G 12MB 4 cores 60W
Form factor	Small form	Tower	Tower
Chipset	Intel® H670	Intel® H670	Intel® H670
Memory	8 GB DDR4-2933 MHz RAM (1 x 8 GB)	4 GB DDR4-2933 MHz RAM (1 x 4 GB)	4 GB DDR4-2933 MHz RAM (1 x 4 GB)
HDD	256 GB PCIe® NVMe™ M.2 SSD + 1 TB 7200 rpm SATA HDD 3.5in	256GB M.2 2280 PCIe NVMe Solid State Drive	1TB 7200RPM SATA-6G 3.5in
Optical Drive	9.5mm DVD-Writer ODD	9.5mm DVD-Writer ODD	9.5mm DVD-Writer ODD
Wireless	Realtek ac 2x2 +Bluetooth 5.0 WW WLAN	Realtek ac 2x2 +Bluetooth 5 WW	Realtek ac 2x2 +Bluetooth 5 WW
Standard Port	1 VGA, 1 HDMI, 1 RJ-45	1 VGA, 1 HDMI, 1 RJ-45	1 VGA, 1 HDMI, 1 RJ-45
Graphic	Intel® UHD Graphics 750	Intel® UHD Graphics 730	Intel® UHD Graphics 730
PowerSupply	180W SFF EPA90 +12V	180W EPA90 +12V	180W EPA90 +12V
Keyboard & Mouse	HP 125 BLK Wired Keyboard + HP Black 125 Wired Mouse	HP 125 BLK Wired Keyboard + HP Black 125 Wired Mouse	HP 125 BLK Wired Keyboard + HP Black 125 Wired Mouse
Monitor	No Monitor	No Monitor	No Monitor
OS	Windows 11 Pro 64 Downgrade Win 10 Pro 64	Windows 11 Home 64	DOS
Warranty	3 Year on site	3 Year on site	3 Year on site
SRP (inc. VAT)	27,790.-	17,090.-	16,590.-



HP Pro Tower 280 G9
HPI-734V9PA#AKL



HP Pro Tower 280 G9
HPI-734U7PA#AKL



HP Pro Tower 280 G9
HPI-744Z8PA#AKL

Processor	Intel Core i5-12500 3.30G 18MB 6 cores 65W	Intel Core i5-12500 3.30G 18MB 6 cores 65W	Intel Core i7-12700 2.10G 25MB 12 cores 65W
Form factor	Tower	Tower	Tower
Chipset	Intel® H670	Intel® H670	Intel® H670
Memory	8GB (1x8GB) DDR4 2933 DIMM Memory	8GB (1x8GB) DDR4 2933 DIMM Memory	8GB (1x8GB) DDR4 2933 DIMM Memory
HDD	256GB M.2 2280 PCIe NVMe Solid State Drive	512GB M.2 2280 PCIe NVMe Solid State Drive	512GB M.2 2280 PCIe NVMe Solid State Drive
Optical Drive	9.5mm DVD-Writer ODD	9.5mm DVD-Writer ODD	9.5mm DVD-Writer ODD
Wireless	Realtek ac 2x2 +Bluetooth 5.0 WW WLAN	Realtek ac 2x2 +Bluetooth 5.0 WW WLAN	Realtek ac 2x2 +Bluetooth 5.0 WW WLAN
Standard Port	1 VGA, 1 HDMI, 1 RJ-45	1 VGA, 1 HDMI, 1 RJ-45	1 VGA, 1 HDMI, 1 RJ-45
Graphic	Intel® UHD Graphics 770	Intel® UHD Graphics 770	Intel® UHD Graphics 770
PowerSupply	180W EPA90 +12V	180W EPA90 +12V	180W EPA90 +12V
Keyboard & Mouse	HP 125 BLK Wired Keyboard + HP Black 125 Wired Mouse	HP 125 BLK Wired Keyboard + HP Black 125 Wired Mouse	HP Wired Desktop 320K Keyboard + HP Black 125 Wired Mouse
Monitor	No Monitor	No Monitor	No Monitor
OS	Windows 11 Home 64	Windows 11 Pro 64 Downgrade Win 10 Pro 64	Windows 11 Home 64
Warranty	3 Year on site	3 Year on site	3 Year on site
SRP (inc. VAT)	20,690.-	27,790.-	27,790.-

HPI : Monitor Commercial

Part Number	SKU Description	Screen Size	Resolution@ 60 Hz	SRP (inc. VAT)
HPI-5RD66AA#AKL	HP P204v Monitor	19.5" (16:9)	1600 x 900	3,790.-
HPI-9TT53AA#AKL	HP P22v G4 FHD Monitor	21.5" (16:9)	1920 x 1080	4,690.-
HPI-453D2AA#AKL	HP P22va G4 FHD Monitor	21.5" (16:9)	1920 x 1080	4,500.-
HPI-9VJ40AA#AKL	HP E24i G4 WUXGA Monitor	24" (16:9)	1920 x 1200	8,190.-

Office PC

2

HPI : All-in-One Commercial



HP 205 G4 All-in-One
HPI-69F95PA#AKL



HP 205 G4 All-in-One
HPI-69G42PA#AKL



HP 205 Pro G8 All-in-One
HPI-58J21PA#AKL

Processor	AMD Ryzen™ 3 4300U (2.7 GHz base clock, up to 3.7 GHz max boost clock, 4 MB L3 cache, 4 cores)	AMD Ryzen™ 3 4300U (2.7 GHz base clock, up to 3.7 GHz max boost clock, 4 MB L3 cache, 4 cores)	AMD Ryzen™ 5 5500U (up to 4.0 GHz max boost clock, 8 MB L3 cache, 6 cores, 12 threads)
Form factor	All-in-one	All-in-one	All-in-one
Display	HP 21.5 inch 3S VA FHD AG LED UWVA Display	HP 21.5 inch 3S VA FHD AG LED UWVA Display	23.8 inch AG FHD (1920x1080) LED UWVA IPS 250 LCD Panel
Memory	8GB (1x8GB) DDR4 3200 SODIMM Memory	4GB (1x4GB) DDR4 3200 SODIMM Memory	8GB (1x8GB) DDR4 3200 SODIMM Memory
HDD	256GB M.2 2280 PCIe NVMe Solid State Drive + 1TB 7200RPM SATA 3.5in	256GB M.2 2280 PCIe NVMe Solid State Drive	256GB 2280 PCIe NVMe Value Solid State Drive
Optical Drive	DVD-Writer ODD	DVD-Writer ODD	NO
Wireless	Realtek RTL8821CE ac 1x1 +Bluetooth 4.2 WW	Realtek RTL8821CE ac 1x1 +Bluetooth 4.2 WW	Realtek 8852AE Wi-Fi 6 +Bluetooth 5.2 WW WLAN
Graphic	AMD Radeon™ Graphics	AMD Radeon™ Graphics	AMD Radeon™ Graphics
Mouse	HP Black 125 Wired Mouse	HP Black 125 Wired Mouse	HP USB Hardened Optical Wired Mouse
Keyboard	HP 125 BLK Wired Keyboard THAI	HP 125 BLK Wired Keyboard THAI	HP 125 BLK Wired Keyboard THAI
Power	65 W external AC power adapter	65 W external AC power adapter	90 W external power adapter
Power Cord	C5 Straight 1.0m Power Cord THAI	C5 Straight 1.0m Power Cord THAI	C5 Straight 1.0m Power Cord THAI
OS	Windows 11 Home 64	Windows 11 Home 64	Windows 11 Home 64
Warranty	3 Year on site	3 Year on site	3 Year on site
SRP (inc. VAT)	20,690.-	17,099.-	21,290.-

HPI : ThinClient

Part#	Specification	Processor	Flash ROM	RAM	WiFi	VDI Protocol	I/O Port	Warranty	SRP (inc.vat)
ThinPro OS									
HPI-4Y009PA#AKL	t430v2/TP/W TC	"Intel® Celeron® Processor N4020; 1.1 - 2.8 GHz dual-core processor	32GB	4GB	Yes	RDP, Citrix, Vmware	1HDMI, 1DP, 1USB 2.0, 1USB Type C	'3/3/3	9,329
HPI-4W0F9PA#AKL	t540/TP/32GF/4GRW	AMD Ryzen R1000; 1.5-2.8GHz 3400 CPU	32GB	4GB	RT WiFi6		"3x USB-A3.1 Gen 1 , 1x USB-C 3.1 Gen1 2x Display Port 1.2 , 2x USB-A 2.0"	'3/3/3	11,816
HPI-3B339PA#AKL	t638/TP/32GF/4GR	Intel Celeron® Processor J4125 2.0 – 2.7 GHz; 4 cores	32GB	4GB	No	PCoIP, RDP, Citrix, Vmware	"6 x USB-A , 1 x parallel port 2 x serial port , 1 x VGA 1 x HDMI , 1 x RJ45"	'3/3/3	10,572
HPI-4X3D5PA#AKL	t638/TP/32GF/4GRW	Intel Celeron® Processor J4125 2.0 – 2.7 GHz; 4 cores	32GB	4GB	RT WiFi6	PCoIP, RDP, Citrix, Vmware	"6 x USB-A , 1 x parallel port 2 x serial port , 1 x VGA 1 x HDMI , 1 x RJ45"	'3/3/3	11,194
ThinPro OS									
HPI-4W0G3PA#AKL	t540/W19/32GF/4GR/W	AMD Ryzen R1000; 1.5-2.8GHz 3400 CPU	32GB	4GB	RT WiFi6		"3x USB-A3.1 Gen 1 , 1x USB-C 3.1 Gen1 2x Display Port 1.2 , 2x USB-A 2.0 , 1x VGA"	'3/3/3	13,931
HPI-4W0G4PA#AKL	t540/W19/32GF/8GR/W	AMD Ryzen R1000; 1.5-2.8GHz 3400 CPU	32GB	8GB	RT WiFi6		"3x USB-A3.1 Gen 1 , 1x USB-C 3.1 Gen1 2x Display Port 1.2 , 2x USB-A 2.0 , 1x VGA"	'3/3/3	14,926
HPI-4W0G7PA#AKL	t540/W19/64GF/8GR/W	AMD Ryzen R1000; 1.5-2.8GHz 3400 CPU	64GB	8GB	RT WiFi6		"3x USB-A3.1 Gen 1 , 1x USB-C 3.1 Gen1 2x Display Port 1.2 , 2x USB-A 2.0 , 1x VGA"	'3/3/3	15,299
HPI-4W0H1PA#AKL	t540/W19/128GF/8GR/W	AMD Ryzen R1000; 1.5-2.8GHz 3400 CPU	128GB	8GB	RT WiFi6		"3x USB-A3.1 Gen 1 , 1x USB-C 3.1 Gen1 2x Display Port 1.2 , 2x USB-A 2.0 , 1x VGA"	'3/3/3	15,921
HPI-2Z013PA#AKL	t638/W19/64GF/8GR	"Intel Celeron® Processor J4125 2.0 – 2.7 GHz; 4 cores"	64GB	8GB	No	PCoIP, RDP, Citrix, Vmware	"6 x USB-A , 1 x parallel port , 1 x RJ45 2 x serial port , 1 x VGA , 1 x HDMI"	'3/3/3	13,682
HPI-4X3E9PA#AKL	t638/W19/64GF/8GR/W	"Intel Celeron® Processor J4125 2.0 – 2.7 GHz; 4 cores"	64GB	8GB	RT WiFi6	PCoIP, RDP, Citrix, Vmware	"6 x USB-A , 1 x parallel port , 1 x RJ45 2 x serial port , 1 x VGA , 1 x HDMI"	'3/3/3	14,304

Office PC

3

LENOVO : Office PC



Neo50t G3
LNV-11SC005ATA



Neo50t G3
LNV-11SC005CTA



Neo50t G3
LNV-11SC005ETA

Processor	Intel Core i3-12100, 4C (4P + 0E) / 8T, P-core 3.3 / 4.3GHz, 12MB	Intel Core i5-12400, 6C (6P + 0E) / 12T, P-core 2.5 / 4.4GHz, 18MB	Intel Core i7-12700, 12C (8P + 4E) / 20T, P-core 2.1 / 4.8GHz, E-core 1.6 / 3.6GHz, 25MB
Core / Threads	4 / 8	6 / 12	12 / 20
Cache	12 MB Intel® Smart Cache	18 MB Intel® Smart Cache	25 MB Intel® Smart Cache
Memory Std/Max	1x 4GB UDIMM DDR4-3200 (Two DDR4 UDIMM slots, dual-channel capable. Up to 64GB DDR4-3200)	1x 8GB UDIMM DDR4-3200 (Two DDR4 UDIMM slots, dual-channel capable. Up to 64GB DDR4-3200)	1x 8GB UDIMM DDR4-3200 (Two DDR4 UDIMM slots, dual-channel capable. Up to 64GB DDR4-3200)
Chipset	Intel B660 chipset	Intel B660 chipset	Intel B660 chipset
Harddisk	256GB SSD M.2 2280 PCIe 4.0x4 NVMe Opal 2.0	256GB SSD M.2 2280 PCIe 4.0x4 NVMe Opal 2.0	512GB SSD M.2 2280 PCIe 4.0x4 NVMe Opal 2.0
Optical	DVD±RW	DVD±RW	DVD±RW
WLAN	Intel AX201 11ax, 2x2 + BT5.1	Intel AX201 11ax, 2x2 + BT5.1	Intel AX201 11ax, 2x2 + BT5.1
Audio	High Definition (HD) Audio, Realtek ALC222-CG codec	High Definition (HD) Audio, Realtek ALC222-CG codec	High Definition (HD) Audio, Realtek ALC222-CG codec
Graphic	Integrated Intel UHD Graphics 730	Integrated Intel UHD Graphics 730	Integrated Intel UHD Graphics 770
Expandable	2x USB 3.2 Gen 1 ,2x USB 3.2 Gen 2 1x headphone / microphone combo jack (3.5mm) , 1x USB-C 3.2 Gen 1 (support data transfer and 5V@3A charging) ,1x microphone (3.5mm) ,4x USB 2.0 ,1x VGA ,1x HDMI 1.4b ,1x DisplayPort 1.4 ,1x serial (9-pin) ,1x Ethernet (RJ-45) , 1x headphone (3.5mm) ,1x card reader , USB mouse-Keyboard	2x USB 3.2 Gen 1 ,2x USB 3.2 Gen 2 1x headphone / microphone combo jack (3.5mm) , 1x USB-C 3.2 Gen 1 (support data transfer and 5V@3A charging) ,1x microphone (3.5mm) ,4x USB 2.0 ,1x VGA ,1x HDMI 1.4b ,1x DisplayPort 1.4 ,1x serial (9-pin) ,1x Ethernet (RJ-45) , 1x headphone (3.5mm) ,3-in-1 Card Reader , USB mouse-Keyboard	2x USB 3.2 Gen 1 ,2x USB 3.2 Gen 2 1x headphone / microphone combo jack (3.5mm) , 1x USB-C 3.2 Gen 1 (support data transfer and 5V@3A charging) ,1x microphone (3.5mm) ,4x USB 2.0 ,1x VGA ,1x HDMI 1.4b ,1x DisplayPort 1.4 ,1x serial (9-pin) ,1x Ethernet (RJ-45) , 1x headphone (3.5mm) ,3-in-1 Card Reader , USB mouse-Keyboard
OS	DOS	DOS	DOS
Warranty	3 Years Onsite	3 Years Onsite	3 Years Onsite
SRP (inc. VAT)	15,500.-	20,000.-	26,900.-



V55t-13ACN G2
LNV-11RRS06L00



V55t-13ACN G2
LNV-11RR004BTA



V55t-13ACN G2
LNV-11RR003ETA

Processor	AMD Ryzen 3 4300G (4C / 8T, 4.0 / 4.2GHz, 2MB L2 / 8MB L3)	AMD Ryzen 5 5600G (6C / 12T, 3.9 / 4.2GHz, 3MB L2 / 16MB L3)	AMD Ryzen 7 5700G (8C / 16T, 3.8 / 4.6GHz, 4MB L2 / 16MB L3)
Core / Threads	4 / 8	6 / 12	8 / 16
Cache	10 MB	19 MB	20 MB
Memory Std/Max	4GB UDIMM DDR4-3200 (max 64 GB, Two DDR4 UDIMM slots, dual-channel capable)	8GB UDIMM DDR4-3200 (max 64 GB, Two DDR4 UDIMM slots, dual-channel capable)	8GB UDIMM DDR4-3200 (max 64 GB, Two DDR4 UDIMM slots, dual-channel capable)
Chipset	AMD PRO 565 chipset	AMD PRO 565 chipset	AMD PRO 565 chipset
Harddisk	256GB SSD M.2 2242 PCIe 3.0x4 NVMe	256GB SSD M.2 2242 PCIe 3.0x4 NVMe	512GB SSD M.2 2280 PCIe 3.0x4 NVMe Opal
Optical	9.0mm DVD±RW	9.0mm DVD±RW	9.0mm DVD±RW
WLAN	Realtek RTL8822CE, 802.11ac Dual Band 2x2 Wi-Fi® + Bluetooth 5.0, M.2 card	Realtek RTL8822CE, 802.11ac Dual Band 2x2 Wi-Fi® + Bluetooth 5.0, M.2 card	Realtek RTL8822CE, 802.11ac Dual Band 2x2 Wi-Fi® + Bluetooth 5.0, M.2 card
Audio	High Definition (HD) Audio, Realtek ALC222 codec	High Definition (HD) Audio, Realtek ALC222 codec	High Definition (HD) Audio, Realtek ALC222 codec
Graphic	Integrated AMD Radeon Graphics	Integrated AMD Radeon Graphics	Integrated AMD Radeon Graphics
Expandable	4x USB 2.0 , 1x headphone / microphone combo jack (3.5mm) , 1x microphone (3.5mm) ,2x USB 3.2 Gen 1 ,2x USB 3.2 Gen 2 ,1x VGA ,1x HDMI-out , 1x Ethernet (RJ-45) ,1x line-out (3.5mm) ,1x CARD READER , USB mouse-Keyboard	4x USB 2.0 , 1x headphone / microphone combo jack (3.5mm) , 1x microphone (3.5mm) ,2x USB 3.2 Gen 1 ,2x USB 3.2 Gen 2 ,1x VGA ,1x HDMI-out , 1x Ethernet (RJ-45) ,1x line-out (3.5mm) ,1x CARD READER , USB mouse-Keyboard	4x USB 2.0 , 1x headphone / microphone combo jack (3.5mm) , 1x microphone (3.5mm) ,2x USB 3.2 Gen 1 ,2x USB 3.2 Gen 2 ,1x VGA ,1x HDMI-out , 1x Ethernet (RJ-45) ,1x line-out (3.5mm) ,1x CARD READER , USB mouse-Keyboard
OS	DOS	DOS	DOS
Warranty	3 Years Onsite	3 Years Onsite	3 Years Onsite
SRP (inc. VAT)	15,000.-	18,600.-	23,700.-

Office PC

LENOVO : Office PC



V55t-13ACN
LNV-11RR003TTA



M70s G3 SFF
LNV-11T8003HTB



M75s G2 SFF
LNV-11R8002CTB

Processor	AMD Ryzen 7 4700G (8C / 16T, 3.6 / 4.4GHz, 4MB L2 / 8MB L3)	Intel Core i5-12500, 6C (6P + 0E) / 12T, P-core 3.0 / 4.6GHz, 18MB	AMD Ryzen 5 PRO 5650G (6C / 12T, 3.9 / 4.4GHz, 3MB L2 / 16MB L3)
Core / Threads	8 / 16	6 / 12	6 / 12
Cache	12 MB	18 MB Intel® Smart Cache	19 MB
Memory Std/Max	8GB UDIMM DDR4-3200 (max 64 GB, Two DDR4 UDIMM slots, dual-channel capable)	16GB UDIMM DDR4-3200 (MAX 128 GB , DIMM 4 Slots)	8GB UDIMM DDR4-3200 (MAX 128 GB , DIMM 4 Slots)
Chipset	AMD SoC Platform	Intel Q670 Chipset	AMD PRO565 Chipset
Harddisk	512GB SSD M.2 2280 PCIe 3.0x4 NVMe Opal	512GB SSD M.2 2280 PCIe 4.0x4 Performance NVMe Opal	512GB SSD M.2 2280 PCIe 3.0x4 NVMe Opal
Optical	9.0mm DVD±RW	None	None
WLAN	Realtek RTL8822CE, 802.11ac Dual Band 2x2 Wi-Fi® + Bluetooth 5.0, M.2 card	Intel AX201 11ax, 2x2 + BT5.1	RTL8852AE 11ax, 2x2 + BT5.1
Audio	High Definition (HD) Audio, Realtek ALC222 codec	High Definition (HD) Audio, Realtek ALC897Q-CG codec	High Definition (HD) Audio, Realtek ALC623-CG codec
Graphic	Integrated AMD Radeon Graphics	Integrated Intel UHD Graphics 770	Integrated AMD Radeon Graphics
Expandable	4x USB 2.0 , 1x headphone / microphone combo jack (3.5mm) , 1x microphone (3.5mm) , 2x USB 3.2 Gen 1 , 2x USB 3.2 Gen 2 , 1x VGA , 1x HDMI-out , 1x Ethernet (RJ-45) , 1x line-out (3.5mm) , 1x CARD READER , USB mouse-Keybaord	2x USB 3.2 Gen 1 , 2x USB 3.2 Gen 2 , 1x USB-C 3.2 Gen 1 (15W charging) , 1x headphone / microphone combo jack (3.5mm) , 1x microphone (3.5mm) , 4x USB 2.0 , 1x HDMI 2.1 TMDS , 2x DisplayPort 1.4 , 1x Ethernet (RJ-45) , 1x line-out (3.5mm) . 3-in-1 card reader , USB mouse-Keybaord	2x USB 3.2 Gen 1 , 2x USB 3.2 Gen 2 , 1x USB-C 3.2 Gen 1 , 1x headphone / microphone combo jack (3.5mm) , 1x microphone (3.5mm) , 4x USB 2.0 , 1x HDMI , 2x Display-Port , 1x serial (9-pin) , 1x Ethernet (RJ-45) , 1x line-out (3.5mm) , 3-in-1 card reader , USB mouse-Keybaord
OS	DOS	Windows 11 DG Windows 10 Pro 64, English	Windows 10 Pro 64, English
Warranty	3 Years Onsite	3 years Onsite	3 years Onsite
SRP (inc. VAT)	23,700.-	27,900.-	25,000.-

LENOVO : All in One



M70a AIO
LNV-11E2002TTA



M90a AIO
LNV-11DYS01400



V50a-241MB AIO
LNV-11FJA0F5TA

Processor	Intel® Core™ i5-10400 (12MB Cache , 2.9 GHz up to 4.3 GHz)	Intel Core i5-10500 (6C / 12T, 3.1 / 4.5GHz, 12MB)	Intel Core i3-10100T (4C / 8T, 3.0 / 3.8GHz, 6MB)
Core / Threads	6 / 12	6 / 12	4 / 8
Cache	12MB Cache	12MB Cache	6 MB Intel® Smart Cache
Memory Std/Max	8GB DDR4 2666 SODIMM (max 64 GB, Dimm 2 Slots)	8GB SO-DIMM DDR4-2666 (Max 64 GB, Two DDR4 DIMM slots, dual-channel capable)	8GB DDR4 2666 SODIMM (MAX 32 GB , SO-DIMM 2 Slots)
Chipset	Intel H470 chipset	Intel Q470 Chipset	Intel B460 Chipset
Harddisk	256GB SSD B258M.2 2280 NVME TLC OP	256GB SSD M.2 2280 PCIe 3.0x4 NVMe Opal	256GB SSD M.2 2242 PCIe NVMe
Optical	SLIM DVD RAMBO 9.0MM	DVD±RW	Slim DVD Rambo 9mm
WLAN	Realtek RTL8822CE, 802.11ac Dual Band 2x2 Wi-Fi + Bluetooth 5.0, M.2 card	Intel 9560 11ac, 2x2 + BT5.0	Intel 9260 11ac, 2x2 + BT5.0
Audio	High Definition (HD) Audio, Realtek® ALC233 codec	High Definition (HD) Audio, Realtek ALC233 codec	High Definition (HD) Audio, Realtek ALC233 codec
Graphic	Intel UHD Graphics 630	Integrated Intel UHD Graphics 630	Integrated Intel UHD Graphics 630
Expandable	4x USB 3.2 Gen 1 , 1x DisplayPort , 1x Ethernet (RJ-45) , 1x USB 3.2 Gen 1 , 1x USB 3.2 Gen 2 , 1x USB-C 3.2 Gen 1 , 1x headphone / microphone combo jack (3.5mm) , 1080P CAMERA DUAL MIC , USB-Keybaord-mouse , 3 in 1 Card reader	4x USB 3.2 Gen 1 , 1x DisplayPort , 1x Ethernet (RJ-45) , 1x USB-C 3.2 Gen 1 (5V/3A charging) , 2x USB 3.2 Gen 2 , 1x headphone / microphone combo jack (3.5mm) , FHD 1080P Camera , USB-Keybaord-mouse , 3 in 1 Card reader	1080p camera , 1 x USB 3.2 Gen 1 , 1 x USB-C 3.2 Gen 1 , 1x USB-C 3.2 Gen 1 (support data transfer and 5V@3A charging) , 3 x USB 2.0 , 1x Ethernet (RJ-45) , 1x HDMI-in , 1x HDMI-out 1.4 , 1x headphone / microphone combo jack (3.5mm) , 3-in-1 card reader , USB mouse-Keybaord
Display	21.5" FHD (1920x1080) 250 nit	23.8" FHD (1920x1080) IPS Anti-glare 250nits 72% NTSC	23.8" FHD (1920x1080) IPS Anti-glare
OS	DOS	DOS	DOS
Warranty	3 years onsite	3 years onsite	3 years onsite
SRP (inc. VAT)	23,000.-	23,900.-	20,000.-

Office PC

LENOVO : All in One



Neo30a G3 AIO
LNV-12CE0014TA



Neo30a G3 AIO
LNV-12B000BDTA



Neo30a G3 AIO
LNV-12B3A008TA

Processor	Intel Pentium 8505, 5C (1P + 4E) / 6T, P-core 1.2 / 4.4GHz, E-core 0.9 / 3.3GHz, 8MB	Intel Core i3-1220P, 10C (2P + 8E) / 12T, P-core 1.5 / 4.4GHz, E-core 1.1 / 3.3GHz, 12MB	Intel Pentium 8505, 5C (1P + 4E) / 6T, P-core 1.2 / 4.4GHz, E-core 0.9 / 3.3GHz, 8MB
Core / Threads	5 / 6	10 / 12	5 / 6
Cache	8 MB Intel® Smart Cache	12 MB Intel® Smart Cache	8 MB Intel® Smart Cache
Memory Std/Max	4GB SO-DIMM DDR4-3200 (MAX 16 GB , Two DDR4 SO-DIMM slots, dual-channel capable)	8GB SO-DIMM DDR4-3200 (MAX 16 GB , Two DDR4 SO-DIMM slots, dual-channel capable)	4GB SO-DIMM DDR4-3200 (MAX 16 GB , Two DDR4 SO-DIMM slots, dual-channel capable)
Chipset	Intel SoC Platform	Intel SoC Platform	Intel SoC Platform
Harddisk	256GB SSD M.2 2280 PCIe 4.0x4 NVMe	256GB SSD M.2 2280 PCIe 4.0x4 NVMe	256GB SSD M.2 2280 PCIe 4.0x4 NVMe
Optical	DVD±RW	DVD±RW	DVD±RW
WLAN	Intel AX201 11ax, 2x2 + BT5.2	Intel AX201 11ax, 2x2 + BT5.1	Intel AX201 11ax, 2x2 + BT5.1
Audio	High Definition (HD) Audio, Realtek ALC256 codec	High Definition (HD) Audio, Realtek ALC256 codec	High Definition (HD) Audio, Realtek ALC256 codec
Graphic	Integrated Intel UHD Graphics	Integrated Intel UHD Graphics	Integrated Intel UHD Graphics
Expandable	HD 720p camera , 2x USB 2.0, 2 x USB-C 3.2 Gen 2 ,1x HDMI-out , 1x Ethernet (RJ-45) , 1x power connector , 3-in-1 card reader , USB mouse-keyboard	HD 720p camera , 2x USB 2.0, 2 x USB-C 3.2 Gen 2 , 1x HDMI-out , 1x Ethernet (RJ-45) ,1x power connector , 3-in-1 card reader , USB mouse-keyboard	HD 720p camera , 2x USB 2.0, 2 x USB-C 3.2 Gen 2 , 1x HDMI-out , 1x Ethernet (RJ-45) , 1x power connector , 3-in-1 card reader , USB mouse-keyboard
Display	23.8" FHD (1920x1080) IPS Anti-glare 250nits, 72% Gamut	23.8" FHD (1920x1080) IPS Anti-glare 250nits, 72% Gamut	21.5" FHD (1920x1080) IPS Anti-glare 250nits, 72% Gamut
OS	DOS	DOS	DOS
Warranty	3 years onsite	3 years Onsite	3 years Onsite
SRP (inc. VAT)	17,600.-	20,000.-	17,200.-



A540-24API
LNV-F0EM009QTA



A540-24API
LNV-F0EM00ACTA

Processor	AMD Ryzen 5 PRO 4650GE (6C / 12T, 3.3 / 4.2GHz, 3MB L2 / 8MB L3)	AMD Ryzen 5 PRO 4650GE (6C / 12T, 3.3 / 4.2GHz, 3MB L2 / 8MB L3)
Core / Threads	6 / 12	6 / 12
Cache	8MB Cache	8MB Cache
Memory Std/Max	2x 4GB SO-DIMM DDR4-2666	2x 4GB SO-DIMM DDR4-2666
Chipset	AMD B300	AMD B300
Harddisk	256GB SSD M.2 2242 PCIe NVMe (Up to two drives, 1x 2.5" HDD + 1x M.2 SSD)	256GB SSD M.2 2242 PCIe NVMe + 1TB HDD 5400rpm 2.5" (Up to two drives, 1x 2.5" HDD + 1x M.2 SSD)
Optical	1x External USB DVD±RW	1x External USB DVD±RW
WLAN	11ac, 1x1 + BT4.0	11ac, 1x1 + BT4.0
Audio	High Definition (HD) Audio	High Definition (HD) Audio
Graphic	Integrated AMD Radeon Graphics	Integrated AMD Radeon Graphics
Expandable	2x USB 2.0 , 1x USB 3.1 Gen 1 , 1x HDMI-out 1.4 , 1x HDMI-in , 1x Ethernet (RJ-45) , 2x USB 3.1 Gen 1 , 1x headphone / microphone combo jack (3.5mm) , 720P CAMERA , 2x, Array Microphone , 3-in-1 Card Reader	2x USB 2.0 , 1x USB 3.1 Gen 1 , 1x HDMI-out 1.4 , 1x HDMI-in , 1x Ethernet (RJ-45) , 2x USB 3.1 Gen 1 , 1x headphone / microphone combo jack (3.5mm) , 720P CAMERA , 2x, Array Microphone , 3-in-1 Card Reader
Display	DOS	Windows 10 Home 64, English
OS	23.8" FHD (1920x1080) WVA	23.8" FHD (1920x1080) WVA
Warranty	3 years onsite	3 years onsite
SRP (inc. VAT)	23,000.-	26,200.-

Office PC

6

ACER : Commercial Monitor

*** หมายเหตุ: ไม่มี Price Protection



V176LBD (SQUARE)
ACR-UMBV6SS007



V226HQLBD
ACR-UMWV6ST001



V247Y
ACR-UMQV7ST001



V277
ACR-UMHV7ST002

Display size	LCD 17"	LCD/LED 21.5" wide screen	23.8" FHD with ZeroFrame Design	27" FHD with ZeroFrame Design
Resolution	1280x1024 @75Hz	1920x1080 @60Hz	1920x1080 @75Hz	1920x1080 @75Hz
Brightness	250 cd/m2	250 cd/m2,	250 nits	250 nits
Contrast	100,000,000:1 (ACM)	100,000,000:1 (ACM)	100,000,000:1 Max	100,000,000:1 Max
Response time	5ms		4 ms	4 ms
Speaker	No	No	2Wx2	2Wx2
Color	Black	Black		
Input	VGA (Analog D-Sub), DVI	VGA+DVI (DVI w/HDCP) HDMI	VGA+HDMI+DisplayPort All cable included!!	VGA+HDMI+DisplayPort All cable included!!
Panel	Non Glare	Non Glare	In-Plane Switching (IPS)	In-Plane Switching (IPS)
Remark	No Price protection			
SRP (inc. VAT)	6,290.-	6,690.-	7,890.-	9,290.-

ACER : Office PC



VM4670G
ACR-UDVT7ST005



VM4670G
ACR-DTVT7ST00K



VM4670G
ACR-UDVT7ST004

Processor	Intel® Core™ i3-10100 (3.6GHz up to 4.3GHz, 6M Cache) 4C/8T	Intel® Core™ i5-10500 (3.1GHz up to 4.5GHz, 12M Cache) 6C/12T	Intel® Core™ i5-10500 (3.1GHz up to 4.5GHz, 12M Cache) 6C/12T
Operating System	Endless OS	Endless OS	Endless OS
Memory	4GB DDR4 3200 UNB-DIMM	4GB DDR4 2666 UNB-DIMM	8GB DDR4 2666 UNB-DIMM
HDD	1TB 3.5" 7200rpm SATA3	1TB 3.5" 7200rpm SATA3	2TB 3.5" 7200rpm SATA3
Optical Drive	16X DVD-RW	16X DVD-RW	16X DVD-RW
Display & Graphics	Intel® UHD Graphics 630	Intel® UHD Graphics 630	Intel® UHD Graphics 630
Graphic Card	None	None	None
Audio	5.1-channel surround sound	5.1-channel surround sound	5.1-channel surround sound
Network	Onboard Ethernet LAN and Wireless LAN 802.11ax + BT 5	Onboard Ethernet LAN and Wireless LAN 802.11ax + BT 5.0 up to 5.1	Onboard Ethernet LAN and Wireless LAN 802.11ax + BT 5
Commercial Features	TPM v2.0 (Trusted Platform Module)	TPM (Trusted Platform Module)	TPM v2.0 (Trusted Platform Module)
I/O Expansions	PCIe x16 slot: 2, PCIe x1 slot: 1, PCI slot: 1	PCIe x16 slot: 2, PCIe x1 slot: 1, PCI slot: 1	PCIe x16 slot: 2, PCIe x1 slot: 1, PCI slot: 1
I/O Port	4x USB3.2 Gen2, 2x USB3.2 Gen1, 1x USB3.2 Gen1 Type-C, 2x USB2.0 2x Serial, 1x Parallel, 1x VGA, 1x HDMI, 1x Display, RJ-45, 2x PS/2 Multi-in-1 card reader	4x USB3.2 Gen2, 2x USB3.2 Gen1, 1x USB3.2 Gen1 Type-C, 2x USB2.0 2x Serial, 1x Parallel, 1x VGA, 1x HDMI, 1x Display, RJ-45, 2x PS/2 Multi-in-1 card reader	4x USB3.2 Gen2, 2x USB3.2 Gen1, 1x USB3.2 Gen1 Type-C, 2x USB2.0 2x Serial, 1x Parallel, 1x VGA, 1x HDMI, 1x Display, RJ-45, 2x PS/2 Multi-in-1 card reader
Keyboard & Mouse	USB keyboard and mouse	USB keyboard and mouse	USB keyboard and mouse
Power Supply	300W 80PLUS up to Platinum	300W 80PLUS# Platinum	300W 80PLUS up to Platinum
Warranty	3 Years Part&Labor Include onsite NBD Thailand (G114V)	3 Years Part&Labor Include onsite NBD Thailand (G114V)	3 Years Part&Labor Include onsite NBD Thailand (G114V)
SRP (inc. VAT)	17,790.-	21,490.-	21,390.-

Office PC

ACER : Office PC



VN4670G

ACR-UDVSZST00C



VN4680G

ACR-DTVUSST00G



VN4680G

ACR-UDVUSST007

Processor	Intel® Core™ i3-10100 (3.6GHz up to 4.3GHz, 6M Cache) 4C/8T	Intel® Core™ i5-11500 (2.7GHz up to 4.6GHz, 12M Cache) 6C/12T	Intel® Core™ i5-11500 (2.7GHz up to 4.6GHz, 12M Cache) 6C/12T
Operating System	Windows 10 Pro 64-bit	No Windows	Windows 10 Pro
Memory	4GB DDR4 2666 SO-DIMM	8GB DDR4 3200 UNB-DIMM	8GB DDR4 3200 UNB-DIMM
HDD	256GB SSD M.2 NVMe	512GB SSD M.2 NVMe	512GB SSD M.2 NVMe
Optical Drive	None	None	None
Display & Graphics	Intel® UHD Graphics 630	Intel® UHD Graphics 750	Intel® UHD Graphics 750
Graphic Card	None	None	None
Audio	5.1-channel surround sound	5.1-channel surround sound	5.1-channel surround sound
Network	Onboard Ethernet LAN and Wireless LAN 802.11ax + BT 5	Onboard Ethernet LAN and Wireless LAN 802.11ax + BT 5	Onboard Ethernet LAN and Wireless LAN 802.11ax + BT 5
Commercial Features	TPM v2.0 (Trusted Platform Module)	TPM v2.0 (Trusted Platform Module)	TPM v2.0 (Trusted Platform Module)
I/O Expansions	PCIe x16 slot: 1	PCIe x16 slot: 1	PCIe x16 slot: 1
I/O Port	4x USB3.2 Gen1, 1x USB3.2 Gen2, 1x Type C, 1x Display, 1x HDMI, 1x RJ-45, + 1x VGA	Front: 1x USB3 Gen2, 1x USB3 Gen 1, 1x USB3 Gen2 Type C Rear: 2x USB3 Gen1, 2x USB2.0, 1x VGA, 1x HDMI, 1x Display, RJ-45 VESA mounting kit	Front: 1x USB3 Gen2, 1x USB3 Gen 1, 1x USB3 Gen2 Type C Rear: 2x USB3 Gen1, 2x USB2.0, 1x VGA, 1x HDMI, 1x Display, RJ-45 VESA mounting kit
Keyboard & Mouse	USB Keyboard + Mouse	USB Keyboard + Mouse	USB Keyboard + Mouse
Power Supply	90W	3-pin 90 W AC adapter	3-pin 90 W AC adapter
Warranty	3 Years Part&Labor Include onsite NBD Thailand (G114V)	3 Years Part&Labor 1 onsite	3 Years Part&Labor 1 onsite
SRP (inc. VAT)	22,590.-	23900.-	22,900.-



VZ4870G

ACR-UDVTQST00Y



VZ4880G

ACR-DQVUYST002

NEW!



VEZ2740G

ACR-DQVUKST008



VEZ2740G

ACR-DQVULST00C

Processor	Intel® Core™ i5-10500 (3.1GHz up to 4.5GHz, 12M Cache) 6C/12T	Intel® Core™ i5-11500 (2.7GHz up to 4.6GHz, 12M Cache) 6C/12T	Intel® Core™ i3-1115G4 processor	Intel® Core™ i5-1135G7 processor
Operating System	Windows 10 Pro 64-bit	No Windows	UEFI Shell OS	UEFI Shell OS
Memory	8GB DDR4 2666 SO-DIMM	8GB DDR4 3200 SO-DIMM	8GB DDR4 3200 SO-DIMM	8GB DDR4 3200 SO-DIMM
HDD	512GB SSD M.2 NVMe	512GB SSD M.2 NVMe	256GB SSD M.2 NVMe + 1TB 2.5" 5400rpm	512GB SSD M.2 NVMe + 1TB 2.5" 5400rpm
Optical Drive	8X DVD-RW	8X DVD-RW	None	None
Display & Graphics	Size: 23.8", 16:9, 1920x1080 IPS, 250nits	Size: 23.8", 16:9, 1920x1080 IPS, 250nits	Size: 23.8", 16:9, 1920x1080 IPS, 250nits	Size: 23.8", 16:9, 1920x1080 IPS, 250nits
Graphic Card	Intel® UHD Graphics 630	Intel® UHD Graphics 630	Intel® UHD Graphics	Intel® Iris® Xe Graphics
Audio	Built-in stereo speakers	Built-in stereo speakers	Built-in stereo speakers	Built-in stereo speakers
Network	Onboard Ethernet LAN and Wireless LAN 802.11ax + BT 5	Onboard Ethernet LAN and Wireless LAN 802.11ax + BT 5	Onboard Ethernet LAN and Wireless LAN 802.11ax + BT 5	Onboard Ethernet LAN and Wireless LAN 802.11ax + BT 5
Commercial Features	TPM v2.0 (Trusted Platform Module)	TPM v2.0 (Trusted Platform Module)	Kensington lock slot	Kensington lock slot
I/O Expansions	PCIe x16 slot: 1	PCIe x16 slot: 1	M.2 slot (for SSD): 1, M.2 slot (for WLAN): 1	M.2 slot (for SSD): 1, M.2 slot (for WLAN): 1
I/O Port	2x USB3.2 Gen1, 3x USB3.2 Gen2, 1x Type C, 1x Serial, 1x VGA, 1x DP, 1x RJ-45, 1x HDMI (in), Integrated 2.0 MP Full HD high-sense webcam	2x USB3.2 Gen1, 2x USB3.2 Gen2, 1x USB2.0, 1x USB3.2 Gen2x2 Type C, 1x Serial, 1x VGA, 1x DP, 1x RJ-45, 1x HDMI (in), Integrated 2.0 MP Full HD high-sense webcam	1xUSB 2.0, Built-in SD card reader, 1xUSB 3 Gen1, 2xUSB 3 Gen 2, 1xHDMI out, Integrated 1.0 MP HD webcam with 2 stereo microphones	1xUSB 2.0, Built-in SD card reader, 1xUSB 3 Gen1, 2xUSB 3 Gen 2, 1xHDMI out, Integrated 1.0 MP HD webcam with 2 stereo microphones
Keyboard & Mouse	USB Keyboard + Mouse	USB Keyboard + Mouse	USB Keyboard + Mouse	USB Keyboard + Mouse
Power Supply	3-pin at least 134.9 W AC adapter	3-pin 135 W AC adapter	3-pin 65 W AC adapter	3-pin 65 W AC adapter
Warranty	3 Years Part&Labor 1 onsite	3 Years Part&Labor 1 onsite	3 Years Part&Labor 1 onsite	3 Years Part&Labor 1 onsite
SRP (inc. VAT)	38,490.-	27,790	26,890 .-	30,990.-

DELL : Office PC



3080Micro
SNS38MC007



3080Micro
SNS38MC008



3080Micro
SNS38MC005

CPU	4GB (1X4GB) 2666MHz DDR4 Non-ECC	4GB (1X4GB) 2666MHz DDR4 Non-ECC	8GB (1X8GB) 2666MHz DDR4 Non-ECC
Chipset	2.5" 1TB 7200rpm SATA Hard Disk Drive	2.5" 1TB 7200rpm SATA Hard Disk Drive	M.2 256GB PCIe NVMe Class 35 Solid State Drive+2.5 inch 1TB 7200rpm Hard Disk Drive
OS	None	None	None
RAM	No Monitor	No Monitor	No Monitor
HDD	Intel® UHD Graphics 630	Intel® UHD Graphics 630	Intel® UHD Graphics 630
Optical drive	Intel® Wi-Fi 6 AX200 2x2 (Gig+) + Bluetooth 5	Intel® Wi-Fi 6 AX200 2x2 (Gig+) + Bluetooth 5	Intel 3165 802.11ac dual band 1x1 + Bluetooth 4.2
Display	Dell MS116 Wired Mouse Black + Dell Entry Keyboard KB216 Black (Thailand)	Dell MS116 Wired Mouse Black + Dell Entry Keyboard KB216 Black (Thailand)	Dell MS116 Wired Mouse Black + Dell Entry Keyboard KB216 Black (Thailand)
Graphic	65W AC adapter	65W AC adapter	65W AC adapter
Wireless/BT	"1 RJ-45 port 10/100/1000 Mbps (rear) 2 USB 3.2 Gen1 Type-A ports (front) 2 USB 3.2 Gen1 Type-A ports (rear) 1 USB 2.0 port (rear) 1 USB 2.0 port with Smart Power on (rear) 1 Universal Audio Jack (front) 1 Line-out audio port (front, retaksable) 1 DisplayPort 1.4 port (rear) 1 HDMI 1.4 port (rear) +1 VGA Port (added for SNS)"	"1 RJ-45 port 10/100/1000 Mbps (rear) 2 USB 3.2 Gen1 Type-A ports (front) 2 USB 3.2 Gen1 Type-A ports (rear) 1 USB 2.0 port (rear) 1 USB 2.0 port with Smart Power on (rear) 1 Universal Audio Jack (front) 1 Line-out audio port (front, retaksable) 1 DisplayPort 1.4 port (rear) 1 HDMI 1.4 port (rear) +1 VGA Port (added for SNS)"	"1 RJ-45 port 10/100/1000 Mbps (rear) 2 USB 3.2 Gen1 Type-A ports (front) 2 USB 3.2 Gen1 Type-A ports (rear) 1 USB 2.0 port (rear) 1 USB 2.0 port with Smart Power on (rear) 1 Universal Audio Jack (front) 1 Line-out audio port (front, retaksable) 1 DisplayPort 1.4 port (rear) 1 HDMI 1.4 port (rear) +1 VGA Port (added for SNS)"
Mouse&KB	"1 M.2 2230 slot for wireless 1 M.2 2230/2280 slot for storage 1 SATA slot - 1x2.5" HDD"	"1 M.2 2230 slot for wireless 1 M.2 2230/2280 slot for storage 1 SATA slot - 1x2.5" HDD"	"1 M.2 2230 slot for wireless 1 M.2 2230/2280 slot for storage 1 SATA slot - 1x2.5" HDD"
PowerSupply	3Yr Pro Support	3Yr Pro Support	3Yr Pro Support
Ports	21.5" (546.1mm), FHD (1920x1080), LED backlight, IPS	21.5" (546.1mm), FHD (1920x1080), LED backlight,	21.5" (546.1mm), FHD (1920x1080), LED backlight,
Expansion slot	DOS	DOS	DOS
Warranty	3 years onsite	3 years onsite	3 years onsite
SRP (inc. VAT)	11,990.-	16,991.-	18,990.-



3080Micro
SNS38MC006



3080MT
SNS38MT001



3080MT
SNS38MT002

CPU	Intel® Core™ i5-10500T (6 Cores/12MB/12T/2.3GHz up to 3.8GHz/35W)	Intel® Core™ i3-10100 (4 Cores/6MB/8T/3.6 GHz up to 4.3GHz/65W)	Intel® Core™ i3-10100 (4 Cores/6MB/8T/3.6 GHz up to 4.3GHz/65W)
Chipset	Intel® B460 Chipset	Intel® B460 Chipset	Intel® B460 Chipset
OS	Window10Pro 64 bit	Ubuntu Linux	Window10Pro 64 bit
RAM	8GB (1X8GB) 2666MHz DDR4 Non-ECC	4GB (1X4GB) 2666MHz DDR4 Non-ECC	4GB (1X4GB) 2666MHz DDR4 Non-ECC
HDD	M.2 256GB PCIe NVMe Class 35 Solid State Drive+2.5 inch 1TB 7200rpm Hard Disk Drive	3.5 inch 1TB 7200rpm SATA Hard Disk Drive	3.5 inch 1TB 7200rpm SATA Hard Disk Drive
Optical drive	None	8x DVD+/-RW 9.5mm Optical Disk Drive	8x DVD+/-RW 9.5mm Optical Disk Drive
Display	No Monitor	No Monitor	No Monitor
Graphic	Intel® UHD Graphics 630	Intel® UHD Graphics 630	Intel® UHD Graphics 630
Wireless/BT	Intel 3165 802.11ac dual band 1x1 + Bluetooth 4.2	None	None
Mouse&KB	Dell MS116 Wired Mouse Black + Dell Entry Keyboard KB216 Black (Thailand)	Dell MS116 Wired Mouse Black + Dell Entry Keyboard KB216 Black (Thailand)	Dell MS116 Wired Mouse Black + Dell Entry Keyboard KB216 Black (Thailand)
PowerSupply	65W AC adapter	260W up to 85% Efficient PSU (80 PLUS Bronze)	260W up to 85% Efficient PSU (80 PLUS Bronze)
Ports	"1 RJ-45 port 10/100/1000 Mbps (rear) 2 USB 3.2 Gen1 Type-A ports (front) 2 USB 3.2 Gen1 Type-A ports (rear) 1 USB 2.0 port (rear) 1 USB 2.0 port with Smart Power on (rear) 1 Universal Audio Jack (front) 1 Line-out audio port (front, retaksable) 1 DisplayPort 1.4 port (rear) 1 HDMI 1.4 port (rear) +1 VGA Port (added for SNS)"	"1 RJ-45 port 10/100/1000 Mbps (rear) 2 USB 2.0 Type-A ports (front) 2 USB 3.2 Gen 1 Type-A port (front) 2 USB 2.0 ports with Smart Power on (rear) 2 USB 3.2 Gen 1 Type-A ports (rear) 1 Universal Audio Jack (front) 1 Line-out audio port (rear, retaksable) 1 DisplayPort 1.4 (rear) 1 HDMI 1.4b port (rear) + 1 VGA port (added for SNS)"	"1 RJ-45 port 10/100/1000 Mbps (rear) 2 USB 2.0 Type-A ports (front) 2 USB 3.2 Gen 1 Type-A port (front) 2 USB 2.0 ports with Smart Power on (rear) 2 USB 3.2 Gen 1 Type-A ports (rear) 1 Universal Audio Jack (front) 1 Line-out audio port (rear, retaksable) 1 DisplayPort 1.4 (rear) 1 HDMI 1.4b port (rear) + 1 VGA port (added for SNS)"
Expansion slot	"1 M.2 2230 slot for wireless 1 M.2 2230/2280 slot for storage 1 SATA slot - 1x2.5" HDD"	"1 full-height PCIe x16 Gen 3 slot 2 full-height PCIe x1 Gen 3 slot 1 M.2 2230 slot for wireless 1 M.2 2230/2280 slot for storage 3 SATA slots"	"1 full-height PCIe x16 Gen 3 slot 2 full-height PCIe x1 Gen 3 slot 1 M.2 2230 slot for wireless 1 M.2 2230/2280 slot for storage 3 SATA slots"
Warranty	3Yr Pro Support	3Yr Pro Support	3Yr Pro Support
SRP (inc. VAT)	23,990.-	12,990.-	17,990.-

DELL : Office PC



3080MT
SNS38MT003



3080MT
SNS38MT004



3080MT
SNS38MT005

CPU	Intel® Core™ i5-10500 (6 Cores/12MB/12T/3.1 GHz up to 4.5GHz/65W)	Intel® Core™ i5-10500 (6 Cores/12MB/12T/3.1 GHz up to 4.5GHz/65W)	Intel® Core™ i5-10500 (6 Cores/12MB/12T/3.1 GHz up to 4.5GHz/65W)
Chipset	Intel® B460 Chipset	Intel® B460 Chipset	Intel® B460 Chipset
OS	Ubuntu Linux	Window10Pro 64 bit	Ubuntu Linux
RAM	4GB (1X4GB) 2666MHz DDR4 Non-ECC	4GB (1X4GB) 2666MHz DDR4 Non-ECC	8GB (1X8GB) 2666MHz DDR4 Non-ECC
HDD	3.5 inch 1TB 7200rpm SATA Hard Disk Drive	3.5 inch 1TB 7200rpm SATA Hard Disk Drive	3.5 inch 1TB 7200rpm SATA Hard Disk Drive
Optical drive	8x DVD+/-RW 9.5mm Optical Disk Drive	8x DVD+/-RW 9.5mm Optical Disk Drive	8x DVD+/-RW 9.5mm Optical Disk Drive
Display	No Monitor	No Monitor	No Monitor
Graphic	Intel® UHD Graphics 630	Intel® UHD Graphics 630	Intel® UHD Graphics 630
Wireless/BT	None	None	None
Mouse&KB	Dell MS116 Wired Mouse Black + Dell Entry Keyboard KB216 Black (Thailand)	Dell MS116 Wired Mouse Black + Dell Entry Keyboard KB216 Black (Thailand)	Dell MS116 Wired Mouse Black + Dell Entry Keyboard KB216 Black (Thailand)
PowerSupply	260W up to 85% Efficient PSU (80 PLUS Bronze)	260W up to 85% Efficient PSU (80 PLUS Bronze)	260W up to 85% Efficient PSU (80 PLUS Bronze)
Ports	"1 RJ-45 port 10/100/1000 Mbps (rear) 2 USB 2.0 Type-A ports (front) 2 USB 3.2 Gen 1 Type-A port (front) 2 USB 2.0 ports with Smart Power on (rear) 2 USB 3.2 Gen 1 Type-A ports (rear) 1 Universal Audio Jack (front) 1 Line-out audio port (rear, retaksable) 1 DisplayPort 1.4 (rear) 1 HDMI 1.4b port (rear) + 1 VGA port (added for SNS)"	"1 RJ-45 port 10/100/1000 Mbps (rear) 2 USB 2.0 Type-A ports (front) 2 USB 3.2 Gen 1 Type-A port (front) 2 USB 2.0 ports with Smart Power on (rear) 2 USB 3.2 Gen 1 Type-A ports (rear) 1 Universal Audio Jack (front) 1 Line-out audio port (rear, retaksable) 1 DisplayPort 1.4 (rear) 1 HDMI 1.4b port (rear) + 1 VGA port (added for SNS)"	"1 RJ-45 port 10/100/1000 Mbps (rear) 2 USB 2.0 Type-A ports (front) 2 USB 3.2 Gen 1 Type-A port (front) 2 USB 2.0 ports with Smart Power on (rear) 2 USB 3.2 Gen 1 Type-A ports (rear) 1 Universal Audio Jack (front) 1 Line-out audio port (rear, retaksable) 1 DisplayPort 1.4 (rear) 1 HDMI 1.4b port (rear) + 1 VGA port (added for SNS)"
Expansion slot	"1 full-height PCIe x16 Gen 3 slot 2 full-height PCIe x1 Gen 3 slot 1 M.2 2230 slot for wireless 1 M.2 2230/2280 slot for storage 3 SATA slots"	"1 full-height PCIe x16 Gen 3 slot 2 full-height PCIe x1 Gen 3 slot 1 M.2 2230 slot for wireless 1 M.2 2230/2280 slot for storage 3 SATA slots"	"1 full-height PCIe x16 Gen 3 slot 2 full-height PCIe x1 Gen 3 slot 1 M.2 2230 slot for wireless 1 M.2 2230/2280 slot for storage 3 SATA slots"
Warranty	3Yr Pro Support	3Yr Pro Support	3Yr Pro Support
SRP (inc. VAT)	15,990.-	20,990.-	16,991.-



3080MT
SNS38MT006



3080MT
SNS38MT008



3080MT
SNS38MT009

CPU	Intel® Core™ i5-10500 (6 Cores/12MB/12T/3.1 GHz up to 4.5GHz/65W)	Intel® Core™ i5-10500 (6 Cores/12MB/12T/3.1 GHz up to 4.5GHz/65W)	Intel® Core™ i5-10500 (6 Cores/12MB/12T/3.1 GHz up to 4.5GHz/65W)
Chipset	Intel® B460 Chipset	Intel® B460 Chipset	Intel® B460 Chipset
OS	Window10Pro 64 bit	Ubuntu	Window10Pro 64 bit
RAM	8GB (1X8GB) 2666MHz DDR4 Non-ECC	8GB (1X8GB) 2666MHz DDR4 Non-ECC	8GB (1X8GB) 2666MHz DDR4 Non-ECC
HDD	3.5 inch 1TB 7200rpm SATA Hard Disk Drive	3.5 inch 2TB 7200rpm SATA Hard Disk Drive	M.2 256GB PCIe NVMe Class 35 Solid State Drive + 3.5 inch 1TB 7200rpm SATA Hard Disk Drive
Optical drive	8x DVD+/-RW 9.5mm Optical Disk Drive	8x DVD+/-RW 9.5mm Optical Disk Drive	8x DVD+/-RW 9.5mm Optical Disk Drive
Display	No Monitor	No Monitor	No Monitor
Graphic	Intel® UHD Graphics 630	Intel® UHD Graphics 630	Intel® UHD Graphics 630
Wireless/BT	None	None	None
Mouse&KB	Dell MS116 Wired Mouse Black + Dell Entry Keyboard KB216 Black (Thailand)	Dell MS116 Wired Mouse Black + Dell Entry Keyboard KB216 Black (Thailand)	Dell MS116 Wired Mouse Black + Dell Entry Keyboard KB216 Black (Thailand)
PowerSupply	260W up to 85% Efficient PSU (80 PLUS Bronze)	260W up to 85% Efficient PSU (80 PLUS Bronze)	260W up to 85% Efficient PSU (80 PLUS Bronze)
Ports	"1 RJ-45 port 10/100/1000 Mbps (rear) 2 USB 2.0 Type-A ports (front) 2 USB 3.2 Gen 1 Type-A port (front) 2 USB 2.0 ports with Smart Power on (rear) 2 USB 3.2 Gen 1 Type-A ports (rear) 1 Universal Audio Jack (front) 1 Line-out audio port (rear, retaksable) 1 DisplayPort 1.4 (rear) 1 HDMI 1.4b port (rear) + 1 VGA port (added for SNS)"	"1 RJ-45 port 10/100/1000 Mbps (rear) 2 USB 2.0 Type-A ports (front) 2 USB 3.2 Gen 1 Type-A port (front) 2 USB 2.0 ports with Smart Power on (rear) 2 USB 3.2 Gen 1 Type-A ports (rear) 1 Universal Audio Jack (front) 1 Line-out audio port (rear, retaksable) 1 DisplayPort 1.4 (rear) 1 HDMI 1.4b port (rear) + 1 VGA port (added for SNS)"	"1 RJ-45 port 10/100/1000 Mbps (rear) 2 USB 2.0 Type-A ports (front) 2 USB 3.2 Gen 1 Type-A port (front) 2 USB 2.0 ports with Smart Power on (rear) 2 USB 3.2 Gen 1 Type-A ports (rear) 1 Universal Audio Jack (front) 1 Line-out audio port (rear, retaksable) 1 DisplayPort 1.4 (rear) 1 HDMI 1.4b port (rear) + 1 VGA port (added for SNS)"
Expansion slot	"1 full-height PCIe x16 Gen 3 slot 2 full-height PCIe x1 Gen 3 slot 1 M.2 2230 slot for wireless 1 M.2 2230/2280 slot for storage 3 SATA slots"	"1 full-height PCIe x16 Gen 3 slot 2 full-height PCIe x1 Gen 3 slot 1 M.2 2230 slot for wireless 1 M.2 2230/2280 slot for storage 3 SATA slots"	"1 full-height PCIe x16 Gen 3 slot 2 full-height PCIe x1 Gen 3 slot 1 M.2 2230 slot for wireless 1 M.2 2230/2280 slot for storage 3 SATA slots"
Warranty	3Yr Pro Support	3Yr Pro Support	3Yr Pro Support
SRP (inc. VAT)	21,990.-	17,990.-	24,990.-

Office PC

10

DELL : Office PC



3080SFF
SNS38SF001



3080SFF
SNS38SF002



3080SFF
SNS38SF003

CPU	Intel® Core™ i3-10100 (4 Cores/6MB/8T/3.6 GHz up to 4.3GHz/65W)	Intel® Core™ i3-10100 (4 Cores/6MB/8T/3.6 GHz up to 4.3GHz/65W)	Intel® Core™ i5-10500 (6 Cores/12MB/12T/3.1 GHz up to 4.5GHz/65W)
Chipset	Intel® B460 Chipset	Intel® B460 Chipset	Intel® B460 Chipset
OS	Ubuntu Linux	Window10Pro 64 bit	Ubuntu Linux
RAM	4GB (1X4GB) 2666MHz DDR4 Non-ECC	4GB (1X4GB) 2666MHz DDR4 Non-ECC	8GB (1X8GB) 2666MHz DDR4 Non-ECC
HDD	3.5 inch 1TB 7200rpm SATA Hard Disk Drive	3.5 inch 1TB 7200rpm SATA Hard Disk Drive	3.5 inch 1TB 7200rpm SATA Hard Disk Drive
Optical drive	8x DVD+/-RW 9.5mm Optical Disk Drive	8x DVD+/-RW 9.5mm Optical Disk Drive	8x DVD+/-RW 9.5mm Optical Disk Drive
Display	No Monitor	No Monitor	No Monitor
Graphic	Intel® UHD Graphics 630	Intel® UHD Graphics 630	Intel® UHD Graphics 630
Wireless/BT	None	None	None
Mouse&KB	Dell MS116 Wired Mouse Black + Dell Entry Keyboard KB216 Black (Thailand)	Dell MS116 Wired Mouse Black + Dell Entry Keyboard KB216 Black (Thailand)	Dell MS116 Wired Mouse Black + Dell Entry Keyboard KB216 Black (Thailand)
PowerSupply	200W up to 85% Efficient PSU (80 PLUS Bronze)	200W up to 85% Efficient PSU (80 PLUS Bronze)	200W up to 85% Efficient PSU (80 PLUS Bronze)
Ports	"1 RJ-45 port 10/100/1000 Mbps (rear) 2 USB 2.0 Type-A ports (front) 2 USB 3.2 Gen 1 Type-A ports (front) 2 USB 2.0 Type-A ports with Smart Power On (rear) 2 USB 3.2 Gen 1 Type-A ports (rear) 1 Universal Audio Jack (front) 1 DisplayPort 1.4 port (rear) 1 HDMI 1.4b port (rear) 1 Line-out audio port (rear, retaksable) + 1 VGA port (added for SNS)"	"1 RJ-45 port 10/100/1000 Mbps (rear) 2 USB 2.0 Type-A ports (front) 2 USB 3.2 Gen 1 Type-A ports (front) 2 USB 2.0 Type-A ports with Smart Power On (rear) 2 USB 3.2 Gen 1 Type-A ports (rear) 1 Universal Audio Jack (front) 1 DisplayPort 1.4 port (rear) 1 HDMI 1.4b port (rear) 1 Line-out audio port (rear, retaksable) + 1 VGA port (added for SNS)"	"1 RJ-45 port 10/100/1000 Mbps (rear) 2 USB 2.0 Type-A ports (front) 2 USB 3.2 Gen 1 Type-A ports (front) 2 USB 2.0 Type-A ports with Smart Power On (rear) 2 USB 3.2 Gen 1 Type-A ports (rear) 1 Universal Audio Jack (front) 1 DisplayPort 1.4 port (rear) 1 HDMI 1.4b port (rear) 1 Line-out audio port (rear, retaksable) + 1 VGA port (added for SNS)"
Expansion slot	"1 half-height PCIe x16 Gen 3 slot 1 half-height PCIe x1 Gen 3 slot 1 M.2 2230 slot for wireless 1 M.2 2230/2280 slots for storage 2 SATA slots - 1x3.5" HDD or 1x2.5" HDD, 1 slim ODD"	"1 half-height PCIe x16 Gen 3 slot 1 half-height PCIe x1 Gen 3 slot 1 M.2 2230 slot for wireless 1 M.2 2230/2280 slots for storage 2 SATA slots - 1x3.5" HDD or 1x2.5" HDD, 1 slim ODD"	"1 half-height PCIe x16 Gen 3 slot 1 half-height PCIe x1 Gen 3 slot 1 M.2 2230 slot for wireless 1 M.2 2230/2280 slots for storage 2 SATA slots - 1x3.5" HDD or 1x2.5" HDD, 1 slim ODD"
Warranty	3Yr Pro Support	3Yr Pro Support	3Yr Pro Support
SRP (inc. VAT)	12,990.-	17,990.-	16,991.-



3080SFF
SNS38SF004



3080SFF
SNS38SF006



5080MT
SNS58MT001

CPU	Intel® Core™ i5-10500 (6 Cores/12MB/12T/3.1 GHz up to 4.5GHz/65W)	Intel® Core™ i5-10500 (6 Cores/12MB/12T/3.1 GHz up to 4.5GHz/65W)	Intel® Core™ i5-10500 (6 Cores, 12 MB Cache, 12 Threads, 3.1 GHz up to 4.5 GHz, 65 W)
Chipset	Intel® B460 Chipset	Intel® B460 Chipset	Intel® Q470 Chipset
OS	Window10Pro 64 bit	Window10Pro 64 bit	Window10Pro 64 bit
RAM	8GB (1X8GB) 2666MHz DDR4 Non-ECC	8GB (1X8GB) 2666MHz DDR4 Non-ECC	8GB (1X8GB) 2666MHz DDR4 Non-ECC
HDD	3.5 inch 1TB 7200rpm SATA Hard Disk Drive	M.2 256GB PCIe NVMe Class 35 Solid State Drive + 1TB 7200rpm SATA 2.5" HDD	3.5 inch 1TB 7200rpm SATA Hard Disk Drive
Optical drive	8x DVD+/-RW 9.5mm Optical Disk Drive	8x DVD+/-RW 9.5mm Optical Disk Drive	8x DVD+/-RW 9.5mm Optical Disk Drive
Display	No Monitor	No Monitor	Intel® UHD Graphics 630
Graphic	Intel® UHD Graphics 630	Intel® UHD Graphics 630	None
Wireless/BT	None	None	USB Keyboard + Mouse
Mouse&KB	Dell MS116 Wired Mouse Black + Dell Entry Keyboard KB216 Black (Thailand)	Dell MS116 Wired Mouse Black + Dell Entry Keyboard KB216 Black (Thailand)	260W up to 85% efficient Power Supply (80Plus Bronze)
PowerSupply	200W up to 85% Efficient PSU (80 PLUS Bronze)	200W up to 85% Efficient PSU (80 PLUS Bronze)	2 DisplayPort + 1 VGA, 1 RJ-45, +1 Serial port adapter
Ports	"1 RJ-45 port 10/100/1000 Mbps (rear) 2 USB 2.0 Type-A ports (front) 2 USB 3.2 Gen 1 Type-A ports (front) 2 USB 2.0 Type-A ports with Smart Power On (rear) 2 USB 3.2 Gen 1 Type-A ports (rear) 1 Universal Audio Jack (front) 1 DisplayPort 1.4 port (rear) 1 HDMI 1.4b port (rear) 1 Line-out audio port (rear, retaksable) + 1 VGA port (added for SNS)"	"1 RJ-45 port 10/100/1000 Mbps (rear) 2 USB 2.0 Type-A ports (front) 2 USB 3.2 Gen 1 Type-A ports (front) 2 USB 2.0 Type-A ports with Smart Power On (rear) 2 USB 3.2 Gen 1 Type-A ports (rear) 1 Universal Audio Jack (front) 1 DisplayPort 1.4 port (rear) 1 HDMI 1.4b port (rear) 1 Line-out audio port (rear, retaksable) + 1 VGA port (added for SNS)"	"10 External USB : 1 USB 2.0 port (front) 1 USB 2.0 port with PowerShare (front) 1 USB 3.2 Gen 1 Type-A port (front) 1 USB 3.2 Gen 2 Type-C port (front) 4 USB 3.2 Gen 1 Type-A ports (rear) 2 USB 2.0 ports with Smart Power On (rear)"
Expansion slot	"1 half-height PCIe x16 Gen 3 slot 1 half-height PCIe x1 Gen 3 slot 1 M.2 2230 slot for wireless 1 M.2 2230/2280 slots for storage 2 SATA slots - 1x3.5" HDD or 1x2.5" HDD, 1 slim ODD"	"1 half-height PCIe x16 Gen 3 slot 1 half-height PCIe x1 Gen 3 slot 1 M.2 2230 slot for wireless 1 M.2 2230/2280 slots for storage 2 SATA slots - 1x3.5" HDD or 1x2.5" HDD, 1 slim ODD"	"1 full-height Gen 3 PCIe x16 slot, 1 full-height Gen 3 PCIe x4 slot openend, 2 full-height PCIe x1 slots 1 M.2 2230 slot for Wi-Fi and Bluetooth card, 1 M.2 2230 slot for SSD 1 M.2 2280 slot for SSD/Intel Optane 4 SATA slots for 3.5-inch HDD, 2.5-inch HDD/SSD"
Warranty	3Yr Pro Support	3Yr Pro Support	3Yr Pro Support
SRP (inc. VAT)	21,990.-	24,990.-	22,990.-

Office PC

DELL : Office PC



5080MT
SNS58MT002



5080SFF
SNS58SF001



5080SFF
SNS58SF002

CPU	Intel® Core™ i7-10700 (8 Cores, 16 MB Cache, 16 Threads, 2.9 GHz upto 4.8 GHz, 65W)	Intel® Core™ i5-10500 (6 Cores, 12 MB Cache, 12 Threads, 3.1 GHz upto 4.5 GHz, 65 W)	Intel® Core™ i7-10700 (8 Cores, 16 MB Cache, 16 Threads, 2.9 GHz upto 4.8 GHz, 65W)
Chipset	Intel® Q470 Chipset	Intel® Q470 Chipset	Intel® Q470 Chipset
OS	Window10Pro 64 bit	Window10Pro 64 bit	Window10Pro 64 bit
RAM	8GB (1X8GB) 2933MHz DDR4 Non-ECC	8GB (1X8GB) 2666MHz DDR4 Non-ECC	8GB (1X8GB) 2933MHz DDR4 Non-ECC
HDD	3.5 inch 1TB 7200rpm SATA Hard Disk Drive	3.5 inch 1TB 7200rpm SATA Hard Disk Drive	3.5 inch 1TB 7200rpm SATA Hard Disk Drive
Optical drive	8x DVD+/-RW 9.5mm Optical Disk Drive	8x DVD+/-RW 9.5mm Optical Disk Drive	8x DVD+/-RW 9.5mm Optical Disk Drive
Display	AMD Radeon R5 430, 2GB, FH (DP/DP)	Intel® UHD Graphics 630	Intel® UHD Graphics 630
Graphic	None	None	None
Wireless/BT	USB Keyboard + Mouse	USB Keyboard + Mouse	USB Keyboard + Mouse
Mouse&KB	260W up to 85% efficient Power Supply (80Plus Bronze)	200W up to 85% efficient Power Supply (80Plus Bronze)	200W up to 85% efficient Power Supply (80Plus Bronze)
PowerSupply	2 DisplayPort, + 1 VGA, 1 RJ-45	2 DisplayPort, + 1 VGA, 1 RJ-45	2 DisplayPort + 1 VGA, 1 RJ-45
Ports	"10 External USB : 1 USB 2.0 port (front) 1 USB 2.0 port with PowerShare (front) 1 USB 3.2 Gen 1 Type-A port (front) 1 USB 3.2 Gen 2 Type-C port (front) 4 USB 3.2 Gen 1 Type-A ports (rear) 2 USB 2.0 ports with Smart Power On (rear)"	"10 External USB : 1 USB 2.0 Type-A port with PowerShare (front) 1 USB 3.2 Gen 1 Type-A port (front) 1 USB 2.0 port (front) 1 USB 3.2 Gen 2 Type-C port (front) 2 USB 2.0 Type-A ports with Smart Power On (rear) 4 USB 3.2 Gen 1 Type-A ports (rear)"	"10 External USB : 1 USB 2.0 Type-A port with PowerShare (front) 1 USB 3.2 Gen 1 Type-A port (front) 1 USB 2.0 port (front) 1 USB 3.2 Gen 2 Type-C port (front) 2 USB 2.0 Type-A ports with Smart Power On (rear) 4 USB 3.2 Gen 1 Type-A ports (rear)"
Expansion slot	"1 full-height Gen 3 PCIe x16 slot, 1 full-height Gen 3 PCIe x4 slot openend, 2 full-height PCIe x1 slots 1 M.2 2230 slot for Wi-Fi and Bluetooth card, 1 M.2 2230 slot for SSD 1 M.2 2280 slot for SSD/Intel Optane 4 SATA slots for 3.5-inch HDD, 2.5-inch HDD/SSD"	"1 full-height Gen 3 PCIe x16 slot, 1 full-height Gen 3 PCIe x4 slot openend, 2 full-height PCIe x1 slots 1 M.2 2230 slot for Wi-Fi and Bluetooth card, 1 M.2 2230 slot for SSD 1 M.2 2280 slot for SSD/Intel Optane 4 SATA slots for 3.5-inch HDD, 2.5-inch HDD/SSD"	"1 full-height Gen 3 PCIe x16 slot, 1 full-height Gen 3 PCIe x4 slot openend, 2 full-height PCIe x1 slots 1 M.2 2230 slot for Wi-Fi and Bluetooth card, 1 M.2 2230 slot for SSD 1 M.2 2280 slot for SSD/Intel Optane 4 SATA slots for 3.5-inch HDD, 2.5-inch HDD/SSD"
Warranty	3Yr Pro Support	3Yr Pro Support	3Yr Pro Support
SRP (inc. VAT)	29,990.-	22,990.-	27,990.-



7080MT
SNS78MT001



7080MT
SNS78MT002



7080SFF
SNS78SF001

CPU	Intel® Core™ i5-10500 (6 Cores, 12 MB Cache, 12 Threads, 3.1 GHz upto 4.5 GHz, 65 W)	Intel® Core™ i7-10700 (8 Cores, 16 MB Cache, 16 Threads, 2.9 GHz upto 4.8 GHz, 65W)	Intel® Core™ i5-10500 (6 Cores, 12 MB Cache, 12 Threads, 3.1 GHz upto 4.5 GHz, 65 W)
Chipset	Intel® Q470 Chipset	Intel® Q470 Chipset	Intel® Q470 Chipset
OS	Window10Pro 64 bit	Window10Pro 64 bit	Window10Pro 64 bit
RAM	8GB (1X8GB) 2666MHz DDR4 Non-ECC	8GB (1X8GB) 2933MHz DDR4 Non-ECC	8GB (1X8GB) 2666MHz DDR4 Non-ECC
HDD	3.5 inch 1TB 7200rpm SATA Hard Disk Drive	3.5 inch 1TB 7200rpm SATA Hard Disk Drive	M.2 256GB PCIe NVMe Class 35 Solid State Drive + 3.5 inch 1TB 7200rpm SATA Hard Disk Drive
Optical drive	8x DVD+/-RW 9.5mm Optical Disk Drive	8x DVD+/-RW 9.5mm Optical Disk Drive	8x DVD+/-RW 9.5mm Optical Disk Drive
Display	Intel® UHD Graphics 630	AMD Radeon™ R5 430, 2GB, FH (DP/DP)	Intel® UHD Graphics 630
Graphic	None	None	None
Wireless/BT	USB Keyboard + Mouse	USB Keyboard + Mouse	USB Keyboard + Mouse
Mouse&KB	260W up to 85% efficient Power Supply (80Plus Bronze)	260W up to 85% efficient Power Supply (80Plus Bronze)	200W up to 85% efficient Power Supply (80Plus Bronze)
PowerSupply	2 DisplayPort, 2 PS/2, 1 RJ-45, + 1 HDMI + 1 Serial and Parallel Port PCIe Card (Full Height)	2 DisplayPort, 2 PS/2, 1 RJ-45 + 1 HDMI	2 DisplayPort, 2 PS/2, 1 RJ-45, + 1 HDMI
Ports	"10 External USB: 1 USB 3.2 Gen 2 Type-C port (front) 1 USB 3.2 Gen 2 Type-A port (front) 1 USB 2.0 port with PowerShare (front) 1 USB 2.0 port (front) 1 USB 3.2 Gen 2 Type-A port (rear) 3 USB 3.2 Gen 1 Type-A ports (rear) 2 USB 2.0 ports with Smart Power On (rear)"	"10 External USB: 1 USB 3.2 Gen2 Type-C port (front) 1 USB 3.2 Gen 2 Type-A port (front) 1 USB 2.0 port with PowerShare (front) 1 USB 2.0 port (front) 1 USB 3.2 Gen 2 Type-A port (rear) 3 USB 3.2 Gen 1 Type-A ports (rear) 2 USB 2.0 ports with Smart Power On (rear)"	"10 External USB: 1 USB 3.2 Gen 2 Type-C port (front) 1 USB 3.2 Gen 1 port (front) 1 USB 2.0 port with PowerShare (front) 1 USB 2.0 port (front) 1 USB 3.2 Gen 2 Type-A ports (rear) 2 USB 2.0 ports with Power On (rear) 3 USB 3.2 Gen 1 Type-A port (rear)"
Expansion slot	"1 full-height Gen 3 PCIe x16 slot, 1 full-height PCIe x16 (wired x4) slot 1 full-height PCI-32 slot, 1 full-height PCIe x1 slot 1 M.2 2230 slot for Wi-Fi and Bluetooth card, 1 M.2 2230/2280 slot for SSD/Intel Optane 1 M.2 2280 slot for SSD/Intel Optane 4 SATA slots for 3.5-inch HDD, 2.5-inch HDD/SSD, and slim Optical Drive"	"1 full-height Gen 3 PCIe x16 slot, 1 full-height PCIe x16 (wired x4) slot 1 full-height PCI-32 slot, 1 full-height PCIe x1 slot 1 M.2 2230 slot for Wi-Fi and Bluetooth card, 1 M.2 2230/2280 slot for SSD/Intel Optane 1 M.2 2280 slot for SSD/Intel Optane 4 SATA slots for 3.5-inch HDD, 2.5-inch HDD/SSD, and slim Optical Drive"	"1 half-height PCIe x16 Gen 3 slot 1 half-height PCIe x4 Gen 3 slot 1 M.2 2230 slot for Wi-Fi and Bluetooth card 1 M.2 2230/2280 slots for SSD/Intel Optane 1 M.2 2280 slot for PCIe SSD 3 SATA slots for 3.5-inch HDD, 2.5-inch HDD/SSD, and slim Optical Drive"
Warranty	3Yr Pro Support	3Yr Pro Support	3Yr Pro Support
SRP (inc. VAT)	23,990.-	30,990.-	25,990.-

Office PC

12

DELL : Office PC



7080SFF
SNS78SF002



3090Ultra
SNS39UL001



7090Ultra
SNS79UL001

CPU	Intel® Core™ i7-10700 (8 Cores, 16 MB Cache, 16 Threads, 2.9 GHz upto 4.8 GHz, 65W)	Intel Core i5-1145G7 Processor (4 Core, up to 4.4GHz, 8M Cache)	Intel Core i5-1145G7 Processor (4 Core, up to 4.4GHz, 8M Cache)
Chipset	Intel® Q470 Chipset		
OS	Window10Pro 64 bit	Window10Pro 64 bit	Window10Pro 64 bit
RAM	8GB (1X8GB) 2933MHz DDR4 Non-ECC	8GB 1X8GB DDR4 3200MHz Non-ECC	16GB 1X16GB DDR4 3200MHz Non-ECC
HDD	M.2 256GB PCIe NVMe Class 40 Solid State Drive + 3.5 inch 1TB 7200rpm SATA Hard Disk Drive	M.2 256GB PCIe NVMe Class 35 Solid State Drive	M.2 512GB PCIe NVMe Class 35 Solid State Drive
Optical drive	8x DVD+/-RW 9.5mm Optical Disk Drive	None	None
Display	Intel® UHD Graphics 630	None	None
Graphic	None	USB Keyboard + Mouse	USB Keyboard + Mouse
Wireless/BT	USB Keyboard + Mouse	Intel Wi-Fi 6 AX201, Dual-band 2x2 802.11ax with MU-MIMO + Bluetooth 5.1	Intel Wi-Fi 6 AX201, Dual-band 2x2 802.11ax with MU-MIMO + Bluetooth 5.1
Mouse&KB	200W up to 85% efficient Power Supply (80Plus Bronze)	Dell Wireless Keyboard and Mouse (Thai) KM636 Black	Dell Wireless Keyboard and Mouse (Thai) KM636 Black
PowerSupply	2 DisplayPort, 2 PS/2, 1 RJ-45, + 1 HDMI	65W AC adapter	65W AC adapter
Ports	"10 External USB: 1 USB 3.2 Gen 2 Type-C port (front) 1 USB 3.2 Gen 1 port (front) 1 USB 2.0 port with PowerShare (front) 1 USB 2.0 port (front) 1 USB 3.2 Gen 2 Type-A ports (rear) 2 USB 2.0 ports with Power On (rear) 3 USB 3.2 Gen 1 Type-A port (rear)"	Side ports 1 USB 3.2 Gen 2 Type-A port with PowerShare 1 USB 3.2 Gen 2 Type-A port 1 Headset/Universal Audio Jack Rear ports 2 USB 3.2 Gen 2 Type-A with SmartPower On 1 USB 3.2 Gen 2 Type-C port with DisplayPort Alt Mode/ Power delivery 1 DisplayPort 1.4 + + HBR2 1 RJ45 Network Connector 1 4.50 mm x 2.90 mm DC-in port 1 4.50 mm x 2.90 mm DC-in port"	Side ports 1 USB 3.2 Gen 2 Type-A port with PowerShare, 1 USB 4™ Type-C® with DisplayPort Alt Mode/Thunderbolt™ 4.0, 1 Headset/ Universal Audio Jack Rear ports 2 USB 3.2 Gen 2 Type-A with SmartPower On 1 USB 3.2 Gen 2 Type-C port with DisplayPort Alt Mode/Power delivery 1 RJ45 Network Connector 1 4.50 mm x 2.90 mm DC-in port 1 DisplayPort 1.4 + + HBR2 port"
Expansion slot	"1 half-height PCIe x16 Gen 3 slot 1 half-height PCIe x4 Gen 3 slot 1 M.2 2230 slot for Wi-Fi and Bluetooth card 1 M.2 2230/2280 slots for SSD/Intel Optane 1 M.2 2280 slot for PCIe SSD 3 SATA slots for 3.5-inch HDD, 2.5-inch HDD/SSD, and slim Optical Drive"	OptiPlex Ultra Height Adjustable Stand (Pro1) for 19"-27" displays	OptiPlex Ultra Height Adjustable Stand (Pro1) for 19"-27" displays
Warranty	3Yr Pro Support	3Yr Pro Support	3Yr Pro Support
SRP (inc. VAT)	30,990.-	23,990.-	28,990.-

DELL : Monitor

Office PC

13

P/N	Product Description	SRP (inc.VAT)
SNSC2422HE	Dell Collaboration USB-C Hub Monitor - C2422HE, FHD, USB-C with RJ45, Built-in Cam/Speaker/Mic, HW LBL	9,590
SNSC2722DE	Dell Collaboration USB-C Hub Monitor - C2722DE, QHD, USB-C with RJ45, Built-in Cam/Speaker/Mic, HW LBL	14,390
SNSC3422WE	Dell Collaboration USB-C Hub Monitor - C3422WE, WQHD, Curved, USB-C with RJ45 Built-in Cam/Speaker/Mic, HW LBL	22,090
SNSC5519Q	Dell Conference Room Monitor - C5519Q	33,900
SNSC5518QT	Dell Conference Room Touch Monitor - C5518QT	96,900
SNSC7520QT	Dell Conference Room Touch Monitor - C7520QT	159,900
SNSC8621QT	Dell Conference Room Touch Monitor - C8621QT	269,801
SNSE1715S	Dell Monitor E1715S, 17.0" 1280x1024, TN, DP+VGA	3,790
SNSE1920H	Dell Monitor E1920H, 18.5" 1366x768, TN, DP+VGA	2,690
SNSE1916HV	Dell Monitor E1916HV, 18.5" 1366x768, TN, VGA only	2,590
SNSE2020H	Dell Monitor E2020H, 19.5" 1600x900, TN, DP+VGA	2,890
SNSE2016HV	Dell Monitor E2016HV, 19.5" 1600x900, TN, VGA only	2,690
SNSE2220H	Dell Monitor E2220H, 21.5" 1920x1080, TN, DP+VGA	3,190
SNSE2216HV	Dell Monitor E2216HV, 22.0" 1920x1080, TN, VGA only	3,090
SNSE2219HN	Dell Monitor E2219HN, 21.5" 1920x1080, IPS, HDMI+VGA	3,190
SNSE2318H	Dell Monitor E2318H, 23.0" 1920x1080, IPS, DP+VGA	3,490
SNSE2420H	Dell Monitor E2420H, 23.8" 1920x1080, IPS, DP+VGA	3,790
SNSE2420HS	Dell Monitor E2420HS, 23.8" 1920x1080, IPS, HDMI+VGA, low-cost HAS with Audio	3,990
SNSE2720H	Dell Monitor E2720H, 27.0" 1920x1080, IPS, DP+VGA	4,790
SNSE2720HS	Dell Monitor E2720HS, 27.0" 1920x1080, IPS, HDMI+VGA, low-cost HAS with Audio	4,890
SNSP1917S	Dell Professional Monitor P1917S, 19.0" 1280x1024, IPS	6,390
SNSP2018H	Dell Professional Monitor P2018H, 19.5" 1600x900, TN	4,890
SNSP2217	Dell Professional Monitor P2217, 22.0" 1680x1050, TN	5,790
SNSP2219H	Dell Professional Monitor P2219H, 21.5" 1920x1080, IPS, Ultrathin bezel	5,590
SNSP2319H	Dell Professional Monitor P2319H, 23.0" 1920x1080, IPS, Ultrathin bezel	6,190
SNSP2421	Dell Professional Monitor P2421, 23.8" 1920x1200, IPS, 16:10, Ultrathin bezel	6,890
SNSP2421D	Dell Professional Monitor P2421D, 23.8" 2560x1440, IPS, Ultrathin bezel	9,791
SNSP2418HT	Dell Professional Touch Monitor P2418HT, 23.8" 1920x1080, IPS, Non glossy, Ultrathin bezel	9,590
SNSP2418Hm	Dell Professional Monitor for Video Conference P2418Hm, 23.8" 1920x1080, IPS, IR Integrated Camera/Mic for MS Hello	6,990
SNSP2419H	Dell Professional Monitor P2419H, 23.8" 1920x1080, IPS, Ultrathin bezel	5,890
SNSP2419H_WOST	Dell Professional Monitor P2419H Without Stand, 23.8" 1920x1080, IPS, Ultrathin bezel	5,290
SNSP2419HC	Dell Professional USB-C Monitor P2419HC, 23.8" 1920x1080, IPS, Ultrathin bezel	6,690
SNSP2419HC_WOST	Dell Professional USB-C Monitor P2419HC Without Stand, 23.8" 1920x1080, IPS, Ultrathin bezel	6,190
SNSP2719H	Dell Professional Monitor P2719H, 27.0" 1920x1080, IPS, Ultrathin bezel	7,090
SNSP2721Q	Dell Professional 4K Monitor P2721Q, 27.0" 4K 3840x2160, IPS, Ultrathin bezel, USB-C PD 65W	13,390
SNSP3421W	Dell Professional Monitor P3421W, 34.0" 3440x1440, Curved(3800R), USB-C PD 65W, connects 2 clients PBP	19,490
SNSU2419H	Dell UltraSharp Monitor U2419H, 23.8" FHD 1920x1080, InfinityEdge	6,990
SNSU2421HE	Dell UltraSharp Monitor U2421HE, 23.8" FHD 1920x1080, InfinityEdge, USB-C PD 65W, RJ45	8,990
SNSU2421E	Dell UltraSharp Monitor U2421E, 24.0" 16:10 WUXGA 1920x1200, InfinityEdge, USB-C PD 90W, RJ-45	10,990
SNSU2520D	Dell UltraSharp Monitor U2520D, 25.0" QHD 2560x1440, InfinityEdge, VESA HDR 400, USB-C PD 90W	14,490
SNSU2720Q	Dell UltraSharp 4K Monitor U2720Q, 27.0" 4K 3840x2160, InfinityEdge, VESA HDR 400, USB-C PD 90W	20,491
SNSU2719D	Dell UltraSharp Monitor U2719D, 27.0" QHD 2560x1440, InfinityEdge	11,990
SNSU2721DE	Dell UltraSharp Monitor U2721DE, 27.0" QHD 2560x1440, InfinityEdge, USB-C PD 65W, RJ45	14,390
SNSU3219Q	Dell UltraSharp 4K Monitor U3219Q, 31.5" UHD 3840x2160, InfinityEdge, VESA HDR 400, USB-C PD 90W	30,890
SNSU3421WE	Dell UltraSharp Curved Monitor U3421W, 34.0" WQHD 3440x1440, USB-C PD 90W, RJ45	24,790
SNSU3821DW	Dell UltraSharp Curved Monitor U3821DW, 37.5" WQHD+, USB C PD 90W, RJ45	41,891
SNSU4021QW	Dell UltraSharp Curved Monitor U4021QW, 40.0" WUHD, TBT3 PD 90W, RJ45	54,991
SNSU4320Q	Dell UltraSharp 4K Monitor U4320Q, 42.5" 4K 3840x2160, connects up to 4 clients PBP, USB-C PD 90W	32,890
SNSUP2716D	Dell UltraSharp PremierColor Monitor UP2716D, 27.0" QHD 2560x1440, 3SNB	19,190
SNSUP3017	Dell UltraSharp PremierColor Monitor UP3017, 30.0" WQXGA 2560x1600	36,890
SNSUP3221Q	Dell UltraSharp PremierColor 4K Monitor UP3221Q, 31.5" UHD 3840x2160, TBT3 PD 90W, Built-in colorimeter, CalMAN	126,890

DELL : All in One



Optiplex 3280
SNS328A001



Optiplex 3280
SNS328A002



Optiplex 3280
SNS328A003

Free	Free DVD RW External	Free DVD RW External	Free DVD RW External
Display	"21.5-inch, FHD, 1920 x 1080, 60 Hz, Anti-glare, WLED, Non-touch, Narrow Bezel, 72% NTSC typical, 250 Nits, IPS, Wide Viewing Angle, Camera"	"21.5-inch, FHD, 1920 x 1080, 60 Hz, Anti-glare, WLED, Non-touch, Narrow Bezel, 72% NTSC typical, 250 Nits, IPS, Wide Viewing Angle, Camera"	3280 AIO 21.5" FHD 1920x1080 IPS No Touch Anti-Glare, Camera
CPU	Intel® Pentium® Gold G6400T (2 Cores, 4 MB Cache, 4 Threads, 3.4 GHz, 35 W)	Intel® Core™ i3-10100T (4 Cores, 6 MB Cache, 8 Threads, 3.0 GHz up to 3.8 GHz, 35 W)	Intel® Core™ i5-10500T (6 Cores, 12 MB Cache, 12 Threads, 2.3 GHz up to 3.8 GHz, 35 W)
Chipset	Intel® B460 Chipset	Intel® B460 Chipset	Intel® B460 Chipset
OS	Ubuntu	Ubuntu	Win10Pro 64 bit
RAM	4GB (1X4GB) 2666MHz DDR4 Non-ECC	4GB (1X4GB) 2666MHz DDR4 Non-ECC	8GB (1X8GB) 2666MHz DDR4 Non-ECC
HDD	2.5 inch 1TB 7200rpm Hard Disk Drive	2.5 inch 1TB 7200rpm Hard Disk Drive	2.5 inch 1TB 7200rpm Hard Disk Drive
Optical drive	External DVD (Dell USB Slim DVD+/-RW Drive-DW316)	External DVD (Dell USB Slim DVD+/-RW Drive-DW316)	None
Graphic	Intel® UHD Graphics 610	Intel® UHD Graphics 630	Intel® UHD Graphics 630
Wireless/BT	Qualcomm QCA61x4a 802.11ac dual band 2x2 + Bluetooth 5.0	Qualcomm QCA61x4a 802.11ac dual band 2x2 + Bluetooth 5.0	Intel 3165 802.11ac dual band 1x1 + Bluetooth 4.2
Mouse&KB	USB Mouse&Keyboard	USB Mouse&Keyboard	Dell Wireless Keyboard and Mouse (Thai) KM636 Black
PowerSupply	130W external power supply	130W external power supply	130W external power supply
I/O Port	"1 RJ-45 port 10/100/1000 Mbps (rear) 1 USB 3.2 Gen 1 Type-C port (side) 1 USB 3.2 Gen 1 Type-A port with PowerShare (side) 2 USB 2.0 ports with Smart Power On (rear) 2 USB 3.2 Gen 1 Type-A ports (rear) 1 Universal audio port (side) , 1 Line-out audio port (rear) 1 DP++ 1.4/HDCP 2.3 port (rear)"	"1 RJ-45 port 10/100/1000 Mbps (rear) 1 USB 3.2 Gen 1 Type-C port (side) 1 USB 3.2 Gen 1 Type-A port with PowerShare (side) 2 USB 2.0 ports with Smart Power On (rear) 2 USB 3.2 Gen 1 Type-A ports (rear) 1 Universal audio port (side) , 1 Line-out audio port (rear) 1 DP++ 1.4/HDCP 2.3 port (rear)"	"1 RJ-45 port 10/100/1000 Mbps (rear) 1 USB 3.2 Gen 1 Type-C port (side) 1 USB 3.2 Gen 1 Type-A port with PowerShare (side) 2 USB 2.0 ports with Smart Power On (rear) 2 USB 3.2 Gen 1 Type-A ports (rear) 1 Universal audio port (side) , 1 Line-out audio port (rear) 1 DP++ 1.4/HDCP 2.3 port (rear)"
Stand Type	Basic Stand	Basic Stand	Basic Stand
Warranty	3Yr Pro Support	3Yr Pro Support	3Yr Pro Support
SRP (inc. VAT)	15,990.-	17,990.-	25,990.-



Optiplex 5480
SNS548A001



Optiplex 5480
SNS548A002



Optiplex 5480
SNS548A003

Display	23.8" FHD 1920x1080 IPS Non-Touch Anti-Glare, Camera, Bronze PSU	23.8" FHD 1920x1080 IPS Non-Touch Anti-Glare, Camera, Bronze PSU	23.8" FHD 1920x1080 IPS Touch Anti-Glare, IR Camera, Platinum PSU
CPU	Intel® Core™ i5-10500T (6 Cores, 12 MB Cache, 12 Threads, 2.3 GHz up to 3.8 GHz, 35 W)	Intel® Core™ i5-10500T (6 Cores, 12 MB Cache, 12 Threads, 2.3 GHz up to 3.8 GHz, 35 W)	Intel® Core™ i5-10500T (6 Cores, 12 MB Cache, 12 Threads, 2.3 GHz up to 3.8 GHz, 35 W)
Chipset	Intel® Q470 Chipset	Intel® Q470 Chipset	Intel® Q470 Chipset
OS	Win10Pro 64 bit	Win10Pro 64 bit	Win10Pro 64 bit
RAM	8GB 1X8GB DDR4 2666MHz Non-ECC	8GB 1X8GB DDR4 2666MHz Non-ECC	8GB 1X8GB DDR4 2666MHz Non-ECC
HDD	2.5 inch 1TB 7200rpm Hard Disk Drive	M.2 256GB PCIe NVMe Class 35 Solid State Drive	M.2 256GB PCIe NVMe Class 40 Solid State Drive + 2.5 inch 1TB 7200rpm Hard Disk Drive
Optical drive	None	None	None
Graphic	Intel® UHD Graphics 630	Intel® UHD Graphics 630	Intel® UHD Graphics 630
Wireless/BT	Intel Wi-Fi 6 AX201, Dual-band 2x2 802.11ax with MU-MIMO + Bluetooth 5.0	Intel Wi-Fi 6 AX201, Dual-band 2x2 802.11ax with MU-MIMO + Bluetooth5.0	Intel Wi-Fi 6 AX201, Dual-band 2x2 802.11ax with MU-MIMO + Bluetooth5.0
Mouse&KB	Dell Wireless Keyboard and Mouse (Thai) KM636 Black	Dell Wireless Keyboard and Mouse (Thai) KM636 Black	Dell Wireless Keyboard and Mouse (Thai) KM636 Black
PowerSupply	80 PLUS internal Power Supply Unit (PSU); 155 W typical 85% Efficient PSU (80 PLUS Bronze)	80 PLUS internal Power Supply Unit (PSU); 155 W typical 85% Efficient PSU (80 PLUS Bronze)	80 PLUS internal Power Supply Unit (PSU); 220 W typical 92% Efficient PSU (80 PLUS Platinum)
I/O Port	"1 RJ-45 port 10/100/1000 Mbps (rear) 1 USB 3.2 Gen 2 Type-C port (side) 1 USB 3.2 Gen 1 Type-A port with PowerShare (side) 2 USB 2.0 ports with Smart Power On (rear) 2 USB 3.2 Gen 2 Type-A ports (rear) 1 Universal audio jack (side), 1 Line-out audio port (rear) 1 DP++ 1.4/HDCP 2.3 port (rear)"	"1 RJ-45 port 10/100/1000 Mbps (rear) 1 USB 3.2 Gen 2 Type-C port (side) 1 USB 3.2 Gen 1 Type-A port with PowerShare (side) 2 USB 2.0 ports with Smart Power On (rear) 2 USB 3.2 Gen 2 Type-A ports (rear) 1 Universal audio jack (side), 1 Line-out audio port (rear) 1 DP++ 1.4/HDCP 2.3 port (rear)"	"1 RJ-45 port 10/100/1000 Mbps (rear) 1 USB 3.2 Gen 2 Type-C port (side) 1 USB 3.2 Gen 1 Type-A port with PowerShare (side) 2 USB 2.0 ports with Smart Power On (rear) 2 USB 3.2 Gen 2 Type-A ports (rear) 1 Universal audio jack (side), 1 Line-out audio port (rear) 1 DP++ 1.4/HDCP 2.3 port (rear)"
Stand Type	Height Adjustable Stand	Height Adjustable Stand	Height Adjustable Stand
Warranty	3Yr Pro Support	3Yr Pro Support	3Yr Pro Support
SRP (inc. VAT)	28,990.-	29,990.-	34,990.-

Office PC

14

DELL : All in One



Optiplex 5480
SNS548A005



Optiplex 7480
SNS748A001



Optiplex 7480
SNS748A003

Display	23.8" FHD 1920x1080 IPS Non-Touch Anti-Glare, IR Camera, Discrete Graphics, Platinum PSU	23.8" FHD 1920x1080 IPS Non-Touch Anti-Glare, Camera, Bronze PSU	23.8" FHD 1920x1080 IPS Non-Touch Anti-Glare, IR Camera, Bronze PSU
CPU	Intel® Core™ i7-10700 (8 Cores, 16 MB Cache, 16 Threads, 2.9 GHz upto 4.8 GHz, 65W)	Intel® Core™ i5-10500 (6 Cores, 12 MB Cache, 12 Threads, 3.1 GHz up to 4.5 GHz, 65 W)	Intel® Core™ i7-10700 (8 Cores, 16 MB Cache, 16 Threads, 2.9 GHz upto 4.8 GHz, 65W)
Chipset	Intel® Q470 Chipset	Intel® Q470 Chipset	Intel® Q470 Chipset
OS	Win10Pro 64 bit	Win10Pro 64 bit	Win10Pro 64 bit
RAM	16GB 1X816GB DDR4 Non-ECC, 2933MHz for i7	8GB 1X8GB DDR4 2666MHz Non-ECC	16GB 2X8GB DDR4 2933 MHz Non-ECC
HDD	M.2 512GB PCIe NVMe Class 35 Solid State Drive	M.2 256GB PCIe NVMe Class 40 Solid State Drive + 2.5 inch 1TB 7200rpm Hard Disk Drive	M.2 256GB PCIe NVMe Solid State Drive + 2.5 inch 1TB 7200rpm Hard Disk Drive
Optical drive	None	None	None
Graphic	NVIDIA GeForce GTX 1050-K1, 3GB	Intel® UHD Graphics 630	Intel® UHD Graphics 630
Wireless/BT	Intel Wi-Fi 6 AX201, Dual-band 2x2 802.11ax with MU-MIMO + Bluetooth5.0	Intel Wi-Fi 6 AX201, Dual-band 2x2 802.11ax with MU-MIMO + Bluetooth5.0	Intel Wi-Fi 6 AX201, Dual-band 2x2 802.11ax with MU-MIMO + Bluetooth5.0
Mouse&KB	Dell Wireless Keyboard and Mouse (Thai) KM636 Black	Dell Wireless Keyboard and Mouse (Thai) KM636 Black	Dell Wireless Keyboard and Mouse (Thai) KM636 Black
PowerSupply	80 PLUS internal Power Supply Unit (PSU); 220 W typical 92% Efficient PSU (80 PLUS Platinum)	80 PLUS internal Power Supply Unit (PSU), 220 W typical 92% Efficient PSU (80 PLUS Platinum)	80 PLUS internal Power Supply Unit (PSU), Bronze 160W PSU
I/O Port	"1 RJ-45 port 10/100/1000 Mbps (rear) 1 USB 3.2 Gen 2 Type-C port (side) 1 USB 3.2 Gen 1 Type-A port with PowerShare (side) 2 USB 2.0 ports with Smart Power On (rear) 2 USB 3.2 Gen 2 Type-A ports (rear) 1 Universal audio jack (side), 1 Line-out audio port (rear) 1 DP++ 1.4/HDCP 2.3 port (rear)"	"1 RJ-45 port 10/100/1000 Mbps (rear) 1 USB 3.2 Gen 2 Type-C port (side) 1 USB 3.2 Gen 1 Type-A port with PowerShare (side) 2 USB 3.2 Gen 2 Type-A ports with Smart Power On (rear) 2 USB 3.2 Gen 2 Type-A ports (rear) 1 Line-out audio port (rear), 1 Universal audio jack (side) 1 DP++ 1.4/HDCP 2.3 port (rear) 1 HDMI In port (rear), 1 HDMI Out port (rear)"	"1 RJ-45 port 10/100/1000 Mbps (rear) 1 USB 3.2 Gen 2 Type-C port (side) 1 USB 3.2 Gen 1 Type-A port with PowerShare (side) 2 USB 3.2 Gen 2 Type-A ports with Smart Power On (rear) 2 USB 3.2 Gen 2 Type-A ports (rear) 1 Line-out audio port (rear), 1 Universal audio jack (side) 1 DP++ 1.4/HDCP 2.3 port (rear) 1 HDMI In port (rear), 1 HDMI Out port (rear)"
Stand Type	Height Adjustable Stand	Height Adjustable Stand	Height Adjustable Stand
Warranty	3Yr Pro Support	3Yr Pro Support	3Yr Pro Support
SRP (inc. VAT)	44,990.-	32,990.-	41,990.-



Optiplex 7780
SNS778A003



Optiplex 7780
SNS778A004

Display	27" FHD 1920x1080 IPS Touch Anti-Glare, IR Camera, Platinum PSU	27" FHD 1920x1080 IPS Non-Touch Anti-Glare, Camera, Platinum PSU
CPU	Intel® Core™ i7-10700 (8 Cores, 16 MB Cache, 16 Threads, 2.9 GHz upto 4.8 GHz, 65W)	Intel® Core™ i7-10700 (8 Cores, 16 MB Cache, 16 Threads, 2.9 GHz upto 4.8 GHz, 65W)
Chipset	Intel® Q470 Chipset	Intel® Q470 Chipset
OS	Win10Pro 64 bit	Win10Pro 64 bit
RAM	16GB 2X8GB DDR4 2933 MHz Non-ECC	16GB 1X16GB DDR4 2933 MHz Non-ECC
HDD	M.2 256GB PCIe NVMe Solid State Drive + 2.5 inch 1TB 7200rpm Hard Disk Drive	M.2 512GB PCIe NVMe Solid State Drive
Optical drive	None	None
Graphic	Intel® UHD 630 Graphics	Intel® UHD 630 Graphics
Wireless/BT	Intel Wi-Fi 6 AX201, Dual-band 2x2 802.11ax with MU-MIMO + Bluetooth5.0	Intel Wi-Fi 6 AX201, Dual-band 2x2 802.11ax with MU-MIMO + Bluetooth5.0
Mouse&KB	Dell Wireless Keyboard and Mouse (Thai) KM636 Black	Dell Wireless Keyboard and Mouse (Thai) KM636 Black
PowerSupply	80 PLUS internal Power Supply Unit (PSU), 220 W typical 92% Efficient PSU (80 PLUS Platinum)	80 PLUS internal Power Supply Unit (PSU), 220 W typical 92% Efficient PSU (80 PLUS Platinum)
I/O Port	"1 RJ-45 port 10/100/1000 Mbps (rear) 1 USB 3.2 Gen 2 Type-C port (side) 1 USB 3.2 Gen 1 Type-A port with PowerShare (side) 2 USB 3.2 Gen 2 Type-A ports with Smart Power On (rear) 2 USB 3.2 Gen 2 Type-A ports (rear) 1 Line-out audio port (rear), 1 Universal audio jack (side) 1 DP++ 1.4/HDCP 2.3 port (rear) 1 HDMI In port (rear), 1 HDMI Out port (rear)"	"1 RJ-45 port 10/100/1000 Mbps (rear) 1 USB 3.2 Gen 2 Type-C port (side) 1 USB 3.2 Gen 1 Type-A port with PowerShare (side) 2 USB 3.2 Gen 2 Type-A ports with Smart Power On (rear) 2 USB 3.2 Gen 2 Type-A ports (rear) 1 Line-out audio port (rear), 1 Universal audio jack (side) 1 DP++ 1.4/HDCP 2.3 port (rear) 1 HDMI In port (rear), 1 HDMI Out port (rear)"
Stand Type	Height Adjustable Stand	Height Adjustable Stand
Warranty	3Yr Pro Support	3Yr Pro Support
SRP (inc. VAT)	49,990.-	43,990.-